

## EPIFANES NONSKID DECKCOATING

Superior hardness, and ease of application!

**Type** One-component semi-gloss urethane-alkyd resin based deckpaint containing poly-

propylene beads as a nonkid agent.

Color White, Cream #1, Gray # 212 (see color chart).

Gloss Eggshell

Recommended use Nonskid finishing coat for wood, steel, aluminum and fiberglass in conjunction

with the appropriate primers. For exterior and interior use above the waterline.

Properties Excellent color retention, cleans easily and stands up to rough wear. Poly-

propylene beads are considered superior as a non-skid agent because the beads absorb a portion of the finish maintaining color retention and structural integrity.

Provides even coverage when rolled.

Container Size 750 ml.

**Density** 1.10 - 1.30 kg./liter

**Solids Content** 60 +/- 2 vol. %

Recommended film

thickness

Per coat wet 100 micron Per coat dry 60 micron

**Application** Best by roller, or brush.

**Thinner** Epifanes Brushthinner for Paint and Varnish

Drying times at

65F / 65% RH

Tack free - 1 hour Hard dry - 24 hours Tape free - 24 hours Recoatable - 24 hours

Note: Allow 72 hours before walking on last coat.

ApplicationnNotes See instructions "Finishing Yacht Enamel". Replace topcoats with Nonskid.

Coverage approx. 80 sq. ft. per liter.

Application conditions

Temperature should be between 50F. and 85F. during application. Air humidity below 85%. Avoid painting in too much wind or sun. A rapid loss of solvents will occur under these conditions and will decrease the flowing ability. Add thinner up to the specified percentage to compensate for the faster release of solvents. Epifanes Nonskid Deckcoating can be used over most types of one-component alkyd or urethane-based paint systems and over properly sanded two-component

paint systems.

DISCLAIMER OF WARRANTIES:

Seller makes no express warranties. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXCLUDED. In the event a warranty is created by law, buyer's EXCLUSIVE REMEDY shall be the replacement of any defective product. No other remedy (including, but not limited to, incidental or consequential damages for lost profits, lost sales, injury to person or property, or any other incidental or consequential loss) shall be available to buyer.

any outs including to Consequential 1083 State 0 available to Duyer. Some States do not allow the exclusion of implied warranties or do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

Epifanes North America Inc. 70 Water Street Thomaston, Maine 04861 U.S.A. tel. 800-269-0961 fax. 207-354-0387