

**TEST REPORT NUMBER:** PRTH00095677 Page 1 of 3  
**APPLICANT:** MATCERAMICA-FABRICO DE LOUÇA , S.A. **DATE OF EMISSION:** 11/03/2022  
APARTADO 150  
OUTEIRO DO SEIXO - VALE DE OURÉM

**For the attention of ANA MARQUES**

**SAMPLE DESCRIPTION:** PEDIDO 663  
PO 220019  
1 - NEST SERVING BOWLS BEACHGRASS GREEN G595=SALADEIRA  
26,7(Nº1)(CARIMBO) MATÉRIA VERDE SEMI-MATE G0595  
REF.: NSB-BG-G7809G0595  
GRES  
**DATE OF RECEPTION:** 10/03/2022  
**TEST PERFORMED BETWEEN DATES:** 10/03/2022 and 11/03/2022  
**WORK DAYS:** 2  
**REQUEST:** Tests performed in accordance with APPLICANT TEST REQUEST  
specification  
**NOTES:** FABLE HOME GOODS

**Samples**

Test	
	1
Extractable lead & cadmium	M

M = Meet buyer's requirement; NM = does not meet buyer's requirement; NR = Not requested; NA = Not applicable; NC = No comment; SC = Still continues

- The report is made on the basis of instructions and/ or information and materials supplied. Sample information is supplied by the customer. Results and observations are only valid for the samples that were submitted.
- Partial reproduction of this report is not allowed without written approval of Intertek Portugal.
- On declaration of compliance or not compliance with the specification, uncertainty associated to the result was not explicitly taken into account. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2 providing a level of confidence of approximately 95% and doesn't include the sampling component due it exceeds laboratory responsibility.
- Tests marked by (\*) are not included in the scope of IPAC accreditation for Intertek Portugal.
- Tests marked by (‡) were performed by an approved third-party subcontractor laboratory, and are not included in the scope of IPAC accreditation.

All services provided by Intertek Portugal are subject to the 'Terms and Conditions', available on the official website at the address <http://www.intertek.pt/termos-e-condicoes/> unless there is a different written agreement, between Intertek Portugal - Intertek and the customer.



Hardlines and Chemistry Laboratory Manager Assistant  
andrea.braga@intertek.com



**INTERTEK PORTUGAL UNIPessoal, LDA.**

Rua Antero de Quental, 221- sala 102, 4455-586 Perafita - Matosinhos  
Tel. (+351) 220 600 343

Test Method	Results	Requirements
-------------	---------	--------------

**Extractable lead & cadmium**

SOP 201: 2017-09-28 (Method equivalent to ASTM C738: 94 (2016))

Sample: 1

Specimen	Cadmium(Cd) (mg/L)	Lead(Pb) (mg/L)
1	<0,04	<0,1
2	<0,04	<0,1
3	<0,04	<0,1
4	<0,04	<0,1
5	<0,04	<0,1
6	<0,04	<0,1

FDA

Limits (mg/L)	
Pb	
Flatware	3.0
Small Holloware	2.0
Large Holloware	1.0
Cups & Mugs	0.5
Pitchers	0.5
Cd	
Flatware	0.5
Small Holloware	0.5
Large Holloware	0.25
Cups & Mugs	0.5
Pitchers	0.25

Sample Capacity: 3000 mL  
Sample Category: Large Holloware

Quantification limit:Pb:0,1mg/L;Cd:0,04 mg/L  
< = Less than

Uncertainty: Cadmium(Cd) ±15% of value; Lead(Pb) ±25% of value

Proposition 65

Limits (mg/L)	
Pb	
Flatware	0.226
Small Holloware	0.1
Large Holloware	0.1
Cups & Mugs	0.1
Pitchers	0.1
Cd	
Flatware	1.8532
Small Holloware	0.1886
Large Holloware	0.0492
Cups & Mugs	0.0492
Pitchers	0.0492



