




### **BATTERY SPECIFICATION**

No to all Malles as	101/
Nominal Voltage	12V
Number of cell	6
Design Life	5 years
Nominal Capacity 77°F(25°C)	
20 hour rate (0.25A, 10.5V)	5.00Ah
10 hour rate (0.50A, 10.5V)	4.80Ah
5 hour rate (0.96A, 10.5V)	4.5Ah
1 hour rate (4.10A, 9.6V)	4.1Ah
Internal Resistance	
Fully Charged battery 77°F(25	5°C) ≤35mOhms
Self-Discharge	
3% of capacity declined per r	month at 20°C(average)
Operating Temperature Rang	ge
Discharge -20~60°C	
Charge -10~60°C	
Storage -20~60°C	
Max. Discharge Current 77°F	(25°C) 75.0A(5s)
Short Circuit Current	270A
Charge Methods: Constant V	'oltage Charge 77°F(25°C)
Cycle use	2.40-2.45VPC
Maximum charging current	2.00A
Temperature compensation	-30mV/°C
Standby use	2.23-2.30VPC
Temperature compensation	-20mV/°C

## DIMENSIONS AND WEIGHT


Length(mm / inch)	
Width(mm / inch)	
Height(mm / inch)	
Total Height(mm / inch)	
Approx. Weight(Kg / lbs)	
* Weight deviation: ± 5%	,

90 / 3.54 70 / 2.76 101 / 3.98 107 / 4.21 1.50 / 3.30





0.8



# BATTERY CONSTRUCTION

Component	Positive plate	Negative plate	Container	Cover	Safety valve	Terminal	Separator	Electrolyte
Raw material	Lead dioxide	Lead	ABS	ABS	Rubber	Copper/Plug	Fiberglass	Sulfuric acid

### DISCHARGE CONSTANT CURRENT (AMPERES AT 77°F/25°C)

End Point

Volts/Cell	5min	10min	15min	30min	1h	3h	5h	10h	20h
1.60V	26.5	17.5	13.0	7.30	4.10	1.55	1.01	0.52	0.27
1.65V	25.4	17.2	12.7	7.20	4.02	1.51	0.98	0.51	0.26
1.70V	24.3	17.0	12.4	7.13	4.00	1.48	0.97	0.50	0.26
1.75V	23.1	16.5	12.1	7.10	3.99	1.44	0.96	0.50	0.25
1.80V	21.8	15.8	12.0	7.02	3.98	1.40	0.95	0.50	0.25

### DISCHARGE CONSTANT POWER (WATTS AT 77°F/25°C)

#### End Point

Volts/Cell	5min	10min	15min	30min	45min	1h	2h	3h	5h
1.60V	49.5	35.2	25.7	14.6	10.00	8.05	4.40	3.05	2.01
1.65V	47.1	34.0	25.2	14.4	9.75	8.03	4.30	2.99	1.98
1.70V	44.8	33.5	25.0	14.3	9.50	8.00	4.21	2.93	1.95
1.75V	42.3	32.5	24.3	14.3	9.25	7.99	4.12	2.86	1.91
1.80V	39.8	31.6	23.5	14.2	9.00	7.97	4.02	2.80	1.88

(Note)The above characteristics data are average values obtained within threecharge/discharge cycles. All data shall be changed without notice, Senzer reserves the right to explain and update the information.

### **GENERAL FEATURES**

Absorbent Glass Mat (AGM) technology for efficient gas recombination of up to 99% and freedom from electrolyte maintenance or water adding. Not restricted for air transport-complies with IATA/ICAO

Special Provision A67.

UL-recognized component.

Can be mounted in any orientation.

Computer designed lead, calcium tin alloy grid for high power density. Long service life, float or cyclic applications.

Maintenance-free operation.

Low self discharge.

Case and cover available in both standard and flame retardant ABS.

ISO ( EIEC



www.upssolutions.com.au sales@upss.com.au




Recognized under CE/ IEC and certified by ISO9001,1400







DISCHARGE CHARACTERISTICS CURVE




### CYCLE LIFE IN RELATION TO DEPTH OF DISCHARGE




CHARGE CHARACTERISTIC CURVE FOR STANDBY USE




**TEMPERATURE EFFECTS ON CAPACITY** 




RELATIONSHIP BETWEEN CHARGING VOLTAGE AND TEMPERATURE




### EFFECT OF TEMPERATURE ON LONG TERM LIFE



### **STORAGE CHARACTERISTICS**



#### LIFE CHARACTERISTICS OF STANDBY USER



IEC

ISO

UPS SOLUTIONS

1300 555 992 www.upssolutions.com.au sales@upss.com.au



ecognized under CE/ IEC and certified by ISO9001 ,1400