INTENDED USE: Dental finishing and polishing points intended as a medical device for the purpose of final polishing of all composite and ceramic restorations.

TECHNIQUE

STEP 1: D-Fine Double Diamond Primary Polishers (purple)

- Use a finishing diamond/carbide to contour the composite surface.
 Select the appropriate D-Fine Double Diamond Primary Polisher.
- 2. Select the appropriate D-fine Double Diamond Filmary Folisher.

 3. Using a wiping motion, at 7,500-10,000 rpm, and with light to moderate pressure and water spray, apply the primary polisher to the restorative

surface. A smooth silky surface will appear in approximately 30 seconds. STEP 2: D-Fine Double Diamond Final High Shine Polishers (peach)

1. Select the appropriate D-Fine Double Diamond Final High Shine Polisher. 2. Again, with light to moderate pressure and water spray, apply the

Final High Shine Polisher to the restorative surface with a wiping motion, until a high gloss finish is achieved.

NOTE: Failure to follow this technique will lead to premature degradation of the polishers.

RECOMMENDED STERII IZATION

D-Fine Double Diamond Polishers should be steam autoclaved only up to 275°F/135°C. Product is not sold in sterile condition.



Clinician's Choice Dental Products, Inc 167 Central Ave., London, ON Canada N6A 1M6 1.800.265.3444 ■ 519.641.3066



987928 052022 Made in Germany