

Jointing selector guide

		What job are you doing?				How are you applying?		Coverage per bag/bucket* (Linear Metres)
		Bedding Coat	Finish Coat	Both coats	Patching and Repair	Hand Application	Mechanical Application	
Setting / Air-drying	 <p>Gyproc Easi-Fill 60 A combined setting and air-drying, gypsum based material for both bulk filling and finishing of joints. High coverage rates and minimal drying shrinkage allows application in 2 coats. 60 minutes working time.</p>	✓	✓	✓	✓	✓	✗	84
	 <p>Gyproc Easi-Fill 45 A combined setting and air-drying, gypsum based material for both bulk filling and finishing of joints. High coverage rates and minimal drying shrinkage allows application in 2 coats. 45 minutes working time.</p>	✓	✓	✓	✓	✓	✗	84
Setting	 <p>Gyproc Joint Filler A gypsum based setting material for bulk and secondary filling of plasterboard joints designed to be used in conjunction with Gyproc Joint Cement for optimum finish. 90 minutes working time.</p>	✓	✗	✗	✗	✓	✗	68
Air-drying	 <p>Gyproc Joint Cement An air-drying powdered jointing material, designed for the finishing stage over Gyproc Joint Filler.</p>	✓	✓	✗	✗	✓	✓	118
	 <p>Gyproc ProMix Lite A ready-mixed jointing product, which is lightweight and has low shrinkage. Compatible with the majority of airless spraying equipment.</p>	✓	✓	✓	✗	✓	✓	68
	 <p>Gyproc Ready Mix Joint Cement An air-drying, ready-mixed jointing material designed for the finishing stage over Gyproc Joint Filler.</p>	✓	✓	✓	✗	✓	✓	68



Why not use our boards in one of the many lining systems British Gypsum has to offer? All of our systems are covered by the SpecSure® lifetime system warranty when using genuine British Gypsum and Saint-Gobain Isover products. For more information visit british-gypsum.com

Customer Service Centre

Tel: 0800 225 225

Office hours: Monday – Friday, 08:00 – 17:00

Technical Advice Centre

Tel: 0115 945 6123

Email: bgtechnical.enquiries@bpb.com

For more information on our products and systems visit british-gypsum.com

March 2017 BG-JSG-01

