



HEAT PRESS CHEAT SHEET



Join our Facebook Group for 24/7 community support!
HEATPRESSNATION CREATORS
heat.press/fbgroup

	HEAT TRANSFER VINYL	TIME	TEMP	PRESSURE	PEEL	
Siser	EASYWEED	15sec	305F	MEDIUM/FIRM	HOT/COLD	
	EW STRETCH	20sec	320F	FIRM	HOT/COLD	
	EW EXTRA	10sec	320F	MEDIUM	HOT/COLD	
	EW ELECTRIC	15sec	305F	MEDIUM/FIRM	HOT/COLD	
	EW FLUORESCENT	15sec	305F	MEDIUM/FIRM	HOT/COLD	
	GLITTER	15sec	320F	FIRM	WARM	
	BRICK	15sec	311F	FIRM	COLD	
	HOLOGRAPHIC	15sec	320F	FIRM	COLD	
	STRIPFLOCK PRO*	15sec	311F	MEDIUM/FIRM	HOT	
	EASYPATTERNS	15sec	305F	MEDIUM/FIRM	HOT/COLD	
	METAL	15sec	305F	MEDIUM/FIRM	HOT/COLD	
	SUB BLOCK	15sec	265F	MEDIUM/FIRM	COLD	
	Specialty Materials	THERMOFLEX PLUS	15 sec	330F	MEDIUM-FIRM	WARM
		THERMOFLEX XTRA	5sec	310F	FIRM-HARD	COLD
GLITTERFLEX ULTRA		20sec	330F	FIRM	WARM	
WILD FASHION PRINT		15sec	330F	FIRM	COLD	
FASHIONFLEX		20sec	320F	FIRM	WARM	
DECOFILM		15sec	320F	FIRM	COLD	

	HEAT TRANSFER PAPER	TIME	TEMP	PRESSURE	PEEL
ParoPro	INKJET LIGHT PRO	20sec	350F	FIRM	HOT
	INKJET DARK PRO	25sec	375F	MEDIUM-FIRM	COLD
	INKJET DARK CLASSIC	25sec	375F	MEDIUM-FIRM	COLD
	LASER DARK OPAQUE	30sec	350F	MEDIUM	COLD
	LASER LIGHT PRO	25sec	385F	FIRM	HOT
	LASER-ONE OPAQUE	30sec	350F	MEDIUM	COLD
NEENAH	JET PRO SOFT STRETCH	30sec	375F	MEDIUM-FIRM	ANY
	JET PRO ACTIVE WEAR	20sec	375F	MEDIUM-FIRM	HOT
	JET OPAQUE	30sec	350F	MEDIUM-FIRM	COLD
	3G JET OPAQUE	30sec	350F	MEDIUM	HOT
	IMAGE CLIP LIGHT	(A+B) 20sec	210F	FIRM	HOT
	(T) 30sec	375F	FIRM	HOT	
	IMAGE CLIP DARK	(A+B) 20sec	250F	MEDIUM-FIRM	HOT
	(T) 25sec	375F	MEDIUM-FIRM	COLD	
	KONCERT-T	(A+B) 20sec	250F	MEDIUM-FIRM	HOT
	(T) 25sec	375F	FIRM	COLD	

	SUBLIMATION SUBSTRATE	TIME	TEMP	PRESSURE
SAVGRASS virtuosos	100% POLY T-SHIRT	45-60sec	385F	MEDIUM
	100% POLY SOCKS	45-60sec	385F	MEDIUM
	100% POLY HAT	45-60sec	385F	LIGHT-MEDIUM
	FLIP-FLOP SANDALS	30sec	375F	MEDIUM
	COFFEE MUG	190sec	385F	MEDIUM-FIRM
	ALUMINUM WATER BOTTLE	120sec	365F	MEDIUM
	LATTE MUG	190sec	385F	MEDIUM
	SHOT GLASS	190sec	385F	MEDIUM
	FROSTED BEER STEIN	260sec	365F	MEDIUM-FIRM
	ALUMINUM TRAVEL MUG	120sec	365F	MEDIUM
	CERAMIC TILES*	6-8min	385F	LIGHT-MEDIUM
	ALUMINUM PHOTO PANEL*	45-60sec	385F	MEDIUM
	HARDBOARD TILES	45-60sec	385F	MEDIUM
	AWARDS PLAQUE	45-60sec	385F	MEDIUM
	5/8" WOOD PANEL	45-60sec	385F	MEDIUM
	STEEL DRY ERASE BOARD	70-80sec	400F	MEDIUM
	STONE PHOTO SLATE	5min	420F	MEDIUM
	2MM PLASTIC TAGS	45-60sec	385F	MEDIUM
	LICENSE PLATE*	80sec	400F	MEDIUM
	DOG TAGS	45-60sec	400F	MEDIUM
MOUSE PADS	40sec	400F	MEDIUM	
TABLET/LAPTOP SLEEVE	60-90sec	400F	MEDIUM	
JIGSAW PUZZLE	40sec	400F	MEDIUM	
CERAMIC ORNAMENT	195sec	390F	LIGHT	
ALUMINUM ORNAMENT*	60-90sec	385F	MEDIUM	

*Should be pressed facing down.



Have a question? Need to order more heat transfer materials?

Call today to speak with the MyExpert Team
(800)215-0894

www.heatpressnation.com

[YouTube](#) [Instagram](#) [Facebook](#) [Twitter](#) /heatpressnation