

Siser's latest innovation, EasyColor™ DTV (Direct to Vinyl), is a white, printable material with a matte finish designed to be compatible with desktop printer inkjet ink, Siser® EasyColor provides excellent print quality with vibrant colors. Only slightly thicker than EasyWeed®, EasyColor™ is lightweight enough for polyester applications, yet still opaque enough for light and dark fabrics. Simply print, cut, mask, and heat to make full-color creations with your desktop printer!

Description		
<p>White, Matte Finish, desktop printer inkjet ink compatible media</p> <p>Compatible Materials: Cotton, Polyester, Poly/Cotton Blends *More fabrics to be evaluated</p> <p>Composition / Thickness: Film Composition: Polyurethane Skin Thickness: Approx. 100 Microns / 3.94 Mills Carrier Backing Composition: Polyester Carrier Backing Thickness: Apporx. 75 Microns / 2.95 Mills</p> <p>Printer Ink Compatibility: Compatible with standard desktop inkjet ink. Plain paper setting for most printers. *More ink types to be evaluated.</p>		
Cutting		
<p>Roland GS-24</p> <ul style="list-style-type: none"> • Blade: 45° • Force: 80-90 gf • Speed: 30-50 cm/s • Offset: .250 	<p>Silhouette 4</p> <ul style="list-style-type: none"> • Blade: AutoBlade, 3 • Force: 6 • Speed: 8 • Material: Heat Transfer, Smooth 	<p>Cricut Explore Air</p> <ul style="list-style-type: none"> • Blade: AutoBlade • Setting: Vinyl+
<p>Settings may vary based on blade condition and age of machine. Always perform a test cut prior to cutting designs.</p>		
Mask		
<p>TTD Easy Mask</p>		
Heat Application		
<p>Siser Craft Press</p> <ul style="list-style-type: none"> • Preheat: 3 seconds • Time: 15 seconds • Temperature: 310°F / 155°C • Pressure: Medium • Peel: Hot 	<p>Cricut EasyPress</p> <ul style="list-style-type: none"> • Preheat: 3 seconds • Time: 15-25 seconds • Temperature: 340°F / 171°C • Pressure: Medium • Peel: Hot 	<p>Home Iron</p> <ul style="list-style-type: none"> • Setting: Cotton • Time: 15-25 seconds • Pressure: Medium • Peel: Hot * Setting and time may vary among irons
Laundering		
<ul style="list-style-type: none"> • We recommend washing the garment prior to wearing to ensure that any excess ink from the printing process is removed. • Wait 24 hours before first wash • Machine wash cold • Tumble dry low • Do not bleach or dry clean 		
Recommended Accessories		
<ul style="list-style-type: none"> • Siser EasyWeeder™ • Siser EasySqueegee™ • TTD Easy Mask 		