

## Product Information Sheet

### Turftak<sup>2</sup> Artificial Turf Adhesive

Turftak<sup>2</sup> is a solvent-free polyurethane adhesive formulated for the bonding of seam tape used in the laying of synthetic grass. Both parts have been conveniently packed to allow for simple yet accurate mixing. This adhesive can be poured onto seam tape and easily applied using a traditional notched trowel or glue box. Turftak<sup>2</sup> is available in 1 and 2 gallon buckets. The product is non-foaming, solvent free, flexible and durable - guaranteed to outlive the life of your turf!



#### Application Instructions

1. Before application, all surfaces should be dry and free of contamination by dirt, rocks, dust and debris.
2. Open and pour the entire contents of Part-A package into Part-B pail. Mix until a uniform color and consistency is achieved.
3. Apply the uniformly mixed adhesive evenly onto seam tape using a notched trowel. Apply Turftak<sup>2</sup> at a temperature between 41°F and 95°F (5°C and 35°C). Aim to apply within 45-60 minutes as the adhesive will begin to cure as soon as it's mixed. A 1/4" square of V-notched trowel is recommended for most applications.
4. Once seams are sealed, simply tread the seams with no need for weighted bagging.

#### Features

- Durable yet Flexible
- Ultra Fast Set-Up/Cure
- Solvent-Free & Dyed Green
- Quick and Easy Application
- Negligible Foaming
- Strong Bond Regardless of Temp/Humidity
- 35 - 45ft of 12inch Seams

#### Technical Data

<b>Composition</b>	100% polyurethane solids, solvent-free
<b>Consistency</b>	Thick but pourable paste when mixed
<b>Color</b>	Green when mixed
<b>Open Time</b>	1 hour at 86°F (30°C)   2 hours at 68°F (20°C)
<b>Handling Time</b>	1.5 hours at 86°F (30°C)   3 hours at 68°F (20°C). Cure time can be accelerated with the optional booster pack)
<b>Cure Time</b>	3 hours at 86°F (30°C)   6 hours at 68°F (20°C)
<b>Packaging</b>	14lb and 26lb kit
<b>Storage Instructions</b>	Storage life of 12 months in an unopened container. Store at a temperature between 50°F and 77°F (10°C - 25°C). Lower temperatures can cause permanent damage to product.
<b>Service Temperature</b>	-40°F (-40°C) to 248°F (+120°C)

# Turftak<sup>2</sup>

## Product Information Sheet

### Turftak2 Artificial Turf Adhesive

#### Technical Data

<b>Composition</b>	100% polyurethane solids, solvent-free
<b>Consistency</b>	Thick but pourable paste when mixed
<b>Color</b>	Green when mixed
<b>Open Time</b>	1 hour at 86°F (30°C)   2 hours at 68°F (20°C)
<b>Handling Time</b>	1.5 hours at 86°F (30°C)   3 hours at 68°F (20°C). Cure time can be accelerated with the optional booster pack)
<b>Cure Time</b>	3 hours at 86°F (30°C)   6 hours at 68°F (20°C)
<b>Packaging</b>	14lb and 26lb kit
<b>Storage Instructions</b>	Storage life of 12 months in an unopened container. Store at a temperature between 50°F and 77°F (10°C - 25°C). Lower temperatures can cause permanent damage to product.
<b>Service Temperature</b>	-40°F (-40°C) to 248°F (+120°C)

