

TEGIN® M Pellets TEGIN® 4100 Pellets

Consistency-enhancer and co-emulsifier for O/W emulsions

- Usage concentration of 1.0 - 5.0 %
- Vegetable based

Personal Care

INCI name (CTFA name)

Glyceryl Stearate

Chemical and physical properties (not part of specifications)

Form	pellets
Colour	ivory
HLB-value	approx. 4

Application

- TEGIN® M Pellets or TEGIN® 4100 Pellets is used as a stabilizer in creams and lotions of the oil-in-water-type, because it has viscosity-increasing and emulsion-stabilizing properties.
- In combination with hydrophilic anionic, cationic, amphoteric or nonionic emulsifiers, finely dispersed, stable O/W emulsions are obtained.
- In contrast to self-emulsifying glycerol-mono-di-stearates (e. g. TEGIN®) TEGIN® M Pellets or TEGIN® 4100 Pellets possess only weak emulsifying properties.

Preparation

TEGIN® M Pellets or TEGIN® 4100 Pellets is added to the oil phase.

Combination of TEGIN® M Pellets or TEGIN® 4100 Pellets with fatty alcohols like e. g. TEGO® Alkanol 16, 18 or 1618 are used for the formulation of O/W emulsions.

The ratio 2 parts TEGIN® M Pellets or TEGIN® 4100 Pellets and 1 part TEGO® Alkanol 16, 18 or 1618 is tested successfully.

We therefore recommend for the preparation of creams to heat oil phase and water phase separately to approx. 65 °C; for lotions oil phase and water phase are heated separately to 80 °C.

Furthermore we recommend to add the hot oil phase to the hot water phase **while stirring**. The coarsely dispersed pre-emulsion is then homogenized.

If it has to be charged with the oil phase due to production-related conditions, the water phase must be added to the oil phase **without stirring** (in order to avoid the formation of a water-in-oil emulsion) and homogenisation has to be started afterwards.

During cooling, a constant horizontal and vertical movement of the emulsion has to be ensured. The viscosity of the liquid emulsion increases to a creamy consistency, as the hydrated consistency promoters solidify.

Polyacrylates such as TEGO® Carbomer 141 or TEGO® Carbomer 134 are added as an oil-dispersion (e. g. in mineral oil, decyl oleate, octyl stearate; not in triglycerides) is added at 60 °C. Then the emulsion is homogenized again.

Perfume, temperature-sensitive substances or electrolyte containing ingredients are added at 35 – 45 °C.

Neutralization of the emulsion is done at approx. 35 °C.

The particle size of the dispersed oil droplets of long-term stable emulsions is approx. 1 – 5 µm. More coarsely dispersed emulsions tend to separate.

Recommended usage concentration

1.0 – 5.0 % TEGIN® M Pellets or TEGIN® 4100 Pellets

Packaging

600 kg pallet (24 x 25 kg)

Hazardous good classification

Information concerning

- classification and labelling according to regulation for transport and for dangerous substances
- protective measures for storage and handling
- measures in case of accidents and fires
- toxicity and ecological effects

is given in our material safety data sheets.

Guide Line Formulations

Summer Feel Moisturizing Cream MK 84/07-1	
Phase A	
TEGO® Care 450	3.0 %
TEGIN® M Pellets	2.5 %
TEGO® Alkanol 18	1.5 %
TEGOSOFT® MM	2.0 %
TEGOSOFT® TIS	2.0 %
ABIL® 350	0.5 %
Cyclomethicone	4.3 %
Jojoba (Buxus Chinensis) Oil	1.0 %
Tocopheryl Acetate	1.0 %
Ethylhexyl Methoxycinnamate	2.0 %
Butyl Methoxydibenzoylmethane	1.0 %
Phase B	
Glycerin	3.0 %
Water	68.2 %
Phase C	
Polyacrylamide; C13-14 Isoparaffin; Laureth-7	1.0 %
Phase D	
Water	5.0 %
Dihydroxyacetone	2.0 %
Phase E	
Citric Acid (10% solution)	q.s.
Phase Z	
Preservative, Perfume	q.s.
Preparation:	
1. Heat phase A and B separately to approx. 80 °C.	
2. Add phase A to phase B with stirring. ¹⁾	
3. Homogenise.	
4. Cool with gentle stirring to approx. 40 °C and add phase C.	
5. Homogenise for a short time.	
6. Cool with gentle stirring and add phase D below 30 °C.	
7. Adjust pH value to 4.0 – 4.5 with phase E.	
¹⁾ Important information: If phase A has to be charged into the vessel first, phase B must be added without stirring .	

O/W Body Souffle Cream MK 77/06-2	
Phase A	
TEGIN® 4100 Pellets	1.5 %
TEGO® Alkanol 18	3.5 %
TEGOSOFT® DEC	23.0 %
Phase B	
TEGO® Care CG 90	1.0 %
TEGOSOFT® PSE 141 G	2.0 %
Glycerin	3.0 %
Water	64.2 %
Phase C	
TEGO® Carbomer 341 ER (Acrylates / C10-30 Alkyl Acrylate Crosspolymer)	0.2 %
TEGOSOFT® DEC	0.8 %
Phase D	
Sodium Hydroxide (10 % in water)	q.s.
Phase E	
TEGO® Betain 810 (Capryl/Capramidopropyl Betaine)	0.8 %
Phase Z	
Preservative, Perfume	q.s.
Preparation:	
1. Heat phase A and B separately to approx. 80 °C.	
2. Add phase A to phase B with stirring. ¹⁾	
3. Homogenise.	
4. Cool with gentle stirring to approx. 60 °C and add phase C.	
5. Homogenise for a short time.	
6. Cool with gentle stirring and add phase D and E below 40 °C.	
¹⁾ Important information: If phase A has to be charged into the vessel first, phase B must be added without stirring .	

H 01/08

This information and all further technical advice are based on Evonik Goldschmidt GmbH's present knowledge and experience. However, Evonik Goldschmidt GmbH assumes no liability for providing such information and advice including the extent to which such information and advice may relate to existing third party intellectual property rights, especially patent rights. In particular, Evonik Goldschmidt GmbH disclaims all CONDITIONS AND WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY. EVONIK GOLDSCHMIDT GMBH SHALL NOT BE RESPONSIBLE FOR CONSEQUENTIAL, INDIRECT OR INCIDENTAL DAMAGES (INCLUDING LOSS OF PROFITS) OF ANY KIND. Evonik Goldschmidt GmbH reserves the right to make any changes according to technological progress or further developments. It is the customer's responsibility and obligation to carefully inspect and test any incoming goods. Performance of the product(s) described herein should be verified by testing and carried out only by qualified experts. It is the sole responsibility of the customer to carry out and arrange for any such testing. Reference to trade names used by other companies is neither a recommendation, nor an endorsement of any product and does not imply that similar products could not be used. (Status: February, 2008)