

TEGO® Betain 810

Very mild amphoteric surfactant

- mucous membrane compatible
- low solubilizing power
- good foam behaviour
- free of preservatives

Personal Care

INCI name (CTFA name)

Capryl/Capramidopropyl Betaine

**Chemical and Physical properties
(not part of specifications)**

Form	low-viscous liquid
Active matter	approx. 35 %

Properties

- TEGO® Betain 810 is a very mild surfactant: TEGO® Betain 810 exhibits very low mucous membrane irritation. E. g. in the in-vitro RBC-test TEGO® Betain 810 is evaluated as "basically non irritant".
- TEGO® Betain 810 provides high foam volume and pleasant lather properties to mild formulations.
- TEGO® Betain 810 is an amphoteric surfactant, it is compatible with anionic, TEGO® Betain 810 has only poor solubilizing properties and shows therefore no defatting properties.
- Free of preservatives.
- Low viscosity aqueous solution (pumpable).
- TEGO® Betain 810 may decrease the viscosity of concentrated surfactant systems.
- Biodegradable.
- TEGO® Betain 810 is produced almost without by-products.

Application

TEGO® Betain 810 as a very mild surfactant is used in all kinds of personal cleansing products and in technical applications:

- mild facial wash formulations
- shampoos
- concentrated shower and bath preparations
- intimate hygiene washes

Suggested usage concentration

1 - 10 % TEGO® Betain 810

Packaging

880 kg pallet (4 x 220 kg drum)

Storage

The viscosity of TEGO® Betain 810 may increase remarkably when stored below 10 °C.

This change of viscosity is reversible when the product is heated up to temperatures above 10 °C. The quality of the product is not influenced by this procedure.

Hazardous goods classification

Information concerning

- classification and labelling according to regulations for transport and for dangerous substances
- protective measures for storage and handling
- measures in accidents and fires
- toxicity and ecological effects

is given in our material safety data sheets.

Guide Line Formulations

2-in-1-Shampoo UK 59/18	
Phase A	
Sodium Laureth Sulfate (28 %)	33.0 %
TEGO® Betain 810 (Capryl/Capramindopropyl Betaine)	1.0 %
TEGIN® G 1100 (Glycol Distearate)	1.5 %
REWOMID® C 212 (Cocamide MEA)	1.7 %
Water	37.6 %
TEGO Betain® F 50 (Cocamidopropyl Betaine)	11.7 %
Perfume	0.5 %
Phase B	
Sodium Laureth Sulfate (28 %)	10.0 %
TEGO® Alkanol 16 (Cetyl Alcohol)	0.5 %
ABIL® Wax 9814 (Cetyl Dimethicone)	2.5 %
Preservative	q.s.
Citric Acid	ad pH ≈ 5.5
Preparation:	
A Mix the ingredients up to the perfume, heat up to 70 °C (the TEGIN® G 1100 has to be melted). Add perfume at a temperature below 50 °C, then water and TEGO® Betain F 50.	
B Heat the Sodium Laureth Sulfate up to 60 °C, then solubilize TEGO® Alkanol 16 and then ABIL® Wax 9814. Stir phase B into phase A and cool down.	

Mild Facial Cleansing Lotion WA 111/1	
Allantoin	0.3 %
Water	85.5 %
TEGOSOFT® GMC 6 (PEG-6 Caprylic/Capric Glycerides)	1.5 %
TEGO® Betain 810 (Capryl/Capramindopropyl Betaine)	3.7 %
LACTIL® (Sodium Lactate; Sodium PCA; Glycine; Fructose; Urea; Niacinamide; Inositol; Sodium Benzoate; Lactic Acid)	2.0 %
Hamamelis Extract	2.0 %
Ethanol	5.0 %
Preservative	q.s.
Perfume	q.s.
Preparation:	
Mix the ingredients in the given order.	

E 08/00

This information and all further technical advice are based on Evonik Goldschmidt GmbH's present knowledge and experience. However, Evonik Goldschmidt GmbH assumes no liability for providing such information and advice including the extent to which such information and advice may relate to existing third party intellectual property rights, especially patent rights. In particular, Evonik Goldschmidt GmbH disclaims all CONDITIONS AND WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY. EVONIK GOLDSCHMIDT GMBH SHALL NOT BE RESPONSIBLE FOR CONSEQUENTIAL, INDIRECT OR INCIDENTAL DAMAGES (INCLUDING LOSS OF PROFITS) OF ANY KIND. Evonik Goldschmidt GmbH reserves the right to make any changes according to technological progress or further developments. It is the customer's responsibility and obligation to carefully inspect and test any incoming goods. Performance of the product(s) described herein should be verified by testing and carried out only by qualified experts. It is the sole responsibility of the customer to carry out and arrange for any such testing. Reference to trade names used by other companies is neither a recommendation, nor an endorsement of any product and does not imply that similar products could not be used.
(Status: February, 2008)