



## **Capillary Ultrafiltration Module**

## **HYDRAcap® MAX 80**

Performance <sup>1</sup>	Filtrate Flow:	15.7 – 51.0 gpm (3.6 – 11.6 m <sup>3</sup> /h)
	Filtrate Turbidity:	≤ 0.10 NTU
	Bacteria removal:	> 4 log

Type Configuration: Capillary Ultrafiltration Module Membrane Polymer: TIPS PVDF

Membrane Polymer: TIPS PVDF Nominal Membrane Area: 1130 ft² (105 m²)

Fiber Dimensions: ID 0.024" (0.6 mm), OD 0.047" (1.2 mm)

Pore size: 0.08 micron

**Application Data**<sup>2</sup> Typical Filtrate Flux Range: 20 – 65 gfd (34 – 110 l/m<sup>2</sup>/h)

Maximum Applied Feed Pressure: 73 psig (5.0 bar)<sup>3</sup>
Maximum Transmembrane Pressure 30 psig (2.0 bar)
Instantaneous Chlorine Tolerance: 5000 ppm<sup>4</sup>
Maximum Chlorine Exposure: 1,000,000 ppm-hrs
Maximum Feed Turbidity: 300 NTU<sup>5</sup>

Maximum Feed Turbidity: 300 NTU<sup>3</sup>

Maximum Operating Temperature: 104 °F (40 °C)

pH Operating Range: 2.0 – 11.0

Cleaning pH Range: 1.0 – 13.0

Operating Mode: Outside to Inside Filtration
Dead End or Cross flow mode

## **Typical Process Conditions**


Air Scour Rate:  $7.3 - 9.1 \text{ acfm } (12.3 - 15.4 \text{ m}^3/\text{h})$ 

Air Scour Duration: 120 – 240 seconds

Air Scour Frequency: Once every 20 – 60 minutes

 $\begin{array}{ll} \mbox{Maintenance Clean Frequency:} & 1-3 \mbox{ times per day} \\ \mbox{Maintenance Clean Duration:} & 20-30 \mbox{ minutes} \\ \mbox{Disinfection Chemicals:} & \mbox{NaOCI, ClO}_2 \mbox{ or NH}_2\mbox{Cl} \\ \end{array}$ 

Cleaning Chemicals: NaOH, HCl, H<sub>2</sub>SO<sub>4</sub>, or Citric Acid



A, inches (mm)	B, inches (mm)	C, inches (mm)	Pipe connections	Dry Weight	Wet Weight
92.15 (2340.6)	83.11 (2110.9)	87.90 (2232.7)	2" Victaulic	135 lbs (62 kg)	260 lbs (118 kg)

## Certifications: NSF61, NSF419 (US LT2ESWTR - Public Drinking Water Compliance)

<sup>1</sup> Typical module performance for most feedwaters.

Notice: Hydranautics also offers HYDRAcap® MAX 80-NON, which is a dummy module with no potting or fiber.

Hydranautics believes the information and data contained herein to be accurate and useful. The information and data are offered in good faith, but without guarantee, as conditions and methods of use of our products are beyond our control. Hydranautics assumes no liability for results obtained or damages incurred through the application of the presented information and data. It is the user's responsibility to determine the appropriateness of Hydranautics' products for the user's specific end uses.

9/1/20

<sup>&</sup>lt;sup>2</sup> The limitations shown here are for general use. The values may be more conservative for specific projects to ensure the best performance and longest life of the membrane

<sup>&</sup>lt;sup>3</sup> At ≤20°C. 58psi (4 bar) between 21 - 30°C. 44 psi (3 bar) between 31 - 40°C.

<sup>&</sup>lt;sup>4</sup> For 60 minutes or less.

<sup>&</sup>lt;sup>5</sup> Higher values can be treated. Consult Hydranautics' technical staff.