UN38.3 Test Summary

Product Rechargeable Li-ion Battery Pack						
	Rechargeable Li-ion Battery Pack					
Model B2027LA-2, AB2027LA-2						
⊠Lithium ion □ Lithium polymer □ Lithium metal						
□Large cell □ Small cell 図Battery	•					
Product Description ☐ Large battery ☐ Small battery	mall battery					
☐ Single cell battery ☐ Multi-cell battery	☐ Single cell battery ☐ Multi-cell battery					
☐ Battery assembly						
Item: Specification Re	mark					
Rated Voltage (Vdc):						
Rated capacity (Ah):						
End of discharge voltage (EODV) (Vdc): 13.75						
Standard charge voltage (Vdc): 21						
Maximum charge voltage (Vdc): 21						
Standard charge current (A):						
Maximum charge current (A): 7.8						
Standard discharge current (A): 4000mA is used	for testing					
Maximum discharge current (A): 40						
Mass (kg): Approx. 648 g						
Watt-hour rating , or lithium content: 72 Wh						
Test Report number 10060117 001						
Test Report number 10060117 001 Date of Test Report 2017-5-11						
•						
Date of Test Report 2017-5-11	chung City 428, Taiwan R.O.C					
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District , Tai						
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District , Tai Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com						
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District, Tai Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition), Part III ,						
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District , Tair Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition), Part III , Test Results						
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District, Tair Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition), Part III, Test Results Pass Fail N/A						
Date of Test Report Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District , Tair Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com ⋅ Website: www.tuv.com Test Specification UN Manual of Tests and Criteria(Sixth revised edition), Part III , Test Results Pass Fail N/A T-1: Altitude simulation □ □						
Date of Test Report Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District , Tair Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition),Part III , Test Results Pass Fail N/A T-1: Altitude simulation □ □ T-2: Thermal Test □ □ T-3: Vibration □ □ T-4: Shock □ □ □						
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District , Tai Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition), Part III , Test Results Pass Fail N/A T-1: Altitude simulation □ □ T-2: Thermal Test □ □ T-3: Vibration □ □						
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District , Tai Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition),Part III , Test Results Pass Fail N/A T-1: Altitude simulation □ □ T-2: Thermal Test □ □ T-3: Vibration □ □ Tests Performced and Resuts						
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District , Tair Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition),Part III , Test Results Pass Fail N/A T-1: Altitude simulation □ □ T-2: Thermal Test □ □ T-3: Vibration □ □ T-4: Shock □ □ T.5: External short circuit □ □						
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District , Tai Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition),Part III , Test Results Pass Fail N/A T-1: Altitude simulation □ T-2: Thermal Test □ □ T-3: Vibration □ □ T-4: Shock □ □ T.5: External short circuit □ □ T-6: Impact / crush □ □						
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District , Tai Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com ⋅ Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition),Part III , Test Results Pass Fail N/A T-1: Altitude simulation □ □ T-2: Thermal Test □ □ T-3: Vibration □ □ T-4: Shock □ □ □ T-6: Impact / crush □ □ T-7: Overcharge □ □ □ T-8: Forced discharge □ □ □						
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District , Tai Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition),Part III , Pass Fail N/A T-1: Altitude simulation □ □ T-2: Thermal Test □ □ T-3: Vibration □ □ T-4: Shock □ □ T-5: External short circuit □ □ T-6: Impact / crush □ □ T-7: Overcharge □ □						
Date of Test Report Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District, Tai Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com ⋅ Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition),Part III , Test Results Pass Fail N/A T-1: Altitude simulation □ □ □ T-2: Thermal Test □ □ □ T-3: Vibration □ □ □ T-4: Shock □ □ □ T-6: Impact / crush □ □ T-7: Overcharge □ □ □ T-8: Forced discharge □ □ □ 38.3.3 (f) applied □ 38.3.3 (g) applied Mobiletron Electronics Co.,Ltd	Sub-section 38.3					
Date of Test Report 2017-5-11 Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District, Tai Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition),Part III , Test Results Pass Fail N/A T-1: Altitude simulation □ □ T-2: Thermal Test □ □ T-3: Vibration □ □ T-4: Shock □ □ T-6: Impact / crush □ □ T-7: Overcharge □ □ T-8: Forced discharge □ □ □ 38.3.3 (f) applied □ 38.3.3 (g) applied	Sub-section 38.3					
Testing Laboratory TÜV Rheinland Taiwan Ltd. Taichung Branch Office, No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District, Tai Tel: +886 2 2172-7000 Mail: Bruce.Tsai@tuv.com · Website: www.tuv.com Test Specfication UN Manual of Tests and Criteria(Sixth revised edition),Part III , Pass Fail N/A T-1: Altitude simulation □ □ T-2: Thermal Test □ □ □ T-3: Vibration □ □ T-4: Shock □ □ □ T-6: Impact / crush □ □ T-7: Overcharge □ □ □ T-8: Forced discharge □ □ □ 38.3.3 (f) applied □ 38.3.3 (g) applied Manufactures's contact information Mobiletron Electronics Co.,Ltd No.85, Sec.4, Chung-Ching Rd., Ta-Ya District, Taichung, 428, Taichung, 4	Sub-section 38.3					



. , , , , , , , , , , , , , , , , , , ,			And the second of the second o		
Prüfbericht-Nr.: Test Report No.:	10060117 001	Auftrags-Nr.: Order No.:	114062823 and	d Seite 1 von 16 Page 1 of 16	
Kunden-Referenz-Nr.: Client Reference No.:	N/A	Auftragsdatum Order date:	: Mar. 28, 2017 a	and Apr. 25, 2017	
Auftraggeber: Client:	Mobiletron Electronics Co. I No. 85, Sec. 4, Chung-Chin		ict, Taichung 428	Taiwan	
Prüfgegenstand: Test item:	See following pages				
Bezeichnung / Typ-Nr.: Identification / Type No.:	See following pages				
Auftrags-Inhalt: Order content:	Service of UN 38.3 test repo	ort		1	
Prüfgrundlage: Test specification:	United Nations: Recomme Manual of Tests and Crite				
Wareneingangsdatum: Date of receipt:	See following pages				
Prüfmuster-Nr.: Test sample No.:	A000535207-001 to -004, A000519351-005 to -008, -011 to -012				
Prüfzeitraum: Testing period:	See following pages	See appendix to this report for photo documentation			
Ort der Prüfung: Place of testing:	See following pages				
Prüflaboratorium: Testing laboratory:	TÜV Rheinland Taiwan Ltd.				
Prüfergebnis*: Test result*:	Pass				
geprüft von / tested by:	Dels	kontrolliert voi	n I reviewed by:		
May 10, 2017 Bruce Tsa	i/PE	May 11, 2017	DENNIS CHIU	/ Reviewer	
Datum Name / Stellu	ing Unterschrift	Datum	Name / Stellung	Unterschrift	
Sonstiges / Other:	on Signature	Date	Name / Position	Signature	
constiges / Other.					
Zustand des Prüfgegens Condition of the test item			ändig und unbeschte and undamaged		
Legende: 1 = sehr gut P(ass) = entspricht o.g. Legend: 1 = very good	2 = gut 3 = befriedigend Prüfgrundlage(n) F(ail) = entspricht nic 2 = good 3 = satisfactory	cht o.g. Prüfgrundlage(n)	4 = ausreichend N/A = nicht anwendbar 4 = sufficient	5 = mangelhaft N/T = nicht getestet 5 = poor	
P(ass) = passed a.m. te	est specification(s) $F(ail) = failed a.m. te$		N/A = not applicable	N/T = not tested	

Test item description Rechargeable Li-ion Battery Pack

Trade Mark:





Manufacturer...... Same as applicant

Ratings DC 18V, 4.0Ah

List of Attachments (including a total number of pages in each attachment):

- Photo Documentation

Total number of pages in each attachment is indicated in each individual attachment.

Summary of testing:

Tests performed (name of test and test clause):

[x] 38.3.4.1 Test T.1: Altitude simulation

[x] 38.3.4.2 Test T.2: Thermal Test

[x] 38.3.4.3 Test T.3: Vibration

[x] 38.3.4.4 Test T.4: Shock

[x] 38.3.4.5 Test T.5: External short circuit

[x] 38.3.4.6 Test T-6: Impact / crush

[] 38.3.4.6 Test T-7: Overcharge

[] 38.3.4.8 Test T-8: Forced discharge

- Pre-production sample without serial number
- Tests conducted on model B2027LA-2 was considered to be representative of model AB2027LA-2

Testing location:

All tests as described in Test Case and Measurement Sections were performed at the laboratory described as below:

TÜV Rheinland Taiwan Ltd., Taichung Laboratory No. 9, Ln. 36, Sec. 3, Minsheng Rd., Daya District, Taichung City, 428 Taiwan

Copy of marking plate:



B2027LA-2 18V === 5ICR19/66-2 4.0 Ah Rechargeable Li-ion Battery Pack

MFD/SN 2017

Do not incinerate, disassemble; may explode or release toxic materials. Do not short circuit; may cause burns. Must be recycled or disposed of properly. For use only with Durofix Class 2 Battery Charger. Please refer to Charger Instruction Manual for

more information.

Mobiletron Electronic Co., Ltd.
No.85, Sec.4, Chung-Ching Rd.,
Ta-Ya District, Taichung City,

Made in Taiwan

ACDelco

AB2027LA-2 18V --- 5ICR19/66-2 4.0 Ah Rechargeable Li-ion Battery Pack

MFD/SN 2017

ACAUTION

Do not incinerate, disassemble; may explode or release toxic materials. Do not short circuit; may cause burns. Must be recycled or disposed of properly.

disposed of properly.
For use only with ACDelco Class 2
Battery Charger. Please refer to
Charger Instruction Manual for
more information.

more information.

Mobiletron Electronic Co., Ltd.
No.85, Sec.4, Chung-Ching Rd.,
Ta-Ya District, Taichung City,
428, Taiwan

Test item particulars:	 □ Lithium metal ⋈ Lithium ion □ button □ cell ⋈ battery □ component cell □ Large □ Small cell 		
	☐ Large ☒ Small battery		
	☐ Single cell battery		
	☐ battery assembly		
Weight of cell or battery:	648 g (for battery)		
Lithium equivalent content	[X] \leq 500 g [] more than 500 g		
Nominal energy:	[X] \leq 6200 Wh [] more than 6200 Wh		
Number of series connected cells	5		
EODV:	See General product information for details		
Testing:			
Date of receipt of test item:	Mar. 24, 2017		
Date (s) of performance of tests:	Mar. 30, 2017 to May. 08, 2017		
O an anal manuscribes			
General remarks: The test results presented in this report relate only to the This report shall not be reproduced, except in full, without laboratory. "(See Enclosure #)" refers to additional information ap "(See appended table)" refers to a table appended to the	out the written approval of the Issuing testing pended to the report. e report.		
The test results presented in this report relate only to the This report shall not be reproduced, except in full, with a laboratory. "(See Enclosure #)" refers to additional information approximation approximati	out the written approval of the Issuing testing pended to the report. e report.		
The test results presented in this report relate only to the This report shall not be reproduced, except in full, with a laboratory. "(See Enclosure #)" refers to additional information ap "(See appended table)" refers to a table appended to the Throughout this report a point is used as the deciral Abbreviations used in the report:	pended to the report. e report. mal separator.		
The test results presented in this report relate only to the This report shall not be reproduced, except in full, without laboratory. "(See Enclosure #)" refers to additional information ap "(See appended table)" refers to a table appended to the Throughout this report a point is used as the deciral Abbreviations used in the report: ND: No disassembly	pended to the report. e report. mal separator. NT: No excessive temperature rise		
The test results presented in this report relate only to the This report shall not be reproduced, except in full, without laboratory. "(See Enclosure #)" refers to additional information ap "(See appended table)" refers to a table appended to the Throughout this report a point is used as the deciral Abbreviations used in the report: ND: No disassembly NF: No fire	pended to the report. e report. mal separator. NT: No excessive temperature rise NV: No venting		
The test results presented in this report relate only to the This report shall not be reproduced, except in full, without laboratory. "(See Enclosure #)" refers to additional information ap "(See appended table)" refers to a table appended to the Throughout this report a point is used as the deciral Abbreviations used in the report: ND: No disassembly NF: No fire NL: No leakage	pended to the report. e report. mal separator. NT: No excessive temperature rise NV: No venting NVD: The open circuit voltage of each test cell or		
The test results presented in this report relate only to the This report shall not be reproduced, except in full, without laboratory. "(See Enclosure #)" refers to additional information ap "(See appended table)" refers to a table appended to the Throughout this report a point is used as the deciral Abbreviations used in the report: ND: No disassembly NF: No fire	pended to the report. e report. mal separator. NT: No excessive temperature rise NV: No venting		

General product information:

- The equipment under test (EUT) is a rechargeable Li-ion battery pack which is constructed with 5 series, 2 parallel cells.
- The circuit design with only one temperature detection.

Model and construction differences:

 The model B2027LA-2 is identical to model AB2027LA-2 except for the trademark and model designation.

Features of battery pack

Item	Specification	Remark
Cell arrangement:	5S2P	
Rated Voltage (Vdc):	18	
Rated capacity (mAh):	4000	
End of discharge voltage (EODV) (Vdc):	13.75	
Standard charge voltage (Vdc):	21.00	
Maximum charge voltage (Vdc): *	21.00	
Standard charge current (mA):		
Maximum charge current (mA): *	7800	
Standard discharge current (mA): *		4000 mA is used for testing
Maximum discharge current (A):	40	
Discharge current (0,2 I _t A) (mA): *	800	
* denotes the value is used for testing.		

EUT construction:

• The top enclosure and bottom enclosure are secured together by three screws

Engineering Conditions of Acceptability:

- The battery not equipped with overcharge protection that relies on protective devices in end-product and the battery charger, it is not considered to be subject to the requirements of T-7 overcharge test.
- The following component cell used within this product has also been tested and found in compliance with the requirements of UN Manual of Test and Criteria Rev.5, Part III, sub-section 38.3. The suitability of use has been evaluated in this report, only T-6 Impact test was conducted additionally, the T-8 Forced discharge were evaluated in the separate test report of the cell.

Object/part no.	Manufacturer/ trademark	Type/model	Technical data	Standard	Remark
Battery cells (5 series by 2 parallel)	LG CHEM, LTD	ICR18650HD2	3.65Vdc, 2000mAh	ST/SG/AC.10/1 1/Rev.5 Part III, sub-section 38.3	Test report no.: QAE-EF02- 130128- CY018650HD2 issued by LG CHEM, LTD

Clause	Requirement + Test	Result - Remark	Verdict
38.3.3	TEST METHODS AND REQUIREMENTS		Р
	Pre-discharge and pre-cycling	See supplementary information in following appended tables for details.	Р
38.3.4	Procedure		Р
38.3.4.1	Test T-1: Altitude		Р
	Cells or batteries are stored at a pressure of 11.6 kPa or less for at least 6 h at ambient temperature (20 \pm 5 °C).	Test according to required.	Р
	Results: no mass loss, no leakage, no venting, no disassembly, no rupture and no fire during this test. The open circuit voltage of each test cell or battery after testing is not less than 90% of its voltage immediately prior to this procedure.	See appended Table T.1. NM, NL, NV, ND, NR, NF, NVD.	Р
38.3.4.2	Test T-2: Thermal cycling		Р
	Cells or batteries previously subjected to altitude test.	Test according to required.	Р
	Cells or batteries are stored for at least 6 h at a test temperature of $72 \pm 2C^{\circ}$, followed by storage for at least 6 h at a test temperature of - $40 \pm 2C^{\circ}$. Maximum time for transfer is 30 minutes. This procedure is executed 10 times.	Test according to required.	Р
	For large cells or batteries the duration of exposure to the test temperatures is at least 12 h instead of 6 h.	Not large batteries.	N/A
	Storage for at least 24 h at ambient temperature (20 \pm 5 °C).	Test according to required.	Р
	Results: no mass loss, no leakage, no venting, no disassembly, no rupture and no fire during this test. The open circuit voltage of each test cell or battery after testing is not less than 90% of its voltage immediately prior to this procedure.	See appended Table T.2. NM, NL, NV, ND, NR, NF, NVD.	Р
38.3.4.3	Test T-3: Vibration		Р
	Cells or batteries previously subjected to thermal cycling test	Test according to required.	Р
	Cells or batteries are subjected to sinusoidal vibration during transport.	Test according to required.	Р
	Cycle is repeated 12 times for a total of 3 h for each of three mutually perpendicular mounting positions. One of the directions is perpendicular to the terminal face.	Test according to required.	Р
	Results: no mass loss, no leakage, no venting, no disassembly, no rupture and no fire during this test. The open circuit voltage of each test cell or battery after testing is not less than 90% of its voltage immediately prior to this procedure.	See appended Table T.3. NM, NL, NV, ND, NR, NF, NVD.	Р

Clause	Requirement + Test	Result - Remark	Verdict
38.3.4.4	Test T-4: Shock		Р
	Cells or batteries previously subjected to vibration test.	Test according to required.	Р
	Each cell or battery is subjected to three shocks in each direction of three mutually perpendicular mounting positions of the cell or battery for a total of 18 shocks.	Test according to required.	Р
	Results: no mass loss, no leakage, no venting, no disassembly, no rupture and no fire during this test. The open circuit voltage of each test cell or battery after testing is not less than 90% of its voltage immediately prior to this procedure.	See appended Table T.4. NM, NL, NV, ND, NR, NF, NVD.	Р
38.3.4.5	Test T-5: External short-circuit		Р
	Cells or batteries previously subjected to shock test.	Test according to required.	Р
	Each cell or battery is heated and stabilized at an external case temperature of 57 ± 4 °C. This period of time depends on the size and design of the cell or battery and is assessed and documented. If this assessment is not feasible, the exposure time shall be at least 6 hours for small cells and small batteries, and 12 hours for large cells and large batteries.	Test according to required.	P
	Then the cell or battery at 57 ± 4 °C is subjected to a short-circuit condition with a total external resistance of less than 0.1 ohm. Short-circuit condition is continued for at least 1 h after the cell or battery external case temperature has returned to 57 ± 4 °C, or in the case of the large batteries, has decreased by half of the maximum temperature increase observed during the test and remains below that value.	See appended Table T.5.	Р
	The short circuit and cooling down phases is conducted at least at ambient temperature.		Р
	The test sample is observed for a further 6 h.	Test according to required.	Р
	Results: The external temperature dose not exceed 170 °C, no rupture, no disassembly and no fire during this test and within the 6 h of observation.	See appended Table T.5. NT, ND, NR, NF.	Р
38.3.4.6	Test T-6: Impact / crush	See below.	Р
	The test is conducted using test cells or component cells that have not been previously subjected to other transport tests.	Test according to required.	Р
	Each test cell or component cell shall be subjected to one impact / crush only.	Test according to required.	Р

Clause	Requirement + Test	Result - Remark	Verdict
	Cylindrical cells not less than 18.0 mm in diameter is tested with impact test procedure. NOTE: Diameter here refers to the design parameter (for example the diameter of 18 650 cells is 18.0 mm).	Test according to required.	Р
	Test cell or component cell is placed on a flat smooth surface. A stainless steel bar with a diameter of 15.8 mm \pm 0.1 mm and a length of at least 60 mm or of the longest dimension of the cell, whichever is greater, is placed across the centre of the test sample. A mass of 9.1 kg \pm 0.1 kg is dropped from a height of 61 cm \pm 2.5 cm at the intersection of the bar and the test sample using a vertical sliding track or channel. The vertical track is oriented 90 degrees from the horizontal supporting surface.		Р
	The test sample is impacted with its longitudinal axis parallel to the flat surface and perpendicular to the longitudinal axis of the steel bar lying across the centre of the test sample.		Р
	Prismatic, pouch, coin/button cells and cylindrical cells less than 18.0 mm in diameter is tested with crush test procedure. NOTE: Diameter here refers to the design parameter (for example the diameter of 18 650 cells is 18.0 mm).		N/A
	A cell or component cell is crushed between two flat surfaces. The crushing is to be gradual with a speed of approximately 1,5 cm/s at the first point of contact.		N/A
	A prismatic or pouch cell shall be crushed by applying the force to the widest side. A button/coin cell shall be crushed by applying the force on its flat surfaces. For cylindrical cells, the crush force shall be applied perpendicular to the longitudinal axis.		N/A
	The crushing is to be continued until one of the three conditions below is reached: - the applied force reaches 13 kN ± 0.78 kN; - the voltage of the cell drops by at least 100 mV; - the cell is deformed by 50 % or more of its original thickness. As soon as one of the above conditions has been obtained, the pressure shall be released.		N/A
	The test sample is observed for a further 6 h.	Test according to required.	Р
	Results: The external temperature dose not exceed 170 °C, no disassembly and no fire during this test and within the 6 h of observation.	See appended Table T.6. NT, NE, NF.	Р

Clause	Clause Requirement + Test Result - Remark V				
38.3.4.7	Test T-7: Overcharge	See General product information - Engineering Conditions of Acceptability for details.	N/A		
	The charge current of the battery or a single cell rechargeable battery is twice the manufacturer's recommended maximum continuous charge current.		N/A		
	The manufacturer's recommended charge voltage is not more than 18 V, the minimum voltage of the test is the lesser of two times the maximum charge voltage of the battery or 22 V.		N/A		
	The manufacturer's recommended charge voltage is more than 18 V. The voltage of the test is not less than 1.2 times the maximum charge voltage.		N/A		
	The test is conducted at ambient temperature. The charging condition is maintained for at least 24 h.		N/A		
	The test sample is observed for a further 7 days.		N/A		
	Results: no disassembly and no fire during this test and within the 7 days of observation.		N/A		
38.3.4.8	Test T-8: Forced discharge	Evaluated in the separate test report of the cell. See General product	N/A		
		information - Engineering Conditions of Acceptability for details.			
	Each cell is forced discharged at ambient temperature by connecting it in series with a 12 V direct current power supply at an initial current equal to the maximum continuous discharge current specified by the manufacturer. Time interval for discharging equals to rated capacity divided by the initial test current.		N/A		
	The test sample is observed for a further 7 days.		N/A		
	Results: no disassembly and no fire during this test, nor within the 7 days of observation.		N/A		

Clause	Requirement + Test	Result - Remark	Verdict
--------	--------------------	-----------------	---------

T.1	TABLE: A	ltitude						Р
Sample No.	Precondition	Open circuit voltage before test (V)	Mass before test (g)	Open circuit voltage after test (V)	Mass after test (g)	Mass loss (%)	Mass loss limit (%)	Results
1	А	20.99	670	20.99	670	0	0.1	Р
2	А	20.99	670	20.99	670	0	0.1	Р
3	А	20.98	670	20.98	670	0	0.1	Р
4	А	20.98	670	20.98	670	0	0.1	Р
5	В	20.93	670	20.93	670	0	0.1	Р
6	В	20.97	670	20.97	670	0	0.1	Р
7	В	20.87	670	20.87	670	0	0.1	Р
8	В	20.93	670	20.93	670	0	0.1	Р

Supplementary information:

1. Precondition:

A = test sample at first cycle, in fully charged states.

B = test sample after 50 cycle, in fully charged states

C = test sample after 25 cycle, in fully charged states

2. Observation during test as following:

NL: No leakage

NV: No venting

ND: No disassembly

NR: No rupture

NE: No explosion

NF: No fire NC: The open circuit voltage of each test cell or battery after testing is not less than 90% of its

voltage immediately prior to this procedure.

NM: No mass loss

Other: (please explain)

T.2	TABLE: Thermal cycling					Р		
Sample No.	Precondition	Open circuit voltage before test (V)	Mass before test (g)	Open circuit voltage after test (V)	Mass after test (g)	Mass loss (%)	Mass loss limit (%)	Results
1	А	20.99	670	20.79	670	0	0.1	Р
2	А	20.99	670	20.78	670	0	0.1	Р
3	А	20.98	670	20.77	670	0	0.1	Р
4	А	20.98	670	20.78	670	0	0.1	Р
5	В	20.93	670	20.71	670	0	0.1	Р
6	В	20.97	670	20.74	670	0	0.1	Р
7	В	20.87	670	20.71	670	0	0.1	Р

Requireme	Requirement + Test				Result - Remark		
	1		l .		T	T	1
В	20.93	670	20.65	670	0	0.1	Р
		Requirement + Test B 20.93					

Supplementary information:

1. Precondition:

A = test sample at first cycle, in fully charged states.

B = test sample after 50 cycle, in fully charged states

C = test sample after 25 cycle, in fully charged states

2. Observation during test as following:

NL: No leakage NC: The open circuit voltage of each test cell or

NV: No venting battery after testing is not less than 90% of its voltage immediately prior to this procedure.

ND: No disassembly
NR: No rupture

NM: No mass loss
Other: (please explain)

NE: No explosion NF: No fire

T.3	TABLE: V	ibration						Р
Sample No.	Precondition	Open circuit voltage before test (V)	Mass before test (g)	Open circuit voltage after test (V)	Mass after test (g)	Mass loss (%)	Mass loss limit (%)	Results
1	А	20.79	670	20.79	670	0	0.1	Р
2	А	20.78	670	20.78	670	0	0.1	Р
3	А	20.77	670	20.77	670	0	0.1	Р
4	А	20.78	670	20.78	670	0	0.1	Р
5	В	20.71	670	20.71	670	0	0.1	Р
6	В	20.74	670	20.74	670	0	0.1	Р
7	В	20.71	670	20.71	670	0	0.1	Р
8	В	20.65	670	20.65	670	0	0.1	Р

Clause Result - Remark Verdict Requirement + Test

Supplementary information:

1. Precondition:

A = test sample at first cycle, in fully charged states.

B = test sample after 50 cycle, in fully charged states

C = test sample after 25 cycle, in fully charged states

2. Test condition as below table, those with a tick on the checkbox.

	Frequen	cy range	Amplitudes (a: acceleration, s: displacement)			of logarithmic eep cycle	Axis	Number of cycles
F	rom	То			(7 Hz –	200 Hz – 7 Hz)		
<i>f</i> 1 =	7 Hz	f2	a ₁ = 1 <i>g</i> n	ı		X	12	
f2		f3	s = 0.8 mm 15 min		Υ	12		
f3		f4 = 200 Hz	a ₂			Z	12	
and	back to f	1 = 7 Hz					Total	36
Key	:							
	Type:		f2		f3	a_2		
×	□ Cell & small battery		18 Hz	į	50 Hz	8 <i>g</i> n		
	Large b	attery	18 Hz	4	25 Hz	2 <i>g</i> n		

3. Observation during test as following:

NL: No leakage

NV: No venting

ND: No disassembly

NR: No rupture

NE: No explosion NF: No fire

NC: The open circuit voltage of each test cell or

battery after testing is not less than 90% of its voltage immediately prior to this procedure.

NM: No mass loss

Other: (please explain)

T.4	TABLE: S	hock						Р
Sample No.	Precondition	Open circuit voltage before test (V)	Mass before test (g)	Open circuit voltage after test (V)	Mass after test (g)	Mass loss (%)	Mass loss limit (%)	Results
1	А	20.79	670	20.79	670	0	0.1	Р
2	А	20.78	670	20.78	670	0	0.1	Р
3	А	20.77	670	20.77	670	0	0.1	Р
4	Α	20.78	670	20.78	670	0	0.1	Р
5	В	20.71	670	20.71	670	0	0.1	Р
6	В	20.74	670	20.74	670	0	0.1	Р
7	В	20.71	670	20.71	670	0	0.1	Р
8	В	20.65	670	20.65	670	0	0.1	Р

Clause	Requireme	ent + Test		Result - Remark			Verdict	

Supplementary information:

1. Precondition:

A = test sample at first cycle, in fully charged states.

B = test sample after 50 cycle, in fully charged states

C = test sample after 25 cycle, in fully charged states

2. Test condition as below table, those with a tick on the checkbox.

	Туре		Minimum peak acceleration	Pulse duration
	All cells		150 gn or	6 ms
	Large cells		50 gn	11 ms
\boxtimes	Small	×	150 gn or result of formula as below:	6 ms
batteries			gn (whichever is smaller) $Acceleration(g_n) = \sqrt{\frac{100850}{mass*}}$	
	Large		50 gn or result of formula as below:	11 ms
	batteries		gn (whichever is smaller) $Acceleration(g_n) = \sqrt{\frac{30000}{mass*}}$	

3. Observation during test as following:

NL: No leakage

NV: No venting

ND: No disassembly

NR: No rupture

NE: No explosion

NF: No fire

NC: The open circuit voltage of each test cell or

battery after testing is not less than 90% of its

voltage immediately prior to this procedure.

NM: No mass loss

Other: (please explain)

T.5	TABLE: Exte	rnal short-circuit				Р
Sample No.	Precondition	Open circuit voltage before test (V)	Open circuit voltage after test (V)	Maximum case temperature (°C)	Total external resistance (mΩ)	Results
1	Α	20.79	0	57.8	76.6	Р
2	Α	20.78	0	57.3	71.9	Р
3	Α	20.77	0	58.2	76.6	Р
4	Α	20.78	0	58.0	71.9	Р
5	В	20.71	0	56.8	76.6	Р
6	В	20.74	0	56.4	71.9	Р
7	В	20.71	0	58.0	76.6	Р

Clause	Requirement	Requirement + Test			Result - Remark		
		T				1	
8	В	20.65	0	57.6	71.9	Р	

Supplementary information:

- 1. Precondition:
 - A = test sample at first cycle, in fully charged states.
 - B = test sample after 50 cycle, in fully charged states
 - C = test sample after 25 cycle, in fully charged states
- 2. Prior to short circuit condition, the case temperature of cell is reached to a steady state temperature of 57.3 °C, and this condition is continued for additional 6 hours.
- 3. Then the cell or battery at 57.3 °C was subjected to short circuit condition with a total external resistance of less than 0.1Ω and cooling down phases was conducted at ambient temperature of 24.2 °C.
- 4. The fusible link (CID, Manufacturer: Mobiletron, P/N:20010409) were damaged during above tests.
- 5. Observation during test and for a further 6 h after the test as following:

No disassembly No excessive temperature rise ND:

(The temperature of cell casing was not NR: No rupture

exceed 170 °C) NE: No explosion

Other: (please explain) NF: No fire

T.6a	TABLE: Impact		Р
Sample No.	Open circuit voltage before test (V)	Maximum case temperature (°C)	Results
1	4.10	24.1	Р
2	4.12	24.2	Р
3	4.12	24.1	Р
4	4.12	23.8	Р
5	4.10	23.9	Р

Supplementary information:

- 1. Shape of cell: Cylindrical (diameter is not less than 18.0 mm)
- 2. Precondition: test sample at first cycle, at 50% of the design rated capacity
- 3. Observation during test and for a further 6 h after the test as following:

ND: No disassembly NT: No excessive temperature rise

(The temperature of cell casings shall not NE: No explosion

exceed 170 °C) NF: No fire

T.6b	TABLE: C	ABLE: Crush						
Sample No.	Open circuit voltage before test (V)	Voltage drop of the cell (mV)	Applied force (kN)	Thickness before test (mm)	Thickness after test (mm)	Maximum case temperature (°C)	Results	
1			13	1	-	-		

Clause	Requireme	nt + Test			Result - Remark	Verdict	
2			13				
3			13				
4			13				
5			13				
 Shap Preco 	nentary informat e of cell: Cyliondition: test same rvation during te	indrical (diame mple at first cy	cle, at 50% of t	he design		uch	
ND: NE: NF:	ND: No disassembly NE: No explosion NT: No excessive temperature rise (The temperature of cell casings shall not exceed 170 °C)						ll not

T.7	TABLE: Ove	rcharge				N/A
Sample No.	Precondition	Open circuit voltage before test (V)	Maximum charging current (A)	Maximum charging voltage (V)	Total charging time (h)	Results
1	Α					
2	Α					
3	Α					
4	Α					
5	В					
6	В					
7	В					
8	В					

Supplementary information:

1. Precondition:

A = test sample at first cycle, in fully charged states.

B = test sample after 50 cycle, in fully charged states

C = test sample after 25 cycle, in fully charged states

2. Observation during test and for a further 7 days after the test as following:

ND: No disassembly NF: No fire

NE: No explosion

T.8	TABLE: Forced d	TABLE: Forced discharge					
Sample No.	Precondition	Open circuit voltage before test (V)	Measured reverse charging current (mA)	Total time for reversed charging application (min)	Results		
1	А						
2	А						

Clause Requirement +		est		sult - Remark	Verdict
3	A				
4	A				
5	А				
6	А				
7	А				
8	А				
9	А				
10	А				
1	В				
2	В				
3	В				
4	В	1			
5	В	1			
6	В	1			
7	В	-			
8	В	-			
9	В				
10	В	1			

Supplementary information:

1. Precondition:

A = test sample at first cycle, in fully discharged states.

B = test sample after 50 cycle, in fully discharged states

2. Observation during test and for a further 7 days after the test as following:

ND: No disassembly NF: No fire

NE: No explosion

- End of Test report -