



## Technical Data Sheet

<b>SAMPLE NAME</b>	Honeycomb reflective tape	<b>SURROUNDING</b>	TEMP23°C ±2°C RH65±5%
<b>TEST ITEM</b>	<b>UNIT</b>	<b>REFERENCE VALUE</b>	<b>METHOD</b>
<b>TOTAL THICKNESS</b> (Base material+glue)	MM	0.24±0.01	GB/T7125-2014
<b>BALL TAG</b>	#	≥7	GB/T 4852-2002
<b>HOLDING</b>	H	≥2	GB/T 4851-2014

### REFLECTIVE DATA

Standard: GB/T18833-2012

Observation angle	Entrance angle	1	2	3	4	5	Average
0.2	-4	165	183	188	210	180	185
	15	117	120	177	128	170	142
	30	31	18	49	31	51	36
0.5	-4	160	148	177	152	146	156
	15	109	99	156	146	131	128
	30	20	16	24	27	34	24
1	-4	97	103	117	121	121	112
	15	85	82	100	95	101	93
	30	20	15	19	24	32	22