

Resilient 250 (RS250)

TECHNICAL SPECIFICATION Acoustic Resilient Layer for Base Floors

Acoustic cushion underlay for use with a wide range of floor coverings

Domestic and commercial use, suitable for heavy foot traffic Manufactured using Sponge Rubber. Backed by a 10 Year Guarantee Roll Size: 2.5mm – 1.37m x 7.30m (10.0m² / roll) / 4ft 49in x 23ft 95in (107.6ft² / roll)

Specification	BS Requirements	Result	Test Method
Nominal Thickness		2.50 mm	EN 823 + Annex A.3.1
Nominal Weight		2.40 kg/m ² / 0.49 lb/ft ²	
Nominal Roll Weight		24.0 kg / 52.9 lb	
Density		960 kg/m ³ / 59.9 lb/ft ³	
Colour and Appearance		Black non-woven	
		polypropylene facing / white	
		non-woven polypropylene	
		backing	
Compound		Sponge Rubber	
Bonding Agent		Synthetic Rubber	
Packaging		Clear Bag with Printed Insert	
Resistance to Breaking or Cracking	No cracks longer than 50mm	Pass - No cracks visible	BS EN 14499:2015
Odour		No objectionable odour	
Antimicrobial and Mildew Resistant		Yes	
Moisture Tolerance (RH%)		85% Relative Humidity	Without DPM
			(Visqueen)
		99% Relative Humidity	With 6 mil DPM
			(Visqueen)
Thermal Resistance (R)		0.23 Togs	BS 4745
Acoustic Performance			
Measured Improvement of Impact		19 dB ΔL _w *	BS EN ISO 10140-3:
Sound (ΔL _w)			2010 & BS EN ISO
			717-2: 2013
Impact Insulation Class (IIC)		IIC 51 *	ASTM – E989-21
Reaction to Fire		Class B _{FL} -s1 **	EN 13051
Test performed on RS250 with no			
floorcovering			

Product Code: RS250 Version: 02 Version Date: October 01, 2021 Page 1 of 3
--

Interfloor Limited Tel: +44 (0)1706 213131 Email: <u>sonixx@interfloor.co.uk</u> Web: <u>www.interfloor.com/sonixx</u>





Resilient 250 (RS250)

TECHNICAL SPECIFICATION Acoustic Resilient Layer for Base Floors

Acoustic cushion underlay for use with a wide range of floor coverings

Domestic and commercial use, suitable for heavy foot traffic Manufactured using Sponge Rubber. Backed by a 10 Year Guarantee Roll Size: 2.5mm – 1.37m x 7.30m (10.0m² / roll) / 4ft 49in x 23ft 95in (107.6ft² / roll)

RESPONSIBLY MADE

RS250 is free from plasticisers, asbestos, formaldehyde, halogens and heavy metals. It complies with the French afsset A+ guidelines on VOCs, and meets the German AgBB scheme standards.

ECOLOGICAL ASPECTS

RS250 is solvent free and does not contain any other ozone depleting substances. The renewal resources used in the product do not compete with food crops (during growth).

HEALTH & SAFETY

RS250 does not require special health and safety measures to be taken. When installing floor coverings, it is essential to adhere to the manufacturer's advice on protection.

PROCESSING

The approval of flooring and adhesive manufacturers must be obtained prior to the installation of the product.

GREEN CREDENTIALS

Green Features	Description	LEED Programme
Recyclable	At the end of the underlays useful life, it can be 100%	MR 2.0: Points Available
	recycled	It can be recycled
Recycled Content	Contains not less than 3% pre-consumer recycled material	MR 4.0: Points Available
		Recycled Content
Indoor Air Quality	Meets or exceeds the industry standard for indoor air quality	IEQ 4.3: Points Available
	as established by the CRI Green Label Programme	Product is Green Label Certified
Regional Materials	Production Facility – Haslingden BB4 4LS, UK	MR 5.0: Points Available
	Where used within 500 miles of the Production Facility	

LEED points must be considered along with other building components and must be determined by the specifiers/architect or LEED accredited professional

Product Code: RS250	Version: 02	Version Date: October 01, 2021	Page 2 of 3

Interfloor Limited Tel: +44 (0)1706 213131 Email: <u>sonixx@interfloor.co.uk</u> Web: <u>www.interfloor.com/sonixx</u>





Resilient 250 (RS250)

TECHNICAL SPECIFICATION Acoustic Resilient Layer for Base Floors

Acoustic cushion underlay for use with a wide range of floor coverings

Domestic and commercial use, suitable for heavy foot traffic Manufactured using Sponge Rubber. Backed by a 10 Year Guarantee Roll Size: 2.5mm – 1.37m x 7.30m (10.0m² / roll) / 4ft 49in x 23ft 95in (107.6ft² / roll)

Please Note:

- The nominal roll dimensions have been quoted. These may vary slightly but will comply with the requirements of BS EN 14499:2015.
- RS250 must not be installed at temperatures below 10°C (50° F).
- For further information on the guarantee and product warranty, please refer to the Interfloor guarantee document which is available from the <u>www.interfloor.com/commercial/sonixx</u> website.
- *Tested on a 140mm / 5½" concrete floor with no floor covering or ceiling system.
- **RS250 is always installed with a floorcovering above, which would improve the installations fire classification.
- RS250 is produced in a facility accredited to ISO 9001, 14001 and 45001.

Product Code: RS250	Version: 02	Version Date: October 01, 2021	Page 3 of 3

Interfloor Limited Tel: +44 (0)1706 213131 Email: <u>sonixx@interfloor.co.uk</u> Web: <u>www.interfloor.com/sonixx</u>

