





#### 1. Manufacturer

SurfaceLogix – a Reliance Supply Company 1880 NW 18th Street Pompano Beach, FL 33069

Phone: 954.971.9111 Fax: 954.971.6623

Email: support@surfacelogix.net

www.surfacelogix.net

## 2. Product Description

Cobble Cure is a solvent blend used for rewetting or liquefying solvent based clear sealers that have "blushed" or shown white discoloration due to moisture entrapment.

This product is to be used on brick pavers, natural stone & concrete surfaces where the sealer has become cloudy due to trapped moisture.

# 3. Applications

Removal of hazy or cloudy appearance from sealer applied to a substrate.

**Technical Data Sheet** 

# **COBBLE CURE**

Sealer "Blushing" Repair Solvent

#### **Characteristics & Technical Data**

Appearance Clear Liquid

% Solids by Weight (+/-3%): 0%

WT./Gal 7.3 lbs.

Coverage: 300 SqFt/Gal

### 4. Properties/Special Features

- Releases moisture trapped in film forming sealers.
- May eliminate the need for stripping the substrate.
- For pavers, natural stone and concrete that have been coated with one or two layers of sealer.

#### 5. Directions

**Before You Begin**: Surfaces must be clean and free of any contaminants before sealing. Cobble Cure's performance is directly related to how thoroughly the surfaced is prepared. All grease, oil and potential contaminates must be removed. Do not apply when the temperature of the air or the surface to be coated is below 50°F. Testing on your surface is always recommended to ensure desired results.

**Note:** This product should be used before deciding whether it is necessary to strip the sealer from pavers or other substrates. On a dry surface, roll or brush Cobble Cure onto the whitened areas of the surface. Once the areas are saturated simply let the area dry. The whitened film should clear within minutes. Avoid excessive rolling or brushing of the Cobble Cure as it will work as a stripping agent of the sealer.

If the sealer has been applied with a coating that is too thick, you will see the coating crystallize and not reform a uniform appearance. In this case, stripping of the film is recommended.

If haziness disappears, then roll or spray Cobble Cure across entire surface. Repeat if necessary.

#### **Application**

Roller: Apply with a 3/8" to 3/4" nap roller cover.

**Pump Sprayer:** Spray by overlapping each pass. Always apply in an even film deposit.





Cleaners & Chemicals: COBBLE CURE, 121-1g, 121-5g

**Technical Data Sheet** 

# **COBBLE CURE**

Sealer "Blushing" Repair Solvent

## 6. Packaging

Size	Package	Per Case	Units / Pallet
1 gallon	Can	4	148
5 gallon	Pail	N/A	36

9 pounds per 1 gallon pail, 45 pounds per 5 gallon pail

#### 7. Coverage

1 gallon covers 200 to 400 square feet per coat depending on application method.

# 8. Curing Information

Dry To Touch: 30 minutes

# 9. Storage & Shelf Life

Product must be kept in its original, unopened and tightly sealed container. Store in a dry and well ventilated place with controlled temperature (50°F to 90°F). Keep sheltered from weather and direct sunlight. In proper storage conditions, the product's shelf life is 12 months following production (see date on packaging). Store product in original container and close lid tightly after each use.

#### 10. Maintenance

Not Applicable

## 11. Shipping

Land & Sea: Not Regulated

Packing Group: III Flash Point: >180F

# 12. Clean Up

Not Applicable

#### 13. Health Hazard Information

Eye Contact: Wear eye protection. May irritate eyes. If in

eyes, flush with water for at least 15 minutes.

Inhalation: Use a NIOSH approved respirator.

Ingestion: If swallowed, DO NOT induce vomiting. Seek

medical attention.

**Skin:** Avoid prolonged contact with skin.

Use with adequate ventilation.

Treated surfaces may become slippery.

#### 14. Technical Support

For friendly, knowledgeable and courteous technical support please call 954.971.9111.

You may also reach us by sending a query from our website at www.surfacelogix.net.

#### 15. Disclaimer

All SurfaceLogix products are manufactured with the finest raw materials. It is the applicator's responsibility to determine the appropriate use of the product.

All recommendations and suggestions are made without guarantee, since conditions of use are beyond our control.