



FRAG0251

THIS RECIPE WILL WORK FOR THE NEW MOD, THE LAST BATCH NUMBER FOR THE OLD MOD IS 176121. FOR OLDER BATCH NUMBERS PLEASE DOWNLOAD THE RECIPE FOR THE OLD MOD.

THE TECHNICAL REPORT FOR THE RECIPE IS COMING SOON.

RECIPE - 30CL

LEMONGRASS AND GINGER IN RCX

CANDLE SHACK

DESCRIPTION

LEMONGRASS AND GINGER

TOP NOTES - LEMONGRASS,
LIME, LEMON, ORANGE

HEART NOTES - GERANIUM,
CINNAMON, GINGER

BASE NOTES - PATCHOULI,
CEDAR, NUTMEG

FRAG0251

INGREDIENTS FOR EACH CANDLE

1x 30cl glass jar
17.6g of Lemongrass and Ginger Fragrance Oil
202.4g of Candle Shack Ecosystem RCX Wax
1x CL14 Wick
1x 15mm Adhesive Wick Pad
1x WickClaw Tool for 30cl Glass

WAX

Candle Shack's EcoSystem Rapeseed & Coconut (RCX) is a natural wax blend. It was developed in Europe exclusively for Candle Shack and is made from rapeseed and coconut oil... and nothing else! It is free from paraffin, soy, palm, beeswax and synthetic additives.

VESSEL

Our Lotti 30cl glass is manufactured in Italy and meets the highest standards of clarity and tolerance.
Height: 90mm
Diameter: 78mm
Internal height: 75mm

WICK

Our Cotton & Linen (CL14) candle wicks are an innovative new flat wick, especially developed for vegetable waxes or heavily fragranced mineral waxes. Made from unbleached cotton, interwoven with a linen thread, these wicks offer excellent rigidity, as well as minimising afterglow and smoking.

USAGE RECOMMENDATIONS

- We recommend heating RCX to 60°C to melt.
- Add fragrance at 60°C and stir for 60 seconds.
- The mixture is ready to pour at 38°C into slightly warmed glasses.
- If the top is uneven once set, you can flash the surface with a heat gun, or do a top up pour to get a clean finish.
- Leave the candle to cure for 2+ days for best results.

DISCLAIMER

Each report shows test results for a set of candles made by Candle Shack's R&D team for that particular recipe. The test reports are not a guarantee that all candles made to the recipe will burn in exactly the same way. Variables such as ambient temperature, air flow, or the manufacturing process can affect the burning profile of a candle, so it is recommended that candle makers conduct their own testing to ensure that they are satisfied with the performance of their product.