

WavePro® WP025

Ceramic filled PTFE dielectric for RF and mmWave applications (Dk=2.55 | Df=0.0021)

HIGH PERFORMANCE DIELECTRIC MATERIAL

The WavePro® family of dielectrics is engineered for use in demanding, high-performance RF and mmWave applications. Its precise formulation delivers a low loss factor, superior mechanical and thermal stability, and unparalleled consistency, making it suitable for a broad range of commercial and military applications where performance and reliability are essential.



MADE TO ORDER PANELS, CURVED/CONFORMAL SURFACES, & 3D SHAPES

Available in a variety of form factors – panels, conformal surfaces, and 3D shapes – WavePro® dielectrics can be custom made to the size, thickness, and geometry required. The Dk value is not restricted to standard values and can be customized. Our expertise in materials science and manufacturing ensures repeatability and reliability between and within production batches.

Visit www.waveproantenna.com to learn more and order free samples.

TYPICAL VALUES

Parameter	WP025	Units	Condition	Test Method
Dielectric constant (Dk)	2.55	-	5 GHz @ 23°C	IPC-TM-650-2.5.5.5
Loss factor (Df/tan δ)	0.0021	-	5 GHz @ 23°C	IPC-TM-650-2.5.5.5
Moisture absorption	0.09	%	24 hours/23°C	IPC-TM-650-2.6.2.1
Thermal Coefficient of Dk (TCDk) ¹	-22	ppm/°C	5 GHz -50 to 150°C	IPC-TM-650-2.5.5.5
Tensile strength	X: 18.4 / 2675 Y: 17.2 / 2501	MPa / psi	23°C	ASTM D1708
Density	1.96	g/cm ³	23°C	ASTM D792
Flammability	V-0		-	UL-94V
Panel size	18" x 24" (457 x 610 mm) Custom sizes made to order			
Panel Thickness	10 to 375 mil Custom thicknesses made to order			
Conformal surface	Made to order			
3D shape	Made to order			



Notes:

1 - Data for other temperature ranges available. Contact Garlock for more information.

WP-025_06.2022_EN-NA

GARLOCK
an Enpro Industries company
Tel: 1-877-GARLOCK / 315.597.4811
Fax: 800.543.0598 / 315.597.3216
www.garlock.com

Garlock
Garlock Australia
Garlock de Canada, LTD
Garlock Taiwan

Garlock China
Garlock Singapore
Garlock Germany
Garlock India Private Limited

Garlock de Mexico, S.A. De C.V.
Garlock New Zealand
Garlock Great Britain Limited