



FRAG0781

THIS RECIPE IS FOR THE NEW MOD, THE LAST BATCH NUMBER OF THE OLD MOD IS 176155. FOR OLDER BATCH NUMBERS PLEASE DOWNLOAD THE RECIPE FOR THE OLD MOD.

THE TECHNICAL REPORT FOR THE RECIPE IS COMING SOON.

**RECIPE - 20CL**  
**THAI LIME & MANGO IN CS1**

# CANDLE SHACK

## DESCRIPTION



## INGREDIENTS FOR EACH CANDLE

<a href="#">1x 20cl glass jar</a>
<a href="#">11.55g of Thai Lime and Mango Fragrance Oil</a>
<a href="#">153.45g Candle Shack Container Wax CS1</a>
<a href="#">1x LX12 Wick</a>
<a href="#">1x 15mm Adhesive Wick Pad</a>
<a href="#">1x WickClaw Tool for 20cl Glass</a>

## WAX

Candle Shack's CS1 Container Wax is blended from mineral and rapeseed oil. It is optimised for scent throw and maintains excellent hot and cold throw while using less fragrance. This vegan-friendly container wax also has a beautiful white texture and unmatched stability, making it popular with our luxury clients.

## VESSEL

Our Lotti 20cl glass is manufactured in Italy and meets the highest standards of clarity and tolerance.  
Height: 84mm  
Diameter: 70.5mm  
Internal height: 66mm

## WICK

The Wedo LX12 wick is one of Wedo's simplest, yet most popular wicks. Suitable for paraffin container candles, votives and pillar candles, the LX12 wick is pure cotton with no core. We typically use LX or TG wicks in paraffin wax blends, where the oil is very clean burning. The LX12 series is less suited to heavily scented candles, or candles that use challenging fragrances, as it can suffer from clubbing.

## USAGE RECOMMENDATIONS

- We recommend heating CS1 to 75°C to melt.
- Add fragrance at 70°C and stir for 60 seconds.
- The mixture is ready to pour at 65°C into warmed glasses.
- If the top is uneven once set, you can flash the surface with a heat gun, or do a top up pour to get a clean finish.
- Leave the candle to cure for 2+ days for best results.

## DISCLAIMER

Each report shows test results for a set of candles made by Candle Shack's R&D team for that particular recipe. The test reports are not a guarantee that all candles made to the recipe will burn in exactly the same way. Variables such as ambient temperature, air flow, or the manufacturing process can affect the burning profile of a candle, so it is recommended that candle makers conduct their own testing to ensure that they are satisfied with the performance of their product.