FOR MORE INFORMATION VISIT COEX3D.COM				CoexFlex™		CoexNylex™
	PLA PLA PRIME	ABS ABS+	PETG	60D TPE 40D TPE 30D TPE	60A TPU	UNFILLED GLASS FILLED
EXTUDER TEMP	215-235C	230-250C	230-245C	205-250C	205-225C	245-295C
BED TEMP	0-60C	80-100C	60-80C	25-85C	0C	85-110C
HEATED BED	OPTIONAL	REQUIRED	REQUIRED	RECOMMENDED	NOT RECOMMENDED	REQUIRED
RECOMMENDED BUILD SURFACE	MAGIGOO, GLASS, PAINTERS TAPE, GLUE STICK, PEI	MAGIGOO, KAPTON TAPE, PEI, ABS SLURRY	MAGIGOO, GLUE STICK, PAINTERS TAPE, PEI	MAGIGOO FLEX, PAINTERS TAPE, GLUE STICK, PEI	MAGIGOO FLEX, PAINTERS TAPE, GLUE STICK, PEI, KAPTON TAPE	MAGIGOO PA, PAINTERS TAPE, PEI
OTHER REQUIRMENTS	PART COOLING FAN	ENCLOSURE RECOMMENDED	PART COOLING FAN, LOW SPEED	PART COOLING FAN	PART COOLING FAN	PART COOLING FAN NOT RECOMMENDED
DENSITY	1.24 G/CM ³	1.03 G/CM ³	1.27 G/CM ³	1.25 G/CM ³	1.17 G/CM ³	1.15 G/CM ³
USES	MODELS, PROTOTYPES	FUNCTIONAL PARTS	DURABLE AND ALL PURPOSE	DURABLE AND FLEXIBLE PARTS	DURABLE AND FLEXIBLE PARTS	DURABLE AND STRONG PARTS
DRYING	55C > 3 HOURS	65C > 3 HOURS	65C > 3 HOURS	55C > 4 HOURS	55C > 4 HOURS	85C > 12 HOURS





3D Printing Filament MADE IN THE USA



COMMITTED TO EXCELLENCE

QUALITY

Your project deserves the best. With our advanced equipment and industry knowledge, you will recieve a consistent filament of the highest quality every time.

PERFORMANCE

At Coex™ 3D, we understand the science behind 3D filament. We only use premium grade virgin resins, colorants, and additives. The result? A strong print in vivid color.

CONNECT WITH US

coex3d.com | 920-757-1055 | sales@coex3d.com

WHAT WE OFFER

- A wide selection of materials and grades
- Exceptional customer service
- Same-day shipment of in-stock orders placed M-F before noon CST
- Unmatched run reliability
- Discounts for nonprofits and bulk orders
- A variety of color options

Follow COEX 3D

JOIN THE FACEBOOK GROUP

@coex3d Off Decision





Coex 3D Printing Group