Quick Start Guide - NuSmile Signature Posterior

Step 1

Pick the right size



Choose crowns based on the original tooth size. As a general rule, use NuSmile Crowns that are one to two sizes smaller than for traditional stainless steel crowns (SSC)

Step 2 Initiate preparation



A coarse football diamond bur is a good choice for occlusal reduction of approximately 2mm.

Step 3

Interproximal reduction



A fine tapered diamond or carbide bur may be used to open the interproximal contacts and to initiate circumferential reduction of the tooth.

Step 4

Refine the preparation



A coarse tapered diamond or carbide bur may be used to create a feather-edge margin. Reduce the tooth adequately on the buccal to allow a natural gingival contour when the crown is seated.

800 346 5133 | +1 713 861 0033 | www.nusmilecrowns.com | 100% SATISFACTION GUARANTEE



Quick Start Guide - NuSmile Signature Posterior

Step 5 Reduction



Pre-veneered crowns require more circumferential, buccal and occlusal reduction than traditional SSC's. The feather-edge margin should extend approximately 2mm subgingivally.


Step 6 Test the fit



Try the crowns on the teeth. No crimping - crowns should seat with finger pressure only. All crowns should seat together and fit subgingivally without distorting the tissue.

Step 7

Fill. Position. Clean up.



Clean teeth of saliva, blood or debris and control gingival hemorrhage. Use NuSmile® BioCem™ Universal BioActive Cement or high-quality glass ionomer cement. Hold crowns firmly in place until cement is set.

Step 8 Finish



Check occlusion; if a NuSmile Signature crown is in high occlusion, the opposing teeth may be adjusted as necessary.

