RB Onyx DTF Hot Peel Film EPSON

PRINT SETTINGS IN EPSON RIP SOFTWARE (EPSON GARMENT CREATOR)

Due to the fact that DTG printers lay down too much white ink for DTF film, the ink density setting needs to be adjusted for DTF film as shown below.

Print Settings in Garment Creator

*The garment creator must be updated for DTF mode.

- 1. Open the artwork on Epson Garment Creator
- 2. Layout settings Flip



3. Please refer to the print settings below

			×.
V Basic			
Dist	Print Quality:	Customize	Level 3~6
	Double Strike Print:	Double Strike Print	Off
	White Print Quality:	No. 15 (1200x1200dpi - 12 Pass)	
	Color Print Quality:	No. 15 (1200x1200dpi - 12 Pass)	
Advance			
	Print Direction:	Bi-Direction (High Speed)	
	Color Management:	Auto Profile	
	Drying Time (sec):	0	
Ink Density		101	
	Print Chart:	Density Test Chart (Black T-Shirt)	
	Color Density:	-80% +100%	10~15%
			10 1370
	White (Top):	-80% +100%	-50%
			-30%
	White (Base):	-80% +100%	500/
		-50	-50%
White Managem			
• white Managen	White:	Print	
	Reduce White Area:	2	
	Under White:	ON	
	Ink Order:	Normal (White -> Color)	Reverse (Color -> Whit



MONTREAL 1-800-361-0100

TORONTO 1-800-263-1413 1-800-665-8958

WINNIPEG VANCOUVER 1-888-739-1864

SASKATCHEWAN (306) 289 - 2107

EDMONTON 1-866-890-9488

ATLANTIC 1-514-228-3347