## Hard Rock Advice Eco-Stain Concentrate

#### WHAT IS ECO-STAIN?

Eco-Stain is a user friendly, water based, semi Eco-Stain is available in a 32oz. Concentration as transparent, penetrating liquid that gives much more well as a 4, 8 and 32oz. Standard strength. control over the design and colour of your project.

Stock colours can be mixed, diluted or layered to transform boring, life-less concrete into a multi- The colour charts are based on two applications of coloured antiqued, variegated surface.

Application can be used on floors, walls, countertops and any other architectural elements in both residential and commercial concrete settings.

### **R**EQUIREMENTS

Super Concrete Renovator (SCR), Sprayer, Brush, per gallon. Sponge, Measuring Cup, Rags.

#### **PREPARATION**

In order to obtain ideal porosity, the use of SCR or grinding equipment is necessary. Concrete surface should feel like 100 grit sandpaper.

Surface must be free of dust, dirt, oil or any foreign **SEALING** matter or contaminant that may prevent proper absorption.

Eco-Stain is best applied on fully cured concrete and concrete overlays.

Application on non-fully cured concrete is possible but final color may not be realized until 28 days after application, or once concrete is fully cured.

Stain should not be applied on flaking or spalling concrete.

### TEST

A water drop test may be used to check the concrete is porous enough. If a drop of water absorbs into the concrete immediately, proceed with Surecretedesign.com—Technical Data Sheets, SDS staining.

Once area is cleaned and feeling like 100 grit HardRockDevelopments.com—Technical sandpaper, choose an are out of the way that can Sheets and SDS Sheets be used for testing. This will allow you to see how the colour will blend with your concrete and to assess if a stronger or lighter concentration is necessary.

#### MIXING AND APPLICATION

Apply in temperatures between 10° C and 32° C.

Eco-Stain at standard strength.

32oz. Of concentrate mixes at 3 parts water to 1 part Eco-Stain (3:1) for a standard strength.

When diluting concentrate make sure to use clean water and mix for 10-15 seconds. Standard strength average coverage is approximately 200 square feet

Application can vary depending on the desired look. Spraying Eco-Stain is the most common way to apply, but sponging or ragging it on is also acceptable. Never apply using a roller as track lines (roller lines) will show.

Eco-Stained concrete must be sealed. Interior with 2 coats of water based polyurethane and exterior with 2 coats of solvent based acrylic sealer.

CONCRETE **SUBSTRATES** SOME ARE EXCESSIVELY POROUS. THESE MAY ABSORB STAIN SO DEEPLY THAT LITTLE COLOUR, IF ANY. IS VISIBLE.. THE USE OF ECO-PRIME IS REQUIRED. SC POLYMER IS DILUTED TO MAKE ECO-PRIME. ECO-PRIME WILL BLOCK THE PORES SO THAT THE STAIN WILL REMAIN CLOSER TO THE SURFACE OF THE CONCRETE AND THERFORE MORE VISIBLE.

### RESOURCES

sheets and instructional videos.

Data



# **Hard Rock Advice**
