

ONE PRINT

● Product Code: PTO / PDTU

■ PRODUCT INFORMATION



A full color printable PU for designs or logos on fashion.









- Suitable for Eco Solvent ink on print & cut machine.
- Vivid and clear color printing.
- An adhesive backing enables intricate cutting.
- Perfect for light or dark garments.
- Instant drying with bright print results.
- Excellent wash durability.
- White, Transparent and Silver colors available.

[Reports or Certifications: EN71](#)

■ MATERIAL SPECIFICATION

- * Composition: PU
- * Adhesive carrier
- * Thickness: 90 ± 20 μ m
- * Standard roll size: 500mm x 50M

■ PRINTING & TRANSFER CONDITIONS Mimaki CJV150 75 / Roland VP-540

 Ink Type	 Print Direction	 Drying Temp.	 Blade
Eco Solvent ink	No Reverse	41~45°	45°
 Temperature	 Time	 Press Pressure	 Peel
150°C / 302°F	10 seconds	Medium	Warm






NB: The plotter machine settings should be adjusted based on the age and brand of the machine

■ HOW TO USE

1. Print and cut directly onto the face of the film.
2. Do not mirror design.
3. Weed out excess film.
4. Use Dae Ha Application tape to transfer the design.
5. Set a heat press to 150°C.
6. Apply medium and even pressure across your transfer.
7. Press for 10 seconds.
8. Peel the PET liner when it is Warm.

NB: We highly recommend performing a test before proceeding with standard production.

■ WASHING CONDITIONS Washing Machine: LG Drum / Detergent: Persil Liquid

 Washing	 Water Temp.	 Tumble Dry	 Iron	 Bleach
Standard	60°C	Available on low setting	Inside Out	Not Allowed

NB: It is recommended to wait at least 24hours after the heat pressing before a first washing.

■ STORAGE CONDITIONS

- * Temperature: Less than 25°C (±3°C)
- * Relative Humidity: 40% (±20%)
- * Keep out of direct sunlight.
- * Shelf life: 1 year from manufacturing date

■ SUITABLE FOR

- * 100% Cotton or 100% Polyester
- * Mixtures of polyester/cotton
- * Acrylic and similar fabrics
- * Not suitable for Nylon or Coated Fabrics