SHIMMER FLEX

• Product Code: SPU

PRODUCT INFORMATION



Shimmer Flex is the right product to create elegant designs.

- Enhanced grade of Glitter flex.
- Made of real glitter flake.
- Smooth, soft, stretchy surface.
- Easy to cut and weed.
- Various colors available.
- No transformation after washing and washing.
- 5 second application.

Reports or Certifications: EN71

MATERIAL SPECIFICATION

- * Composition: PU & Polyester
- * Adhesive carrier
- * Thickness: 100 \pm 5 μ m
- * Standard roll size: 510mm x 25M

CUTTING & TRANSFER CONDITIONS Plotter Machine: GCC Jaguar IV / Mimaki CJV150 75

| Я | Cut Direction | ₽ | Cutting Force | >>> | Speed | Blade |
|---|---------------|------------|---------------|---------------------|----------------|-------|
| | Reverse | | 90gfs | | 15cm/s | 45° |
| | Temperature | \bigcirc | Time | | Press Pressure | Peel |
| | 150°C / 302°F | | 5~7 seconds | | Medium | Cold |

HOW TO USE

- 1. Cut your design in reverse on a plotter machine.
- Weed out excess film.
 Set a heat press to 150°c.

- 4. Apply medium and even pressure across your transfer.
- 5. Press for 5~7 seconds.
- 6. Peel the release liner when it is Cold.

NB: We highly recommend performing a test before proceeding with standard production.

WASHING CONDITIONS Washing Machine: LG Drum / Detergent: Persil Liquid

| Washing | Water Temp. | Tumble Dry | Iron | Bleach |
|----------|-------------|--------------------------|------------|-------------|
| Standard | 40°C | Available on low setting | Inside Out | Not Allowed |

NB: It is recommended to wait at least 24hours after the heat pressing before a first washing.

STORAGE CONDITIONS

- * Temperature: Less than 25°C (±3°C)
- * Relative Humidity: 40% (±20%)
- * Keep out of direct sunlight.
- * Shelf life: 1 year from manufacturing date

SUITABLE FOR

- * 100% Cotton or 100% Polyester
- * Mixtures of polyester/cotton
- * Acrylic and similar fabrics
- * Not suitable for Nylon or Coated Fabrics



Manufacturer of HTV and DTF Film

DAE HA CO., LTD. Main Office: 9F, 10F Daeha Bldg. 499 Gangseo-ro, Gangseo-gu Seoul 07523 Korea Phone: 82 2 2675 2758 I Email: info@garmentfilms.com I Web: www.garmentfilms.com

