

# **ACRYLIC PRIMER** & FILLER



#### **DESCRIPTION**

Acrylic undercoat protection for filling minor scratches before painting. Ideal for use in any type of surfaces. It has excellent coverage and filling property and is corrosion preventive. Can be sanded and over painted with any colour.

#### **PROPERTIES**

- Viscosity: 18-25sec (Flow Cup DIN4, 20°C)
- Density: 0.6-0.8 g/L (Density Cup  $100 \text{cm}^3/20^{\circ}\text{C}$ , ASTM D -1475)
- VOC content: 500 g/L
- Flash Point: -104°C (based on propellant)
- Drying time

Touch (20°C, Humidity<65%): 10-15min Through dry (20°C, Humidity <65%): 1h Maximum hardness: 24h

- Coverage: 2m²/400ml
- Gloss: 1-3 GLOSS UNITS/MATT

(GLOSS METER 60°ASTM D - 1471)

Contents: 400ml

## **INSTRUCTIONS FOR USE**

#### APPLICATION

Remove all dust, rust and oil from the surface. Protect the area which you don't want to be painted. Shake the can thoroughly and spray at a distance of 25-30cm from the surface. Try the spray on testing surface. Apply the primer in several thin layers. For better results apply 2-3 thin coats, 3-5 min apart. Best application temperature: 10-25°C.

Spray holding the can inverted for 3". Clean the caps with solvent.

### STORAGE

Store between 5-35°C. Do not store in vehicles.

# **CAP SYSTEM**

### SMART CAP

- Less overspray
- Extreme Coverage Fast drying
- Hard chisel lines
- Even coating
- Suitably for effects
- Dual way spraying

# SAFETY

Request SDS

\*Cap indicates the color

# **COLOR RANGE**

**342 GREY** 

343 LIGHT YELLOW

There are likely to be declinations in digital performance of shades. ISSUED DATE: 6/8/2024

VERSION: 01



CERTIFIED OUALITY SYSTEM **ISO 9001**