

ESTIMATING USAGE

The tables below are a guide for estimating the amount of material recommended, depending on the end use.

Coating Plywood/Hardwood		
For use with: SilverTip, General Purpose, Cold Cure, Clear Coat, and SB-112.		
Mixed resin/hardener coverage in square feet per gallon		
	Seal Coat	Build Coats
*Softwood	200-250	400/4 mils
Hardwood	250-300	400/4 mils
Vertical Surface	200-250	500/3 mils

*Some soft wood materials will require 2 seal coats due to higher absorption.

Fiberglassing		
For use with: SilverTip, General Purpose, Cold Cure, Clear Coat, and SB-112.		
Mixed resin/hardener coverage in square feet per gallon		
	Wet-Out	Fill Coats
4 oz. cloth	150	300
6 oz. cloth	130	250
10 oz. cloth	100	170
24 oz. Biaxial Tape	32	40

Adhesive Glue Lines			
For use with: G-2, Gel Magic, QuickCure 5 & 15, MetlWeld, and T-88.			
Mixed adhesive coverage in square feet per gallon			
	Thickness	Softwood	Hardwood
Clamped Joints	3-4 mils	400	500
Vacuum Bagging	8 mils	200	200
Stapled Veneer	20 mils	80	80

Fillets				
For use with: EZ-Fillet				
Fillet Size	1/4" X 1/4"	1/2" X 1/2"	3/4" X 3/4"	1" x 1"
Ounces Per Linear Foot	4	8	11	14

Fairing				
For use with: Quikfair				
Fairing Thickness	1/16"	1/8"	1/4 "	3/8"
Ounces Per Square Foot	5	10	20	30

U-TAH Cartridge*			
Bead Size	1/8" x 1/8"	1/4" x 1/4"	3/8" x 3/8"
T-88	44'	22'	11'
GelMagic	34'	17'	9'
Quick Cure 5 & 15	44'	22'	11'

*The units reflected are linear feet per cartridge.