

Dark Coloured Epoxy

How to finish an epoxy table



Mirka Deros 650CV
150mm, 5mm orbit



Abranet Ace / HD
150mm



Abralon
150mm



Using the Mirka Deros Sander, sand the epoxy with Abranet Ace HD 40 grit to remove excess resin




Sand the whole surface with Abranet Ace 60, 80, 120, 180 and 240 grits




Finish off the wood to the desired smoothness level (no more than 600 grit)



Wet sanding. Attach a vacuum block disc to the Deros before attaching the Abralon to protect the dust extractor and sander



Wet sand the epoxy surface with Abralon using water in higher grits to make the epoxy surface smooth, 360, 600, 1000, 2000, and 4000 grit.



Finish the surface with an oil of your choosing