

Test Report

No.: GZHL1705016848HM-01

Date: Jun 19, 2017

Page 1 of 21

TEAMOBSIDIAN LLC
19C TROLLEY SQUARE WILMINGTON, DE 19806

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : BICYCLE HELMET
Style / Item No. : G1342
Size : 54cm-58cm, 58cm-62cm
HPI (from reference plane) : 54cm-58cm: 13mm FOR E-ISO
54cm-58cm: 15mm FOR J-ISO
58cm-62cm: 16mm FOR M-ISO
58cm-62cm: 19mm FOR O-ISO
Manufacturer : AURORA SPORTS LIMITED
Test Performed : Selected test(s) as requested by applicant
Sample Receiving Date : May 02, 2017
Further Information Receiving Date : Jun 06, 2017
Test Performing Date : May 02, 2017 to Jun 12, 2017
Test Result(s) :

Test Requested	Result
CPSC 16 CFR Part 1203	Pass

Signed for and on behalf of
Guangzhou Branch,
SGS-CSTC Ltd.

Arthur Mak
Approved Signatory



SGS-CSTC Inspection & Testing Services Co., Ltd.
Guangzhou Branch Testing Center Headlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Test Conducted: Based on CPSC 16 CFR Part 1203 Safety Standard for Bicycle Helmets

Subpart A —The Standard

Clause	Test Method/Requirement	Result
1203.5	Construction requirements – projections. Any unfaired projection extending more than 7 mm (0.28 in.) from the helmet's outer surface shall break away or collapse when impacted with forces equivalent to those produced by the applicable impact-attenuation tests in § 1203.17 of this standard. There shall be no fixture on the helmet's inner surface projecting more than 2 mm into the helmet interior.	Pass
	Labeling and instructions	
1203.6	(a) Labeling	
	Each helmet shall be marked with durable labeling so that the following information is legible and easily visible to the user:	Pass
	(1) Model designation.	Pass
	(2) A warning to the user that no helmet can protect against all possible impacts and that serious injury or death could occur.	Pass
	(3) A warning on both the helmet and the packaging that for maximum protection the helmet must be fitted and attached properly to the wearer's head in accordance with the manufacturer's fitting instructions.	Pass
	(4) A warning to the user that the helmet may, after receiving an impact, be damaged to the point that it is no longer adequate to protect the head against further impacts, and that this damage may not be visible to the user. This label shall also state that a helmet that has sustained an impact should be returned to the manufacturer for inspection, or be destroyed and replaced.	Pass
	(5) A warning to the user that the helmet can be damaged by contact with common substances (for example, certain solvents [ammonia], cleaners [bleach], etc.), and that this damage may not be visible to the user. This label shall state in generic terms some recommended cleaning agents and procedures (for example, wipe with mild soap and water), list the most common substances that damage the helmet, warn against contacting the helmet with these substances, and refer users to the instruction manual for more specific care and cleaning information.	Pass
	(6) Signal word. The labels required by paragraphs (a) (2) through (5) of this section shall include the signal word "WARNING" at the beginning of each statement, unless two or more of the statements appear together on the same label. In that case, the signal word need only appear once, at the beginning of the warnings. The signal word "WARNING" shall be in all capital letters, bold print, and a type size equal to or greater than the other text on the label.	Pass
	(b) Instructions	
	Each helmet shall have fitting and positioning instructions, including a graphic representation of proper positioning	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1203.12	Test requirements	
	(a) Peripheral vision All bicycle helmets shall allow unobstructed vision through a minimum of 105° to the left and right sides of the mid-sagittal plane when measured in accordance with § 1203.14 of this standard.	Pass See annex 1
	(b) Positional stability No bicycle helmet shall come off of the test headform when tested in accordance with § 1203.15 of this standard.	Pass See annex 2
	(c) Dynamic strength of retention system All bicycle helmets shall have a retention system that will remain intact without elongating more than 30 mm (1.2 in.) when tested in accordance with § 1203.16 of this standard.	Pass See annex 3
	(d) Impact attenuation criteria (1) General. A helmet fails the impact attenuation performance test of this standard if a failure under paragraph (d)(2) of this section can be induced under any combination of impact site, anvil type, anvil impact order, or conditioning environment permissible under the standard, either with or without any attachments, or combinations of attachments, that are provided with the helmet. Thus, the Commission will test for a “worst case” combination of test parameters. What constitutes a worst case may vary, depending on the particular helmet involved. (2) Peak acceleration. The peak acceleration of any impact shall not exceed 300 g when the helmet is tested in accordance with § 1203.17 of this standard.	Pass See annex 4

Subpart B—Certification

1203.34	Product certification and labeling by manufacturers (including importers)	
(b)	Contents of certification label.	
	The certification labels required by this section shall contain the following:	
	(1) The statement “Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 5 and Older” or “Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 1 and Older (Extended Head Coverage)”, as appropriate; this label may spell out “U.S. Consumer Product Safety Commission” instead of “U.S. CPSC”;	Pass
	(2) The name of the U.S. manufacturer or importer responsible for issuing the certificate or the name of a private labeler;	Pass
	(3) The address of the U.S. manufacturer or importer responsible for issuing the certificate or, if the name of a private labeler is on the label, the address of the private labeler;	Pass
	(4) The name and address of the foreign manufacturer, if the helmet was manufactured outside the United States;	Pass
	(5) The telephone number of the U.S. manufacturer or importer responsible for issuing the certificate or, if the name of a private labeler is on the label, the telephone number of the private labeler;	Pass
	(6) An identification of the production lot; and	Pass
(7) The uncoded month and year the product was manufactured.	Pass	



(c)	Coding	NA
	(1) The information required by paragraphs (b) (4) and (b) (6) of this section, and the information referred to in paragraph (c) (2) of this section, may be in code, provided:	
	(i) The person or firm issuing the certificate maintains a written record of the meaning of each symbol used in the code, and	
	(ii) The record shall be made available to the distributor, retailer, consumer, and Commission upon request.	
(d)	Placement of the label(s) The information required by paragraphs (b)(2), (b)(3), and (b)(5) of this section must be on one label. The other required information may be on separate labels. The label(s) required by this section must be affixed to the bicycle helmet. If the label(s) are not immediately visible to the ultimate purchaser of the bicycle helmet prior to purchase because of packaging or other marketing practices, a second label is required. That label shall state, as appropriate, "Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 5 and Older", or "Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 1 and Older (Extended Head Coverage)". The label shall be legible, readily visible, and placed on the main display panel of the packaging or, if the packaging is not visible before purchase (e.g., catalog sales), on the promotional material used with the sale of the bicycle helmet. This label may spell out "U.S. Consumer Product Safety Commission" instead of "U.S. CPSC."	Pass

Remark:

1. N/A = Not applicable.
2. N/T = Not tested as per client's request.
3. This test report is to supersede No. GZHL1705016848HM test report which was issued on Jun 13, 2017. And the original test reports (paper and electronic) are invalid.

Impact attenuation instrument system check:

Systems check	Trial drop	Drop Height (cm)	VEL. m/sec	Milliseconds at		
				Peak G	150 g	200 g
Pre-test	1	158.8	5.42	401.1	2.63	2.21
	2	158.8	5.41	401.2	2.62	2.21
	3	158.9	5.42	400.9	2.62	2.23
Pretest average		--	--	401.1	--	--
Post test	1	158.9	5.41	401.4	2.62	2.22
	2	158.7	5.43	401.5	2.62	2.22
	3	158.8	5.41	400.7	2.63	2.23
Post test average		--	--	401.2	--	--
Difference between pretest and post test averages				0.1g	Difference not to exceed 5%	



Model: G1342 Size: 54-58 cm Head form: E ISO HPI (from reference plane): 13 mm

Annex 1: Peripheral vision test

Test Specification: CPSC 1203.14

Ambient temperature at time of test: 22 °C

Condition	Horizontal vision	Result
Ambient No. 1	>105	Pass

Annex 2: Positional stability test

Test Specification: CPSC 1203.15

Ambient temperature at time of test: 22 °C

Condition	Come off or not		Result
Ambient No. 5	From rear	Not come off	Pass
	From front	Not come off	Pass

Annex 3: Retention system strength

Test Specification: CPSC 1203.16

Ambient temperature at time of test: 22 °C

Condition	Elongation (mm)	Result
Ambient condition No.1	21.8	Pass
High temperature No.2	19.4	Pass
Low temperature No. 3	21.0	Pass
Water immersion No.4	21.2	Pass

Annex 4: Impact energy attenuation test

Test Specification: CPSC 1203.17

Ambient temperature at time of test: 22 °C

Condition	Sample Mass (g)	Impact Loc.	Anvil	Vel.-m/sec	Peak'G	Result
Ambient Condition No.1	275	Rear	Flat	6.25	142.3	Pass
		Left Front	Flat	6.25	246.0	Pass
		Left Rear	Hemispherical	4.83	107.0	Pass
		Crown	Hemispherical	4.80	104.8	Pass
High Temperature No.2	268	Left Front	Flat	6.25	210.7	Pass
		Right	Flat	6.24	208.0	Pass
		Rear	Hemispherical	4.83	120.5	Pass
		Front	Hemispherical	4.84	174.3	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Low Temperature No.3	273	Crown	Flat	6.28	211.8	Pass
		Right	Flat	6.23	224.1	Pass
		Rear	Hemispherical	4.82	92.0	Pass
		Left	Hemispherical	4.81	95.7	Pass
Water Immersion No.4	272	Right	Flat	6.27	205.9	Pass
		Front	Flat	6.28	207.0	Pass
		Right Rear	Hemispherical	4.84	111.8	Pass
		Left	Hemispherical	4.82	107.0	Pass
Ambient Condition No.5	271	Front	Curbstone	4.81	111.8	Pass
High Temperature No.6	270	Left	Curbstone	4.80	121.9	Pass
Low Temperature No.7	269	Left Rear	Curbstone	4.81	110.2	Pass
Water Immersion No.8	268	Right	Curbstone	4.81	124.6	Pass

Model: G1342 **Size:** 54-58 cm **Head form:** J ISO **HPI (from reference plane):** 15 mm

Annex 1: Peripheral vision test

Test Specification: CPSC 1203.14

Ambient temperature at time of test: 22 °C

Condition	Horizontal vision	Result
Ambient No. 1	>105	Pass

Annex 2: Positional stability test

Test Specification: CPSC 1203.15

Ambient temperature at time of test: 22 °C

Condition	Come off or not		Result
Ambient No. 5	From rear	Not come off	Pass
	From front	Not come off	Pass

Annex 3: Retention system strength

Test Specification: CPSC 1203.16

Ambient temperature at time of test: 22 °C

Condition	Elongation (mm)	Result
Ambient condition No.1	21.9	Pass
High temperature No.2	22.2	Pass
Low temperature No. 3	21.8	Pass
Water immersion No.4	24.8	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Annex 4: Impact energy attenuation test

Test Specification: CPSC 1203.17

Ambient temperature at time of test: 22 °C

Condition	Sample Mass (g)	Impact Loc.	Anvil	Vel.-m/sec	Peak'G	Result
Ambient Condition No.1	271	Left	Flat	6.25	178.6	Pass
		Right Rear	Flat	6.26	263.1	Pass
		Rear	Hemispherical	4.82	183.4	Pass
		Crown	Hemispherical	4.78	101.1	Pass
High Temperature No.2	269	Rear	Flat	6.24	145.5	Pass
		Crown	Flat	6.25	209.6	Pass
		Left	Hemispherical	4.84	123.0	Pass
		Front	Hemispherical	4.81	93.6	Pass
Low Temperature No.3	269	Crown	Flat	6.24	205.4	Pass
		Left Front	Flat	6.23	198.4	Pass
		Rear	Hemispherical	4.79	93.6	Pass
		Right	Hemispherical	4.80	124.6	Pass
Water Immersion No.4	268	Front	Flat	6.26	184.5	Pass
		Left Rear	Flat	6.21	165.3	Pass
		Left Front	Hemispherical	4.80	92.5	Pass
		Rear	Hemispherical	4.84	111.8	Pass
Ambient Condition No.5	273	Crown	Curbstone	4.81	120.3	Pass
High Temperature No.6	271	Rear	Curbstone	4.82	119.8	Pass
Low Temperature No.7	273	Left	Curbstone	4.83	116.1	Pass
Water Immersion No.8	269	Front	Curbstone	4.82	123.9	Pass

Model: G1342

Size: 58-62 cm

Head form: M JSO

HPI (from reference plane): 16 mm

Annex 1: Peripheral vision test

Test Specification: CPSC 1203.14

Ambient temperature at time of test: 22 °C

Condition	Horizontal vision	Result
Ambient No. 1	>105	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Annex 2: Positional stability test

Test Specification: CPSC 1203.15

Ambient temperature at time of test: 22 °C

Condition	Come off or not		Result
	Ambient No. 5	From rear	
	From front	Not come off	Pass

Annex 3: Retention system strength

Test Specification: CPSC 1203.16

Ambient temperature at time of test: 22 °C

Condition	Elongation (mm)	Result
Ambient condition No.1	21.2	Pass
High temperature No.2	20.5	Pass
Low temperature No. 3	19.2	Pass
Water immersion No.4	20.6	Pass

Annex 4: Impact energy attenuation test

Test Specification: CPSC 1203.17

Ambient temperature at time of test: 22

Condition	Sample Mass (g)	Impact Loc.	Anvil	Vel.-m/sec	Peak'G	Result
Ambient Condition No.1	281	Left Front	Flat	6.23	248.2	Pass
		Rear	Flat	6.26	159.4	Pass
		Right	Hemispherical	4.84	110.7	Pass
		Crown	Hemispherical	4.82	110.7	Pass
High Temperature No.2	283	Left	Flat	6.27	221.4	Pass
		Right	Flat	6.24	243.3	Pass
		Front	Hemispherical	4.83	145.5	Pass
		Left Rear	Hemispherical	4.82	135.8	Pass
Low Temperature No.3	282	Crown	Flat	6.22	211.2	Pass
		Left	Flat	6.24	184.0	Pass
		Rear	Hemispherical	4.81	112.8	Pass
		Right	Hemispherical	4.83	119.3	Pass
Water Immersion No.4	279	Left Rear	Flat	6.24	181.8	Pass
		Right	Flat	6.23	214.5	Pass
		Right Rear	Hemispherical	4.82	107.5	Pass
		Crown	Hemispherical	4.82	103.2	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Ambient Condition No.5	278	Left Front	Curbstone	4.80	131.6	Pass
High Temperature No.6	280	Rear	Curbstone	4.82	96.8	Pass
Low Temperature No.7	281	Front	Curbstone	4.85	120.3	Pass
Water Immersion No.8	282	Right	Curbstone	4.83	113.9	Pass

Model: G1342 **Size:** 58-62 cm **Head form:** O JSO **HPI (from reference plane):** 19 mm

Annex 1: Peripheral vision test

Test Specification: CPSC 1203.14

Ambient temperature at time of test: 22 °C

Condition	Horizontal vision	Result
Ambient No. 1	>105	Pass

Annex 2: Positional stability test

Test Specification: CPSC 1203.15

Ambient temperature at time of test: 22 °C

Condition	Come off or not		Result
Ambient No. 5	From rear	Not come off	Pass
	From front	Not come off	Pass

Annex 3: Retention system strength

Test Specification: CPSC 1203.16

Ambient temperature at time of test: 22 °C

Condition	Elongation (mm)	Result
Ambient condition No.1	23.4	Pass
High temperature No.2	21.8	Pass
Low temperature No. 3	22.3	Pass
Water immersion No.4	21.9	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Annex 4: Impact energy attenuation test

Test Specification: CPSC 1203.17

Ambient temperature at time of test: 22

Condition	Sample Mass (g)	Impact Loc.	Anvil	Vel.-m/sec	Peak'G	Result
Ambient Condition No.1	281	Left	Flat	6.26	207.5	Pass
		Right	Flat	6.27	214.5	Pass
		Rear	Hemispherical	4.82	92.5	Pass
		Crown	Hemispherical	4.80	107.0	Pass
High Temperature No.2	279	Rear	Flat	6.28	128.9	Pass
		Crown	Flat	6.27	208.0	Pass
		Right	Hemispherical	4.81	105.9	Pass
		Left Front	Hemispherical	4.82	156.2	Pass
Low Temperature No.3	279	Crown	Flat	6.26	223.6	Pass
		Right Rear	Flat	6.24	205.9	Pass
		Left Rear	Hemispherical	4.81	164.2	Pass
		Front	Hemispherical	4.79	100.0	Pass
Water Immersion No.4	278	Right	Flat	6.27	267.4	Pass
		Crown	Flat	6.26	185.6	Pass
		Left	Hemispherical	4.80	196.3	Pass
		Right Rear	Hemispherical	4.77	263.1	Pass
Ambient Condition No.5	278	Front	Curbstone	4.86	123.0	Pass
High Temperature No.6	280	Crown	Curbstone	4.79	111.8	Pass
Low Temperature No.7	281	Rear	Curbstone	4.79	116.6	Pass
Water Immersion No.8	283	Left	Curbstone	4.78	120.9	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Sample Photo(s):






<p>Bottom view</p>	
<p>Label</p>	<p>⚠ WARNING! No helmet can prevent all head injuries, even in very low speed accidents, serious injury or death can occur. For maximum protection, the helmet must be fitted and adjusted properly to the head according to owner's manual. Fasten strap buckle securely. Destroy and replace helmet after impact. Damage can be invisible. Solvents and detergents can damage the helmet, sometimes invisibly. Use mild soap and water only. Read owner's manual before use or cleaning.</p> <p>WARNING: This helmet should not be used by children while climbing or doing other activities when there is a risk of strangulation/hanging if the child gets trapped with the helmet.</p> <p>This helmet for pedal cyclists complies with U.S. CPSC safety standards for bicycle helmets for persons age 5 and older. CPSC Designed by TeamObsidian LLC, 19C Trolley Square 19C Wilmington, DE 19806 Phone: 302-256-5524 MADE IN CHINA LOT NO: 221 Manufacturer: AURORA SPORTS LIMITED Address: #1501 HeChengShiJi building, Wuhe Avenue, Bantian Town, LongGang district, ShenZhen, GuangDong, China</p>



<p>Label</p>	
<p>Instruction</p>	





Instruction



Packaging



<p>Front test line for (E) ISO</p>	
<p>Side test line for (E) ISO</p>	



Rear test line for (E) ISO



Front test line for (M) ISO



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Side test line for (M) ISO



Rear test line for (M) ISO





Front test line for (J)
ISO



Side test line for (J)
ISO



<p>Rear test line for (J) ISO</p>	
<p>Front test line for (O) ISO</p>	



Side test line for
(O) ISO



Rear test line for
(O) ISO



End of Report

