

	DETAILS	PRODUCTION / APPLICATION	CARE INSTRUCTIONS / ACCESSORIES
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester</li> <li>• Leather</li> </ul> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 90/3.5</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 305° F/150° C    <b>Pressure:</b> Medium    <b>Time:</b> 10-15 sec.    <b>Peel:</b> HOT or COLD</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm with mild detergent</li> <li>• Dry at normal setting</li> <li>• Do not dry clean • Do not bleach</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester • Leather</li> <li>• Lightly siliconed nylon</li> </ul> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 90/3.5</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 320° F/160° C    <b>Pressure:</b> Light-Medium    <b>Time:</b> 10 sec.    <b>Peel:</b> HOT or COLD</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm with mild detergent</li> <li>• Dry at normal setting</li> <li>• Do not dry clean • Do not bleach</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester</li> <li>• Leather</li> </ul> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 90/3.5</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 305° F/150° C    <b>Pressure:</b> Medium    <b>Time:</b> 15 sec.    <b>Peel:</b> HOT or COLD</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm with mild detergent</li> <li>• Dry at normal setting</li> <li>• Do not dry clean • Do not bleach</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester • Leather</li> <li>• Lycra® / Spandex</li> </ul> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 90/3.5</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 305° F/150° C    <b>Pressure:</b> Medium-Firm    <b>Time:</b> 15 sec.    <b>Peel:</b> HOT or COLD</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm with mild detergent</li> <li>• Dry at normal setting</li> <li>• Do not dry clean</li> <li>• Do not bleach</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton</li> <li>• 100% uncoated polyester</li> <li>• Poly/cotton blends</li> </ul> <p>Shrinkage of textile due to laundering will cause wrinkling and dulling of sheen.</p> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 100/3.9</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 275° F/135° C    <b>Pressure:</b> Medium    <b>Time:</b> 15 sec.    <b>Peel:</b> WARM</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash cold with mild detergent</li> <li>• Hang item to dry</li> <li>• Do not dry clean</li> <li>• Do not bleach</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% uncoated polyester</li> <li>• Sublimated polyester</li> </ul> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 110/4.3</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 265° F/130° C    <b>Pressure:</b> Medium-Firm    <b>Time:</b> 15 sec.    <b>Peel:</b> COLD</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash cold with mild detergent</li> <li>• Hang item to dry</li> <li>• Do not dry clean • Do not bleach</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton</li> <li>• Poly/cotton blends</li> <li>• 100% uncoated polyester</li> <li>• Leather</li> </ul> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 325/12.8</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p style="text-align: center;">Layering is not recommended</p> <p>-----</p> <p><b>Temp:</b> 320° F/160° C    <b>Pressure:</b> Firm    <b>Time:</b> 10-15 sec.    <b>Peel:</b> WARM</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm / mild detergent</li> <li>• Do not bleach • Do not dry clean</li> <li>• Dry at normal setting</li> <li>• Turn inside out</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester • Leather</li> </ul> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 175/6.8</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PVC    <b>Microns/Mils:</b> 160-190/6.3-7.5</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 305° F/150° C    <b>Pressure:</b> Medium-Firm    <b>Time:</b> 15 sec.    <b>Peel:</b> COLD</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm with mild detergent</li> <li>• Dry at normal setting</li> <li>• Do not dry clean • Do not bleach</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>

	DETAILS	PRODUCTION / APPLICATION	CARE INSTRUCTIONS / ACCESSORIES
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester • Leather</li> <li>• Sublimated polyester</li> </ul> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PVC    <b>Microns/Mils:</b> 410/16.1</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p><b>Temp:</b> 320° F/160° C    <b>Pressure:</b> Medium    <b>Time:</b> 15-20 sec.    <b>Peel:</b> COLD</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm / mild detergent</li> <li>• Do not bleach • Do not dry clean</li> <li>• Dry at normal setting • Turn inside out</li> </ul> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% uncoated polyester</li> <li>• Poly/cotton blends</li> <li>• Lightly siliconed nylon • Leather</li> </ul> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 410/16.1</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p><b>Temp:</b> 305° F/150° C    <b>Pressure:</b> Medium    <b>Time:</b> 10-15 sec.    <b>Peel:</b> COLD</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm / mild detergent</li> <li>• Do not bleach • Do not dry clean</li> <li>• Dry at normal setting • Turn inside out</li> </ul> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester • Leather</li> <li>• Sublimated polyester</li> </ul> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PET    <b>Microns/Mils:</b> 110/4.3</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p><b>Temp:</b> 320° F/160° C    <b>Pressure:</b> Medium    <b>Time:</b> 15-20 sec.    <b>Peel:</b> COLD</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm / mild detergent</li> <li>• Do not bleach • Do not dry clean</li> <li>• Hang item to dry</li> </ul> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester •</li> <li>• Lycra® / Spandex</li> </ul> <p>Due to the thickness of the material, expose a significant amount of the blade tip before cutting.</p> <p><b>Blade:</b> 60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 1000/39.3</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Tack design for 5 seconds on face</li> <li>• Turn inside out and heat for 15 seconds on adhesive side</li> </ul> <p><b>Temp:</b> 311° F/155° C    <b>Pressure:</b> Medium-Firm    <b>Time:</b> 20 sec.    <b>Peel:</b> COLD</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash cold with mild detergent</li> <li>• Do not dry clean • Hang item to dry</li> <li>• Do not bleach • Dry at low setting</li> </ul> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester</li> <li>• Lycra®/spandex •Leather</li> </ul> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 135-180/5.3-7.1</p>	<ul style="list-style-type: none"> <li>• Remove Liner • Cut in reverse</li> <li>• Weed • Preheat garment for 2-3 seconds</li> <li>• Apply for 5 seconds, peel HOT, then cover and heat for 10 seconds</li> </ul> <p><b>Temp:</b> 305° F/150° C    <b>Pressure:</b> Medium    <b>Time:</b> 5 sec.    <b>Peel:</b> HOT</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm / mild detergent</li> <li>• Do not bleach • Do not dry clean</li> <li>• Dry at normal setting • Turn inside out</li> </ul> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester</li> <li>• Leather</li> </ul> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PET    <b>Microns/Mils:</b> 110/4.3</p>	<ul style="list-style-type: none"> <li>• Remove Liner • Cut in reverse</li> <li>• Weed • Preheat garment for 2-3 seconds</li> <li>• Apply for 2 seconds, peel COLD, then cover and heat for 10 seconds</li> </ul> <p><b>Temp:</b> 320° F/160° C    <b>Pressure:</b> Medium    <b>Time:</b> 10 sec.    <b>Peel:</b> WARM</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm / mild detergent</li> <li>• Do not bleach • Do not dry clean</li> <li>• Can be machine dried but hanging item to dry will preserve reflective quality</li> </ul> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester • Leather</li> <li>• Sublimated polyester</li> </ul> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PET    <b>Microns/Mils:</b> 100/3.9</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> <li>• Apply design, Peel backing, cover and reheat for 2-3 seconds</li> </ul> <p><b>Temp:</b> 305° F/150° C    <b>Pressure:</b> Medium    <b>Time:</b> 10-15 sec.    <b>Peel:</b> COLD</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Hand wash in cold water • Do not bleach</li> <li>• Do not dry clean • Hang item to dry</li> </ul> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>

\*Metallic is a unique product – cracking and delamination may occur after washing. Results are not predictable.