

Nepshaw Lane South, Morley, Leeds, LS277JQ Materials Testing Manager: Martin Bowden

t: 0113 5350176

e: Materials.Testing@wyjs.org.uk www.wyjs.org.uk/materialstesting



## **TEST REPORT**

Client: Fryetts Fabrics ltd

Rake Lane Clifton Manchester M27 2LL

**Entry No:** 113781-02 **Date received:** 11/11/2019

Client's Description: Fabric: Jersey. Batch No: PO54888

**Test Required:** Flammability in accordance with The Furniture and Furnishings (Fire) (Safety)

Regulations 1988 and amendments, Schedule 5 Part I

Pre-treatment: Water soaking in accordance with BS 5651 : 1978 Clause 4 followed by line

drying

Conditioning: A minimum of 96 hours at 50+/-5% Relative Humidity, 23+/-2°C

Date Tests Completed: 19/11/2019

**Method of Test:** BS 5852 : Part 1 : 1979

The following test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use.

Ignition Source	Observations	Result
1 (butane flame)	Flaming ceased within the specified two minute period after removal of the	Pass
	butane flame and no progressive smouldering occurred.	

**Note:** A 20-22kg/m<sup>3</sup> non-fire retardant polyurethane foam was used as the filling.

## Comments

On the basis of the tests carried out this sample of fabric meets the requirements of Schedule 5 Part I.

-----End of Document-----

This is hereby certified to be a correct return of the tests made of the items referred to herein

Daniel Young
Senior Technologist
19 November 2019

- Unless instructed otherwise by the client sample remnants will be disposed of after 28 days.
   Opinions and interpretations expressed herein are outside the scope of UKAS accreditation.
- Uncertainty budgets for test methods contained within this report are available on request.
- The results have been obtained for the above test are due to the allowances that have been made based on the uncertainty of the measurement for this test and its associated measurements.

This Certificate relates only to the sample received and, unless that sample has been drawn by the staff of this laboratory, or its agent, and endorsed accordingly, any application of the result to a bulk quantity or other material is entirely the responsibility of the client.



