Product Bulletin

Concept® 219 SEMI RIGID GLOSS CLEAR PVC REMOVABLE ADHESIVE

Concept® 219 is a 6.0 mil premium clear gloss semi rigid calendared vinyl film coated with 200-4982 removable acrylic pressure sensitive adhesive laminated to a 90# tight release digital liner designed for roll processing. This film is designed to accept a variety of solvent-based, UV curable and latex inks common to wide format digital printing systems.

Applications Concept® 219 is a high performance removable decal film designed for ease of application of

temporary interior or exterior signage, decals, nameplates, die-cut letters and point-of-purchase displays. Concept® 219 is the ideal media for temporary store front applications requiring bond to windows. This media may also be used on smooth surfaces such as metals, painted metals and

certain high energy plastics.

Thickness Film 6.0 mils.

Adhesive .8 to 1.0 mils. Liner 6.7 mils.

(Thickness variance +/- 10%)

Gloss Initial@ 60° 75 minimum

Dimensional Stability Good.

Temperature Ranges Minimum application temperature +40°F.

Service temperature -40 °F to +180°F.

Expected Exterior Exposure

Interior Removable up to twelve (12) months under normal conditions.

Exterior Removable up to six (6) months under normal conditions.

Adhesion To glass 4 to 16 oz. /in.

To standard test panels 4 to 16 oz. /in.

Tested according to PSTC-101 Method A with 24-hour dwell at 70 °F and 50% relative humidity.

Typical values. Individual values may vary. Test thoroughly before production.

Water Resistance Good. Test if immersed.

Humidity ResistanceGood.Solvent ResistanceGood

Storage Stability 6 months shelf life when stored at 70°F and 50% relative humidity.

Product Codes 219-54 (54" X 100' roll)

Recommendations Completely evaporate inkjet solvents before application. Failure to do so may facilitate solvent

penetration resulting in vinyl degradation.



Manufacturer of Pressure Sensitive Films, Traffic Graffic Floor Advertising Films, Custom Coatings and Printing Inks.

309 S. Union ● P.O. Box 158 ● Sparta, Michigan 49345 ● (616) 887-7387 ● (800)253-3664 ● FAX (616)887-0537 Web Site: www.qeneralformulations.com ● e-mail: gfiinfo@generalformulations.com