WARRANTY + PATENTS

La Crosse Technology, Ltd, provides a 1-year limited time warranty (from date of purchase) on this product relating to manufacturing defects in materials & workmanship. La Crosse Technology, Ltd, 2830 S. 26th St., La Crosse, WI 54601 For Full Warranty Details, Visit: <u>www.lacrossetechnology.com/pages/warranty</u> Patents: <u>www.lacrossetechnology.com/pages/patents</u>

CARE + MAINTENANCE

- · Do not mix old and new batteries.
- · Do not mix Alkaline, Lithium, standard, or rechargeable batteries.
- · Always purchase the correct size and grade of battery most suitable for intended use.
- Clean the battery contacts and also those of the device prior to battery installation.
- · Ensure the batteries have with correct polarity (+ / -).
- · Remove batteries from equipment that will not to be used for an extended period.
- · Promptly remove expired batteries.

FCC STATEMENT

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- · Increase separation between equipment & receiver.
- · Consult the dealer or an experienced radio/TV technician for help.

This device must not be co-located or operating in conjunction with any other antenna or transmitter. Operation is subject to the following two conditions:

 This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

CAUTION!

The manufacturer is not responsible for any radio or TV interference caused by unauthorized changes or modifications to this equipment. Such changes or modifications could void the user authority to operate the equipment.

All rights reserved. This manual may not be reproduced in any form, even in part, or duplicated or processed using electronic, mechanical or chemical process without the written permission of the publisher. This booklet may contain errors or misprints. The information it contains is regularly checked and corrections are included in subsequent editions. We disclaim any responsibility for any technical error or printing error, or their consequences. All trademarks and patents are recognized.

A WARNING:

This product can expose you to chemicals including acrylonitrile, butadiene, and styrene, which are known to the State of California to cause cancer and bith defects or other reproductive harm. For more information, go to:www.P65Warnings.gov

LA CROSSE TECHNOLOGY

POOL SENSOR






418

10.61cm

Model: LTV-POOLv2 DC: 021723

POWER UP

- 1. Twist the Battery Cover left to remove.
- 2. Slide the Battery Compartment out. Insert 2 "AA" batteries into the Battery Compartment.
- 3. Securely reattach the Battery Cover , ensuring the lines meet to prevent water from entering.



CONNECT TO LA CROSSE VIEW[™] APP



If you already own a La Crosse View connected display, you can use your La Crosse View app to monitor your Pool Sensor's readings right on your phone.

- 1. Open your La Crosse View app and select ADD DEVICES from the main menu.
- 2. Scan the Bar Code or type in the Device ID on the side of the Battery Compartment.
- 3. Give the device a Name and Location, and press Save. Within the next few minutes you should begin seeing your Pool Sensor's data within your app.

POOL READING ON WEATHER STATION

Please see your specific Weather Station manual for instructions to read the Pool Sensor in the Extra Sensor area of the station itself.

SPECIFICATIONS

Temperature Range: 50°F to 122°F (10°C to 50°C) Transmission Range: Over 330 ft. (100 meters) RF 915MHz (open air) Transmission Interval: About every 60 seconds (samples every 30 seconds) Power: 2-AA IEC LR6 batteries (not included) Battery Life: Over 24 months.