

1 Identification

- · Product identifier
- · Trade name: 40903 1K Clear Aerosol
- · Article number: 40903
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEM Products Inc. 1685 Overview Drive Rock Hill, SC 29730 803 207 8225

· Information department:

cust_care@semproducts.com: SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730: phone 1-800-831-1122, M - TH 7am - 4pm EDT

· Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

- · Signal word Danger
- · Hazard-determining components of labeling:

bis(1,2,2,6,6-Pentamethyl-4-piperidinyl) sebacate

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 06/10/2014 Reviewed on 05/29/2014

Trade name: 40903 1K Clear Aerosol

(Contd. of page 1)

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/regional/national/international P501

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 4Reactivity = 3

· HMIS-ratings (scale 0 - 4)



Health = 1Fire = 4

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components.

Weight percentages

· Dangerous components:				
115-10-6	dimethyl ether	30 - 40%		
110-19-0	isobutyl acetate	13 - 30%		
78-93 <i>-3</i>	butanone	13 - 30%		
	ACRYLIC RESIN	13 - 30%		
67-64-1	acetone	10 -13%		
	2,6-dimethylheptan-4-one	1.5 - 5%		
	benzyl 3-isobutryloxy-1-isopropyl-2-2-dimethylpropyl phthalate	1.5 - 5%		
	4,6-dimethylheptan-2-one	1-1.5%		
41556-26-7	bis(1,2,2,6,6-Pentamethyl-4-piperidinyl) sebacate	≤1%		

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.

(Contd. on page 3)



Printing date 06/10/2014 Reviewed on 05/29/2014

Trade name: 40903 1K Clear Aerosol

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about protection against explosions and fires:

 $Do \ not \ spray \ on \ a \ naked \ flame \ or \ any \ incandescent \ material.$

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

(Contd. on page 4)

SEM

Printing date 06/10/2014 Reviewed on 05/29/2014

Trade name: 40903 1K Clear Aerosol

(Contd. of page 3)

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Comi	or parameters		
· Comp	onents with limit values that require monitoring at the workplace:		
115-10-6 dimethyl ether			
WEEI	Long-term value: 1000 ppm		
110-1	9-0 isobutyl acetate		
PEL	Long-term value: 700 mg/m³, 150 ppm		
REL	Long-term value: 700 mg/m³, 150 ppm		
TLV	Long-term value: 713 mg/m³, 150 ppm		
78-93	3 butanone		
PEL	Long-term value: 590 mg/m³, 200 ppm		
REL	Short-term value: 885 mg/m³, 300 ppm		
	Long-term value: 590 mg/m³, 200 ppm		
TLV	Short-term value: 885 mg/m³, 300 ppm		
	Long-term value: 590 mg/m³, 200 ppm		
	BEI		
67-64	1 acetone		
PEL	Long-term value: 2400 mg/m³, 1000 ppm		
REL	Long-term value: 590 mg/m³, 250 ppm		
TLV	Short-term value: (1782) NIC-1187 mg/m³, (750) NIC-500 ppm		
	Long-term value: (1188) NIC-475 mg/m³, (500) NIC-200 ppm		
	BEI		
108-8	3-8 2,6-dimethylheptan-4-one		
PEL	Long-term value: 290 mg/m³, 50 ppm		
REL	Long-term value: 150 mg/m³, 25 ppm		
TLV	Long-term value: 145 mg/m³ 25 ppm		

TLV Long-term value: 145 mg/m³, 25 ppm • Ingredients with biological limit values:

78-93-3 butanone

BEI 2 mg/L Medium: urine Time: end of shift Parameter: MEK

67-64-1 acetone

BEI 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

(Contd. on page 5)



Printing date 06/10/2014 Reviewed on 05/29/2014

Trade name: 40903 1K Clear Aerosol

(Contd. of page 4)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol

Color: According to product specification

Odor: CharacteristicOdour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: -24 °C

(Contd. on page 6)

SEM

Printing date 06/10/2014 Reviewed on 05/29/2014

Trade name: 40903 1K Clear Aerosol

	(Contd. of page
Flash point:	-42 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	235 °C
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
Explosion limits:	
Lower:	1.8 Vol %
Upper:	18.6 Vol %
Vapor pressure at 20 °C:	5200 hPa
Density at 20 °C:	0.81108 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	84.1 %
VOC content:	71.9 %
	666.9 g/l / 5.57 lb/gl
Solids content:	15.9 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.

(Contd. on page 7)



Printing date 06/10/2014 Reviewed on 05/29/2014

Trade name: 40903 1K Clear Aerosol

(Contd. of page 6)

- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)					
3					
2B					
· NTP (National Toxicology Program)					
None of the ingredients is listed.					
· OSHA-Ca (Occupational Safety & Health Administration)					

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information					
· UN-Number · DOT, ADR, IMDG, IATA	UN1950				
· UN proper shipping name · DOT · ADR	Aerosols, flammable 1950 Aerosols				

(Contd. on page 8)

SEM

Printing date 06/10/2014 Reviewed on 05/29/2014

Trade name: 40903 1K Clear Aerosol

(Contd. of page 7) \cdot IMDG **AEROSOLS** \cdot IATA AEROSOLS, flammable · Transport hazard class(es) $\cdot DOT$ · Class 2.1 · Label 2.1 $\cdot ADR$ · Class 2 5F Gases · Label · IMDG, IATA · Class 2.1 · Label 2.1 · Packing group · DOT, ADR, IMDG, IATA Void · Environmental hazards: · Marine pollutant: No · Special precautions for user Warning: Gases · EMS Number: F-D,S-U· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation": UN1950, Aerosols, 2.1

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

78-93-3 butanone

1330-20-7 xylene

(Contd. on page 9)

SEM

Printing date 06/10/2014 Reviewed on 05/29/2014

Trade name: 40903 1K Clear Aerosol

(Contd. of page 8) 100-41-4 ethylbenzene · TSCA (Toxic Substances Control Act): 115-10-6 dimethyl ether 110-19-0 isobutyl acetate 78-93-3 butanone 67-64-1 acetone 108-83-8 2,6-dimethylheptan-4-one 16883-83-3 benzyl 3-isobutryloxy-1-isopropyl-2-2-dimethylpropyl phthalate 19549-80-5 4,6-dimethylheptan-2-one 25973-55-1 2-(2-HYDROXY-3-5-DI--(TERT)-AMYLPHENYL)BENZOTRIAZOLE 41556-26-7 *bis*(1,2,2,6,6-*Pentamethyl-4-piperidinyl*) *sebacate* 1330-20-7 xylene 122-99-6 2-Phenoxyethanol 82919-37-7 *Methyl* (1,2,2,6,6,- pentamethyl-4-piperidinyl) sebacate 100-41-4 ethylbenzene 106-79-6 Dimethyl sebacate(Impurity) 104-68-7 Diethylene glycol monophenyl ether · Proposition 65 · Chemicals known to cause cancer: 1330-20-7 xylene 100-41-4 ethylbenzene · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Cancerogenity categories · EPA (Environmental Protection Agency) 78-93-3 butanone 67-64-1 acetone 1330-20-7 xylene 100-41-4 ethylbenzene D· TLV (Threshold Limit Value established by ACGIH) 67-64-1 acetone A41330-20-7 xylene A4100-41-4 ethylbenzene *A3* · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

SEM

Printing date 06/10/2014 Reviewed on 05/29/2014

Trade name: 40903 1K Clear Aerosol

(Contd. of page 9)

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

bis(1,2,2,6,6-Pentamethyl-4-piperidinyl) sebacate

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environment protection department.
- · Contact: Steve Gaver
- · Date of preparation / last revision 06/10/2014 / -
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$

VOC: Volatile Organic Compounds (USA, EU)

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1