# MATERIAL SAFETY DATA SHEET

# SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: S - 12478 - 10 - Low Application Viscosity Polyamide

GENERAL USE: Adhesive

PRODUCT DESCRIPTION: Amber solid, low odor



MANUFACTURER'S NAME FPC Corporation ADDRESS (NUMBER, STREET, P.O. BOX) 355 Hollow Hill Drive		DATE PREP	ARFD:	May 1, 2	008			
ADDRESS (NUMBER, STREET, P.O. BOX) 355 Hollow Hill Drive		SUPERSED		April 22,			Page 1	of 4
355 Hollow Hill Drive		TELEPHONE				ON		
		(847) 487-4						
(CITY, STATE AND ZIP CODE) CO	UNTRY	EMERGENC		HONE NU	IMBER			
Wauconda, IL 60084 USA		(847) 487-4						
SECTION 2-				ION				
EMERGENCY OVERVIEW	1.17.12.7.11.1.2	JO IDLIAI	11.10/11	<i></i>				
Non-hazardous solid, will support combustion if involved in	a fire Hazs	ard eymbole: N	one R - P	hracec: N	lot classifia	d		
Tron nazarada dona, wiii dapport dombadilon ii involved ii	1 4 1110. 11424	ara symbols. I	0110 11 1	1114565. 14	ot classific	u		
POTENTIAL HEALTH EFFECTS	L. P. C	Daniel de Carre				1	1.20.00	
INHALATION: No effects expected from product in norma	I solid form.	Breathing fum	es or vapo	ors of molt	en materia	I may cause	rritation	ı ot
nose, throat and respiratory tract.								
SKIN: None expected from product in normal solid form.	Thormal hurr	o will rooult fro	m contool	t with malt	on motorio	ı		
SKIN. None expected from product in normal solid form.	THEITHAI DUITI	is will result in	iii contact	. WILLI IIIOII	len malena	1.		
EYES: Contact with normal solid product may cause irritate	tion Contact	t with molten n	naterial wil	l cause se	vere therm	nal hurns to	AVAS	
ETEO. Gontact with normal solid product may cause initia	Jon. Contact	t with motern	iatoriai wii	i cause se	overe them	iai bairis to	CyCS.	
INGESTION: Ingestion of solid material may cause gastric	distress sto	omach nains v	omiting ar	nd diarrhe	a Contact	with molter	n materia	l will
cause severe thermal burns to mouth and trachea.	, dioti 000, oto	ornacri pairio, v	onnung ar	ia alaimio	a. Contact	with motor	materia	
CARCINOGENICITY	NTP?	No	IARC MO	NOGRAPHS?	? No	OSHA REGI	ULATED?	No
SECTION 3 - COMPOSIT	TON / INH	FORMATI	$2N \Omega N$	INGRE	DIENT	S		
SECTION 3 - COMPOSIT	TON/INI	FORMATIC					٦٨/٨	PΛ
SECTION 3 - COMPOSIT	CAS#	FORMATION EINECS #	%	OSH	A PEL	ACGIH T		RQ
				OSH		ACGIH T	WA MG/M3	RQ LBS
			%	OSH	A PEL	ACGIH T		
			%	OSH	A PEL	ACGIH T		
HAZARDOUS COMPONENTS			%	OSH	A PEL	ACGIH T		
HAZARDOUS COMPONENTS  No hazardous materials present as defined by OSHA			%	OSH	A PEL	ACGIH T		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302,			%	OSH	A PEL	ACGIH T		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC			%	OSH	A PEL	ACGIH T		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC			%	OSH	A PEL	ACGIH T		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC			%	OSH	A PEL	ACGIH T		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302,			%	OSH	A PEL	ACGIH T		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC			%	OSH	A PEL	ACGIH T		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC			%	OSH	A PEL	ACGIH T		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC			%	OSH	A PEL	ACGIH T		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC			%	OSH	A PEL	ACGIH T		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC			%	OSH	A PEL	ACGIH T		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC			%	OSH	A PEL	ACGIH T		

#### MATERIAL SAFETY DATA SHEET

PRODUCT NAME: S - 12478 - 10 - Low Application Viscosity Polyamide

May 1, 2008

Page 2 of 4

## SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.

SKIN: For contact with molten material, carefully remove contaminated clothing, apply clean, cold water to affected area; do not attempt to remove solidified material; cover affected area with clean, wet compresses; seek immediate medical attention.

EYES: In case of contact with molten material, flush eyes with clear, cool running water for 15 minutes while holding eyelids open; do not attempt to remove solidified material; seek immediate medical attention.

INGESTION: Give two glasses of water for dilution; DO NOT induce vomiting; seek medical attention.

## SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED)

FLAMMABLE LIMITS

LEL: Not applicable

UEL: Not applicable

> 400° F ( > 204.4° C)

**AUTOIGNITION TEMPERATURE:** 

Not determined

NFPA CLASS: None

GENERAL HAZARDS: Product is not considered flammable or combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

#### **EXTINGUISHING MEDIA**

Carbon dioxide, water fog, dry chemical, chemical foam. Do not use direct water stream on molten material to prevent splattering.

#### FIRE FIGHTING PROCEDURES

None

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

#### HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes or vapors, oxides of carbon.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Solid material - Recover and segregate product for reuse or place product into approved container for landfill disposal. Molten material - allow molten material to cool and solidify, place material into approved container for landfill disposal. CAUTION - molten material is hot and will cause thermal burns to skin.

## SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; store containers in cool, dry area. Keep this and other chemicals out of reach of children.

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **ENGINEERING CONTROLS**

The use of local exhaust ventilation and airborne particle collection is recommended. No other special controls are indicated.

#### PERSONAL PROTECTION:

RESPIRATORY PROTECTION: NIOSH approved respirator designed to remove airborne particulate present in excess of maximum allowable concentrations due to secondary operations such as mixing, spraying, sanding, buffing, etc. Refer to 29 CFR 1910.134 or European Standard EN 149 for regulations.

PROTECTIVE GLOVES: Heat resistant gloves.

EYE PROTECTION: Chemical splash goggles. Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET							
PRODUCT NAME: S - 12478 - 10 - Low Application May 1, 2008	Page 3 of 4						
SECTION 9 - PHY	SICAL AN	ID CHEMICA	AL PROPERTIES				
APPEARANCE AND ODOR		VAPOR DENS					
Amber solid, low odor	Not applicable						
SPECIFIC GRAVITY (WATER = 1)		EVAPORATION RATE (Water = 1)					
0.960		Not applicable					
SOLUBILITY IN WATER		% VOLATILE (BY WEIGHT)					
Negligible		None					
pH	VAPOR PRESSURE						
Not applicable		Not applicable					
BOILING POINT		SOFTENING POINT					
Not applicable VISCOSITY			> 248° F ( > 120° C )  VOLATILE ORGANIC COMPOUNDS (VOC's)				
Not specified	None	CANTO COM CONDS (VO	<i>0</i> 3)				
	0 - STABII	ITY AND R	FACTIVITY				
STABILITY UNSTABLE:	o		O AVOID: Extreme temperature	s store in cool dry area			
STABLE:			o AVOID. Extreme temperature	3, store in coor dry dred			
INCOMPATIBILITY (MATERIALS TO AVOID): Strong  HAZARDOUS DECOMPOSITION OR BYPRODUCTS carbon, hydrocarbons, fumes or vapors, and smoke materials.	: Decompositi	on will not occur if	handled and stored properly	. In case of a fire, oxides of			
HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: X		CONDITIONS TO AVOID: None					
SECTION 11	- TOXICOL	LOGICAL INI	FORMATION				
Hazardous Ingredients	CAS#	EINECS#	LD50 of Ingredient Species and Route	LC50 of Ingredient Species			
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC							
Directive 91 / 155 / EEC.							
SECTION 1	2 - ECOLO	OGICAL INFO	ORMATION				

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

## SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Product is classified as non - hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to 40 CFR 260 - 299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

## SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Non - Hazardous for Transport

DOT HAZARD CLASS / Pack Group: Not regulated

REFERENCE: Not Applicable

UN / NA IDENTIFICATION NUMBER: None

LABEL: None Required

HAZARD SYMBOLS: None

IATA HAZARD CLASS / Pack Group: Not regulated IMDG HAZARD CLASS: Not regulated

RID/ADR Dangerous Goods Code: Not regulated UN TDG Class / Pack Group: Not regulated

Hazard Identification Number (HIN): None

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

#### MATERIAL SAFETY DATA SHEET

PRODUCT NAME: S - 12478 - 10 - Low Application Viscosity Polyamide

May 1, 2008

Page 4 of 4

## SECTION 15 - REGULATORY INFORMATION

#### TSCA (Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

#### SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

None

313 Reportable Ingredients:

None

## CERCLA (Comprehensive Response Compensation and Liability Act)

None

#### California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

#### **CPR (Canadian Controlled Products Regulations)**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: Not controlled

## **IDL** (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 3.

#### DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 3 unless otherwise indicated.

## EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

Not applicable WGK Water Quality Index: nwg VbK Index:

Risk Phrases None	SYMBOL(S) REQUIRED FOR LABEL	Safety Phrases None
	None	

# SECTION 16 - OTHER INFORMATION

Specific toxicity tests have not been conducted on this product. Our hazard evaluation is based on Information from similar products, the ingredients, technical literature, and/or professional experience.

**HMIS HAZARD RATINGS** 2 = MODERATE HEALTH 1 \* = Chronic Health Hazard FLAMMABILITY 1 0 = INSIGNIFICANT 3 = HIGHPHYSICAL HAZARD 1 = SLIGHT 4 = EXTREME

> PERSONAL PROTECTIVE EQUIPMENT Safety Glasses, Gloves

#### **REVISION SUMMARY:**

This MSDS has been revised in the following sections:

Format revision

#### MSDS Prepared by:

Comprehensive Data Base, Inc.

P.O. Box 686

Seffner, FL 33583 USA

(863) 644 - 3298 www.compdatabase.com or www.msds.cc

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.