




KORLE		BTU Δ 50°C	vvacc	BTU Δ 60°C
Cannon 150M04	733	2500	927	3162




KORI F	Watt	BTU	Watt	BTU
NORLE	∆ 50°C	∆ 50°C	∆ 60°C	∆ 60°C
Cannon 150M06	976	3329	1234	4210




KORLE	Watt	BTU	Watt	BTU
KUKLE	∆ 50°C	∆ 50°C	∆ 60°C	∆ 60°C
Cannon 150M13	1825	6230	2308	7878




KORI F	Watt	BTU	Watt	BTU
NORLE	∆ 50°C	∆ 50°C	∆ 60°C	Δ 60°C
Cannon 150M15	2068	7059	2615	8926




KORI F	Watt	BTU	Watt	BTU
NONLL	∆ 50°C	∆ 50°C	∆ 60°C	∆ 60°C
Cannon 150M17	2311	7888	2922	9974




KORI F	Watt	BTU	Watt	BTU
KUKLE	∆ 50°C	∆ 50°C	Δ 60°C	Δ 60°C
Cannon 150M20	2675	9131	3383	11546



K () D I E	Watt	BTU	Watt	BTU
NORLE	∆ 50°C	∆ 50°C	∆ 60°C	Δ 60°C
Cannon 150M23	3039	10374	38 4 3	13118



K ()DI E	Watt	BTU	Watt	BTU
KUKLE	Δ 50°C	Δ 50°C	∆ 60°C	Δ 60°C
Cannon 150M27	3525	12032	4457	15214



K ()DI E	Watt Δ 50°C	BTU ∆ 50°C	Watt Δ 60°C	
Cannon 150M30	3889	13275	4917	16786