




CANNON 50XL03




KORLE	Watt	BTU	Watt	BTU
	Δ 50°C	∆ 50°C	Δ 60°C	Δ 60°C
Cannon 50XL05	510	1739	644	2199




KORLE	Watt	BTU	Watt	BTU
	∆ 50°C	Δ 50°C	∆ 60°C	∆ 60°C
Cannon 50XL09	880	3004	1113	3798




KORLE	Watt	BTU	Watt	BTU
KUKLL	Δ 50°C	∆ 50°C	Δ 60°C	∆ 60°C
Cannon 50XL12	1158	3953	1464	4998




CANNON 60XL03




KORLE	Watt	BTU	Watt	BTU
	∆ 50°C	∆ 50°C	Δ 60°C	Δ 60°C
Cannon 60XL05	625	2134	791	2699




K ()DI F	Watt	BTU	Watt	BTU
	Δ 50°C	∆ 50°C	Δ 60°C	Δ 60°C
Cannon 60XL09	1089	3715	1376	4698




KINDIE	Watt	BTU	Watt	BTU
	∆ 50°C	∆ 50°C	∆ 60°C	∆ 60°C
Cannon 60XL12	1436	4901	1816	6197




CANNON 75XL03




KORI F	Watt	BTU	Watt	BTU
KUKLE	Δ 50°C	Δ 50°C	Δ 60°C	Δ 60°C
Cannon 75XL05	799	2727	1010	3449




KORLE	Watt	BTU	Watt	BTU
	∆ 50°C	∆ 50°C	Δ 60°C	Δ 60°C
Cannon 75XL09	1401	4783	1772	60 4 8




KORLE		BTU Δ 50°C		BTU Δ 60°C
Cannon 75XL12	1853	6324	2343	7997




CANNON 90XL03







K ()DI F	Watt	BTU	Watt	BTU
	∆ 50°C	∆ 50°C	∆ 60°C	Δ 60°C
Cannon 90XL09	1714	5850	2167	7397




Cannon 90XL12




KORLE	Watt	BTU	Watt	BTU
	Δ 50°C	∆ 50°C	Δ 60°C	Δ 60°C
Cannon 120XL03	811	2767	1025	3499




KORLE	Watt	BTU	Watt	BTU
	Δ 50°C	Δ 50°C	Δ 60°C	Δ 60°C
Cannon 120XL05	1320	4506	1669	5698




KORLE		BTU Δ 50°C		BTU Δ 60°C
Cannon 120XL09	2339	7984	2958	10096




Cannon 120XL12




KORLE	Watt	BTU	Watt	BTU
	Δ 50°C	∆ 50°C	Δ 60°C	Δ 60°C
Cannon 150XL03	1019	3 4 78	1289	4398




KORLE	Watt	BTU	Watt	BTU
	∆ 50°C	Δ 50°C	Δ 60°C	Δ 60°C
Cannon 150XL05	1668	5692	2109	7197




Cannon 150XL09




Cannon 150XL12




KORLE	Watt	BTU	Watt	BTU
	∆ 50°C	∆ 50°C	Δ 60°C	Δ 60°C
Cannon 180XL03	1227	4190	1552	5298




KORLE	Watt	BTU	Watt	BTU
	Δ 50°C	Δ 50°C	Δ 60°C	Δ 60°C
Cannon 180XL05	2015	6877	2548	8696




Cannon 180XL09




Cannon 180XL12




KORLE	Watt ∆ 50°C	BTU Δ 50°C	Watt ∆ 60°C	
Cannon 200XL03	1366	4664	1728	5898





KORLE	Watt	BTU	Watt	BTU
	∆ 50°C	∆ 50°C	∆ 60°C	∆ 60°C
Cannon 200XL05	2247	7668	2841	9696






Cannon 200XL12






Cannon 210XL05



Cannon 210XL09



Cannon 210XL12