



USER GUIDE

LEOLITES

LEOLITES ANATOMY

GS-H2 (Top) CE4 (Bottom)



UNSCREW MOUTHPIECE (CE4)

Twist mouthpiece in an anti-clockwise direction and pull



FILL WITH E-LIQUID (CE4) *

Hold the clearomizer at a 45° angle and squeeze liquid inside of the clearomizer



* AVOID THE HOLE IN THE CENTRE OF CLEAROMIZER



← When filling, squeeze e-liquid down the inner side of the clearomizer.

→ Avoid liquid entering the hole in the centre.

VAPING

Click the button 5 times
to turn on your LeoLite.

Draw the vaporizer to
your lips, hold down
button and inhale.



REMOVE BATTERY

Unscrew clearomizer from battery in an anticlockwise direction.

NB. With GS-H2 clearomizers, hold the grip before twisting battery.



CHARGING

Screw battery into USB charger.
Insert USB into mains charger or
computer USB port to charge.

Red light indicates the battery is charging.
Green light indicates a full charge.





When unscrewing the clearomizer, hold the metal grip to avoid removing the battery.

UNSCREW (GS-H2) CLEAROMIZER

Unlike the CE4/Ce6 clearomizers, the GS-H2 is bottom loaded, which means when filling with liquid, you must hold the bottom upright as indicated in the image.

FILLING CLEAROMIZER (GS-H2)

Hold the clearomizer at a 45° angle and squeeze liquid onto the inner wall, avoiding the central hole.



REMOVING ATOMIZER

The atomizer (element that vaporizes the liquid) can be removed to be cleaned or replaced. To do this, unscrew the GS-H2 clearomizer as shown in previous step, then unscrew using the grip at the top and a tissue to avoid getting liquid on your fingers



Disclaimer

LIFE EXPECTANCY OF CLEAROMIZERS

During the process of vaping, the atomiser element heats liquid to create vapour. This is why all clearomizers have a life expectancy of around 1 - 2 months (depending on level of use and care).

The GS-H2 and CE6 clearomizers however, have removable atomizers and are inexpensive and easy to replace. Clearomizers are fragile items and should be treated with care and attention to ensure a longer lifespan.

For any further enquiries or information about our products please contact us at: info@leolites.com