


# PERMANENT

# PREMIUM

# TIRE SEALANT



## APPLICATION GUIDE

©BDI 2014

THIS APPLICATION GUIDE IS FOR TIRE SEALANTS THAT COAT THE ENTIRE INNER SURFACE AREA OF THE TIRE AND RIM

### PLEASE READ THIS PAGE CAREFULLY BEFORE SEALANT INSTALLATION

Premium Tire Sealant Must Be Allowed To Thoroughly Coat the Inside Of The Tire And Rim Before Complete Tire Protection Is Achieved. After Installation, The Vehicle Must Be Driven Or The Tire Must Be Rotated Slowly Several Times In Order To Coat The Tire.

Choose the Correct Heading for the Type of Tire You Are Treating, Over The Road - High Speed or Off Road - Low Speed. The Same Size Tires May Be Found In Different Sections.

Most ATV's and UTV's Should Just Use The Off Road - Low Speed Section.

The High Speed ATV/UTV Section Is For Vehicles That Regularly Travel Over 40mph/65kph On Smooth Or Paved Surfaces.

If You Want To Balance A Tire With Wheel Weights, The Tire Must Be Balanced Prior To Sealant Installation.

High Speed Steer Axle Tires Should Be Either 10 Ply Or Heavier, Or They Should Be On 19.5" Rims Or Larger With Standard Sidewalls (Not Extreme Low Profile, Rubber Band Type Tires) In Order For The Sealant To Self Balance In The Steer Tires.

Do Not Apply More Than The Recommended Sealant Amount In Standard Ply High Speed Tires (Over 40 mph / 65 kph).

Not Recommended For Use As Preventative Maintenance In Compact Cars

- Do Not Install Through Valve Stems With TPMS Sensors
- Not For Use With Liquid Ballast Tires

### ESTIMATING FORMULAS FOR TIRE SIZES NOT FOUND IN THIS GUIDE

OVER THE ROAD - HIGH SPEED

Tire Height (in.) x Full Tire Width (in.) ÷ (divided by) 10 = Ounces Per Tire

OFF ROAD - LOW SPEED

Tire Height (in.) x Full Tire Width (in.) ÷ (divided by) 5 = Ounces Per Tire

### COMMON TIRE SIZES

HIGH SPEED TIRES (OVER 40 MPH / 65 KPH)		OFF ROAD - LOW SPEED TIRES		OFF ROAD - LOW SPEED TIRES		OFF ROAD - LOW SPEED TIRES	
15" Light Duty Trailer	20 oz.	Golf Cart	20 oz.	Road Grader 13 - 24	118 oz.	Loader 17.5 - 25	179 oz.
16" Light Duty Trailer	24 oz.	ATV	32 oz.	Back Hoe 14.9 - 24	141 oz.	Loader 20.5 - 25	221 oz.
Heavy Duty Truck 11 - 22.5	46 oz.	Zero Turn Mower	48 oz.	Back Hoe 16.9 - 24	166 oz.	Loader 23.5 - 25	266 oz.
Heavy Duty Truck 11 - 24.5	49 oz.	11L - 15	69 oz.	Pivot 11.2 - 22.5	92 oz.	Loader 41.25/70-39	664 oz.
Super Single Truck 445/50 - 22.5	59 oz.	11L - 16	72 oz.	Pivot 11.2 - 24	96 oz.	Loader 45/65-45	772 oz.
Float Truck Tire 425/65 - 22.5	66 oz.	Skid Steer 10 - 16.5	65 oz.	Pivot 11.2 - 24.5	98 oz.	Tractor 18.4 - 38	258 oz.
		Skid Steer 12 - 16.5	82 oz.	Pivot 11.2 - 38	142 oz.	Tractor 520/85 - 46	349 oz.
		Skid Steer 14 - 17.5	105 oz.	Log Skidder 28 - 26	347 oz.	Haul Truck 27 - 49	504 oz.



# OFF ROAD - LOW SPEED TIRES

Formula for tire sizes not found in this section... Tire Height (in.) x Full Tire Width (in.) ÷ (divided by) 5 = Ounces Per Tire

24-IN CONT'D	oz.	25-IN CONT'D	oz.	28-IN RIMS	oz.	30-IN CONT'D	oz.	33-IN RIMS	oz.	36-IN CONT'D	oz.	39-IN CONT'D	oz.	50-IN CONT'D	oz.
320 / 75-24	107	650 / 65-25	246	11.00-28	109	23.10-30	292	18.00-33	226	11.20-36	136	1150 / 65-39	710	380 / 90-50	267
17 / 80-24	164	705 / 65-25	275	11.20-28	111	67 x 30.00-30	330	21.00-33	275	12.40-36	153	41.25 / 70-39	664	250 / 95-50	171
440 / 80-24	168	750 / 65-25	299	11.25-28	112	67 x 34.00-30	355	27.00-33	383	13.60-36	171	40.50 / 75-39	686	380 / 105-50	298
320 / 85-24	117	850 / 65-25	356	11.90-28	119	710 / 55-30	277	30.00-33	442	13.90-36	176	<b>42-IN RIMS</b>	<b>oz.</b>	<b>51-IN RIMS</b>	<b>oz.</b>
340 / 85-24	126	265 / 70-25	84	12.40-28	126	600 / 60-30	237	33.50-33	515	14.90-36	191	9.50-42	128	24.00-51	448
380 / 85-24	146	705 / 70-25	292	13.60-28	141	540 / 65-30	219	37.50-33	604	16.90-36	223	12.40-42	174	27.00-51	519
385 / 95-24	163	755 / 70-25	321	14.90-28	158	480 / 70-30	199	35 / 65-33	450	18.00-36	241	18.40-42	278	30.00-51	593
<b>24.5-IN RIMS</b>	<b>oz.</b>	<b>40.50 / 75-25</b>	<b>535</b>	<b>15.00-28</b>	<b>159</b>	<b>520 / 70-30</b>	<b>220</b>	<b>875 / 85-36</b>	<b>440</b>	<b>320 / 85-36</b>	<b>160</b>	<b>18.90-42</b>	<b>288</b>	<b>33.00-51</b>	<b>670</b>
11.00-24.5	98	445 / 80-25	175	16.90-28	185	600 / 70-30	265	<b>33.5-IN RIMS</b>	<b>oz.</b>	<b>38-IN RIMS</b>	<b>oz.</b>	20.80-42	324	36.00-51	751
12.00-24.5	109	525 / 80-25	218	17.00-28	186	620 / 75-30	292	13.00-33.5	153	11.20-38	142	900 / 50-42	449	37.00-51	779
13.50-24.5	126	605 / 80-25	265	18.40-28	206	650 / 75-30	311	<b>34-IN RIMS</b>	<b>oz.</b>	12.40-38	160	710 / 60-42	376	37.50-51	793
15.00-24.5	144	685 / 80-25	315	21.00-28	245	480 / 80-30	220	11.20-34	130	12.50-38	162	900 / 60-42	507	50 / 65-51	966
18.00-24.5	183	23 / 90-25	280	480 / 60-28	170	380 / 85-30	171	12.40-34	146	13.60-38	179	650 / 65-42	355	49 / 75-51	1055
710 / 40-24.5	195	385 / 95-25	167	520 / 60-28	188	460 / 85-30	218	14.90-34	183	14.90-38	199	580 / 70-42	325	<b>52-IN RIMS</b>	<b>oz.</b>
285 / 75-24.5	94	445 / 95-25	203	600 / 60-28	225	480 / 85-30	231	16.90-34	213	15.50-38	209	620 / 70-42	352	37.50-52	803
295 / 75-24.5	98	480 / 95-25	225	420 / 65-28	152	420 / 90-30	203	18.40-34	237	16.90-38	232	710 / 70-42	418	<b>54-IN RIMS</b>	<b>oz.</b>
305 / 75-24.5	102	505 / 95-25	241	440 / 65-28	161	<b>30.5-IN RIMS</b>	<b>oz.</b>	18.50-34	239	18.40-38	258	710 / 75-42	440	12.40-54	216
355 / 75-24.5	123	525 / 95-25	254	480 / 65-28	180	750 / 45-30.5	264	20.80-34	277	20.80-38	300	320 / 80-42	174	320 / 90-54	233
275 / 80-24.5	94	<b>26-IN RIMS</b>	<b>oz.</b>	540 / 65-28	208	800 / 45-30.5	286	23.10-34	318	600 / 60-38	283	480 / 80-42	283	380 / 90-54	284
285 / 80-24.5	98	12.40-26	119	600 / 65-28	239	700 / 50-30.5	258	700 / 55-34	298	650 / 60-38	312	520 / 85-42	326	320 / 105-54	259
<b>25-IN RIMS</b>	<b>oz.</b>	<b>13.60-26</b>	<b>133</b>	<b>360 / 70-28</b>	<b>132</b>	<b>710 / 55-30.5</b>	<b>263</b>	<b>710 / 55-34</b>	<b>303</b>	<b>710 / 60-38</b>	<b>348</b>	<b>320 / 90-42</b>	<b>189</b>	<b>56.5-IN RIMS</b>	<b>oz.</b>
7.5-25	63	14.90-26	149	380 / 70-28	141	850 / 50-30.5	331	600 / 60-34	260	900 / 60-38	472	<b>43-IN RIMS</b>	<b>oz.</b>	27.00-56.5	560
11.00-25	99	16.90-26	175	420 / 70-28	160	620 / 55-30.5	236	710 / 60-34	321	540 / 65-38	262	24.00-43	394	30.00-56.5	639
12.00-25	111	18.00-26	190	480 / 70-28	189	600 / 60-30.5	240	540 / 65-34	240	600 / 65-38	298	<b>45-IN RIMS</b>	<b>oz.</b>	<b>57-IN RIMS</b>	<b>oz.</b>
13.00-25	122	18.40-26	196	580 / 70-28	242	750 / 60-30.5	320	600 / 65-34	274	650 / 65-38	329	65 / 45-45	965	37.00-57	841
14.00-25	134	23.10-26	266	600 / 70-28	253	650 / 65-30.5	281	420 / 70-34	186	480 / 70-38	238	45 / 65-45	772	40.00-57	931
15.50-25	153	23.50-26	272	440 / 80-28	187	<b>32-IN RIMS</b>	<b>oz.</b>	480 / 70-34	219	520 / 70-38	263	1150 / 65-45	778	44.00-57	1056
16.00-25	159	24.00-26	280	380 / 85-28	163	8.30-32	87	520 / 70-34	242	580 / 70-38	301	<b>46-IN RIMS</b>	<b>oz.</b>	45.00-57	1088
17.50-25	179	28.00-26	347	420 / 85-28	185	9.50-32	102	700 / 70-34	353	620 / 70-38	327	12.40-46	188	49.50-57	1238
18.00-25	185	54 x 31.00-26	251	<b>29-IN RIMS</b>	<b>oz.</b>	12.40-32	139	540 / 75-34	266	710 / 70-38	389	13.60-46	209	65 / 65-57	1480
20.50-25	221	57 x 31.00-26	269	21.00-29	251	16.90-32	204	620 / 75-34	318	800 / 70-38	454	14.90-46	233	44 / 80-57	1035
21.00-25	228	66 x 43.00-26	397	24.00-29	300	24.50-32	329	650 / 75-34	338	650 / 75-38	366	18.40-46	299	49.50 / 80-57	1212
22.00-25	243	67 x 34.00-26	350	24.50-29	309	30.00-32	434	710 / 75-34	380	380 / 80-38	197	620 / 70-46	378	50 / 80-57	1229
23.50-25	266	750 / 50-26	252	26.50-29	344	30.50-32	444	420 / 80-34	204	480 / 80-38	262	420 / 80-46	259	52 / 80-57	1296
24.00-25	274	750 / 55-26	269	29.50-29	399	33.50-32	506	320 / 85-34	153	850 / 80-38	549	480 / 80-46	303	55 / 80-57	1400
26.50-25	314	750 / 65-26	306	30.00-29	408	35.50-32	549	380 / 85-34	188	320 / 85-38	167	340 / 85-46	210	55.50 / 80-57	1418
29.50-25	366	580 / 70-26	230	33.25-29	472	68 x 50.00-32	468	385 / 85-34	191	420 / 85-38	232	380 / 85-46	239	60 / 80-57	1581
54 x 37.00-25	281	620 / 70-26	251	30 / 65-29	336	68 x 60.00-32	534	420 / 85-34	213	460 / 85-38	260	500 / 85-46	333	53.50 / 85-57	1422
61 x 18.00-25	220	620 / 75-26	266	775 / 65-29	344	68 x 70.00-32	599	460 / 85-34	239	500 / 85-38	288	520 / 85-46	349	58 / 85-57	1592
66 x 43.00-25	394	480 / 80-26	199	800 / 65-29	359	73 x 44.00-32	468	480 / 85-34	252	520 / 85-38	303	320 / 90-46	204	46 / 90-57	1215
66 x 44.00-25	400	520 / 80-26	221	875 / 65-29	405	73 x 50.00-32	509	250 / 95-34	123	650 / 85-38	404	380 / 90-46	249	50 / 90-57	1363
67 x 34.00-25	349	420 / 85-26	176	<b>30-IN RIMS</b>	<b>oz.</b>	78 x 45.00-32	516	290 / 95-34	147	710 / 85-38	454	230 / 95-46	145	44 / 95-57	1200
660 / 34-25	166	<b>26.5-IN RIMS</b>	<b>oz.</b>	4.00-30	37	1050 / 50-32	452	<b>35-IN RIMS</b>	<b>oz.</b>	<b>39-IN RIMS</b>	<b>oz.</b>	<b>48-IN RIMS</b>	<b>oz.</b>	<b>59.5-IN RIMS</b>	<b>oz.</b>
670 / 34-25	169	800 / 40-26.5	240	6.00-30	57	900 / 55-32	395	18.00-35	236	33.50-39	571	230 / 95-48	150	33.00-59.5	749
800 / 50-25	267	710 / 45-26.5	222	7.20-30	70	900 / 60-32	421	21.00-35	287	37.50-39	667	<b>49-IN RIMS</b>	<b>oz.</b>	36.00-59.5	836
1000 / 50-25	362	750 / 45-26.5	238	9.50-30	96	800 / 65-32	382	22.50-35	313	38.00-39	679	18.00-49	306	39.00-59.5	928
1050 / 50-25	387	800 / 45-26.5	259	14.90-30	166	900 / 65-32	448	24.00-35	341	40.00-39	730	21.00-49	369	<b>63-IN RIMS</b>	<b>oz.</b>
25 / 55-25	211	700 / 50-26.5	233	16.90-30	194	800 / 70-32	405	29.50-35	448	40.65-39	746	24.00-49	435	53 / 63-63	1176
22 / 65-25	201	710 / 50-26.5	238	17.00-30	196	650 / 75-32	325	33.25-35	528	43.50-39	821	27.00-49	504	53 / 80-63	1418
25 / 65-25	238	750 / 50-26.5	255	18.00-30	211	680 / 75-32	345	37.25-35	619	900 / 50-39	425	31 / 90-49	648	55 / 80-63	1491
550 / 65-25	197	600 / 55-26.5	204	18.40-30	217	420 / 85-32	204	37.50-35	625	40 / 65-39	600	<b>50-IN RIMS</b>	<b>oz.</b>	56 / 80-63	1528
555 / 65-25	200	750 / 55-26.5	273	21.00-30	257	680 / 85-32	383	<b>36-IN RIMS</b>	<b>oz.</b>	45 / 65-39	704	480 / 80-50	324	58 / 80-63	1603
600 / 65-25	221							9.50-36	112	775 / 65-39	420	320 / 90-50	218	59 / 80-63	1641

# HIGH SPEED ATV / UTV - OVER 40 MPH / 65 KPH

6-IN RIMS	oz.	8-IN CONT'D	oz.	9-IN CONT'D	oz.	10-IN CONT'D	oz.	11-IN CONT'D	oz.	12-IN CONT'D	oz.	14-IN CONT'D	oz.		
14 x 10.00-6	10	21 x 10.00-8	17	22 x 12.50-9	21	22 x 10.00-10	18	23 x 8.00-11	17	25 x 9.00-12	21	28 x 11.00-14	27		
14.5 x 7.00-6	8	21 x 11.00-8	18	24 x 11.00-9	21	22 x 11.00-10	19	23 x 9.00-11	18	25 x 9.50-12	21	28 x 12.00-14	28		
145 / 70-6	7	21 x 12.00-8	19	25 x 11.00-9	23	22 x 12.00-10	20	23.5 x 8.00-11	17	25 x 10.00-12	22	29.5 x 10.00-14	27		
<b>7-IN RIMS</b>	<b>oz.</b>	<b>21 x 12.50-8</b>	<b>19</b>	<b>25 x 12.00-9</b>	<b>24</b>	<b>22 x 12.50-10</b>	<b>21</b>	<b>24 x 8.00-11</b>	<b>18</b>	<b>25 x 10.50-12</b>	<b>18</b>	<b>29.5 x 12.00-14</b>	<b>30</b>		
16 x 8.00-7	10	22 x 10.00-8	18	25 x 12.50-9	24	23 x 7.00-10	16	24 x 9.00-11	19	25 x 11.00-12	23	30 x 8.00-14	26		
18 x 7.00-7	11	22 x 11.00-8	19	25 x 13.00-9	25	23 x 8.00-10	17	24 x 9.50-11	20	25 x 12.00-12	24	30 x 9.00-14	27		
<b>8-IN RIMS</b>	<b>oz.</b>	<b>22 x 12.00-8</b>	<b>20</b>	<b>25 x 13.50-9</b>	<b>25</b>	<b>23 x 10.00-10</b>	<b>19</b>	<b>24 x 10.00-11</b>	<b>21</b>	<b>25 x 12.50-12</b>	<b>25</b>	<b>30 x 10.00-14</b>	<b>28</b>		
16 x 6.50-8	9	22 x 12.50-8	20	<b>10-IN RIMS</b>	<b>oz.</b>	23 x 11.00-10	20	25 x 8.00-11	19	26 x 8.00-12	21	<b>14-IN RIMS</b>	<b>oz.</b>	30 x 11.00-14	30
18 x 6.50-8	11	22.5 x 10.00-8	18	18 x 10.00-10	14	24 x 8.00-10	18	25 x 9.50-11	21	26 x 9.00-12	22	23 x 10.00-14	19	30 x 12.00-14	31
18 x 8.00-8	12	<b>9-IN RIMS</b>	<b>oz.</b>	18 x 11.00-10	15	24 x 9.50-10	20	25 x 10.00-11	20	26 x 10.00-12	23	25 x 9.00-14	21	32 x 10.00-14	31
18 x 9.00-8	13	18 x 10.00-9	14												

# OVER THE ROAD - HIGH SPEED TIRES

Formula for tire sizes not found on this page... Tire Height (in.) x Full Tire Width (in.) ÷ (divided by) 10 = Ounces Per Tire

8-IN RIMS	oz.	14-IN CONT'D	oz.	15-IN CONT'D	oz.	15-IN CONT'D	oz.	16-IN CONT'D	oz.	17-IN CONT'D	oz.	19.5-IN CONT'D	oz.	22.5-IN CONT'D	oz.
4.80-8	8	185 / 65-14	17	28 x 8.50-15	23	205 / 65-15	20	235 / 55-16	22	255 / 50-17	24	225 / 70-19.5	28	16.00-22.5	74
5.70-8	10	195 / 65-14	18	28 x 9.00-15	24	215 / 65-15	21	205 / 60-16	20	225 / 55-17	24	245 / 70-19.5	31	16.50-22.5	77
16.6 x 8.50-8	10	215 / 65-14	20	28 x 12.00-15	28	235 / 65-15	23	215 / 60-16	21	235 / 55-17	23	265 / 70-19.5	35	18.00-22.5	87
18.5 x 8.50-8	13	175 / 70-14	16	29 x 9.50-15	26	255 / 65-15	26	225 / 60-16	22	255 / 55-17	25	285 / 70-19.5	38	425 / 50-22.5	55
18.5 x 9.50-8	14	185 / 70-14	17	29 x 10.00-15	27	185 / 70-15	18	235 / 60-16	23	255 / 60-17	27	305 / 70-19.5	41	445 / 50-22.5	59
<b>9-IN RIMS</b>	<b>oz.</b>	<b>195 / 70-14</b>	<b>19</b>	<b>29 x 12.50-15</b>	<b>31</b>	<b>195 / 70-15</b>	<b>19</b>	<b>215 / 65-16</b>	<b>22</b>	<b>275 / 60-17</b>	<b>29</b>	<b>445 / 70-19.5</b>	<b>67</b>	<b>455 / 55-22.5</b>	<b>64</b>
6.90-9	13	205 / 70-14	20	30 x 9.50-15	28	205 / 70-15	21	275 / 65-16	30	235 / 65-17	26	245 / 75-19.5	33	225 / 60-22.5	29
<b>10-IN RIMS</b>	<b>oz.</b>	<b>215 / 70-14</b>	<b>21</b>	<b>31 x 10.50-15</b>	<b>31</b>	<b>215 / 70-15</b>	<b>22</b>	<b>215 / 70-16</b>	<b>22</b>	<b>275 / 65-17</b>	<b>31</b>	<b>265 / 75-19.5</b>	<b>36</b>	<b>295 / 60-22.5</b>	<b>40</b>
6.50-10	13	225 / 70-14	22	31 x 11.50-15	32	225 / 70-15	23	225 / 70-16	24	265 / 70-17	31	285 / 75-19.5	40	315 / 60-22.5	43
7.00-10	15	235 / 70-14	23	31 x 12.50-15	34	235 / 70-15	24	235 / 70-16	26	<b>17.5-IN RIMS</b>	<b>oz.</b>	<b>305 / 75-19.5</b>	<b>43</b>	<b>385 / 65-22.5</b>	<b>58</b>
7.50-10	16	245 / 70-14	25	31 x 13.50-15	35	245 / 70-15	26	245 / 70-16	27	7.00-17.5	22	7.00-17.5	22	425 / 65-22.5	68
20.5 x 8.00-10	15	175 / 75-14	17	31 x 15.00-15	37	255 / 70-15	27	255 / 70-16	28	7.50-17.5	24	7.50-20	26	445 / 65-22.5	70
205 / 50-10	12	185 / 75-14	18	32 x 9.50-15	31	265 / 70-15	28	265 / 70-16	30	8.00-17.5	26	8.00-20	29	205 / 70-22.5	37
<b>12-IN RIMS</b>	<b>oz.</b>	<b>195 / 75-14</b>	<b>19</b>	<b>32 x 11.50-15</b>	<b>34</b>	<b>275 / 70-15</b>	<b>30</b>	<b>275 / 70-16</b>	<b>31</b>	<b>9.00-17.5</b>	<b>31</b>	<b>8.25-20</b>	<b>30</b>	<b>255 / 70-22.5</b>	<b>29</b>
4.80-12	10	205 / 75-14	21	32 x 12.00-15	34	195 / 75-15	20	280 / 70-16	32	10.00-17.5	34	9.00-20	33	265 / 70-22.5	39
5.30-12	12	215 / 75-14	22	32 x 15.00-15	39	205 / 75-15	22	205 / 75-16	23	11.00-17.5	38	10.00-20	37	275 / 70-22.5	40
6.90-12	16	225 / 75-14	23	33 x 12.00-15	36	215 / 75-15	23	225 / 75-16	26	14.00-17.5	52	10.30-20	39	295 / 70-22.5	44
23.5 x 8.50-12	18	<b>14.5-IN RIMS</b>	<b>oz.</b>	<b>33 x 12.50-15</b>	<b>37</b>	<b>225 / 75-15</b>	<b>24</b>	<b>235 / 75-16</b>	<b>27</b>	<b>215 / 75-17.5</b>	<b>26</b>	<b>10.50-20</b>	<b>40</b>	<b>315 / 70-22.5</b>	<b>48</b>
<b>13-IN RIMS</b>	<b>oz.</b>	<b>7.00-14.5</b>	<b>19</b>	<b>35 x 15.00-15</b>	<b>44</b>	<b>235 / 75-15</b>	<b>26</b>	<b>245 / 75-16</b>	<b>28</b>	<b>235 / 75-17.5</b>	<b>29</b>	<b>11.00-20</b>	<b>42</b>	<b>365 / 70-22.5</b>	<b>57</b>
6.00-13	14	8.00-14.5	22	36 x 11.00-15	39	265 / 75-15	30	265 / 75-16	31	<b>18-IN RIMS</b>	<b>oz.</b>	11.50-20	45	245 / 75-22.5	37
6.50-13	16	9.00-14.5	26	36 x 13.50-15	43	365 / 80-15	48	155 / 80-16	17	7.00-18	22	12.00-20	47	265 / 75-22.5	40
7.00-13	18	<b>15-IN RIMS</b>	<b>oz.</b>	<b>38 x 16.00-15</b>	<b>51</b>	<b>175 / 85-15</b>	<b>20</b>	<b>215 / 85-16</b>	<b>26</b>	<b>8.25-18</b>	<b>27</b>	<b>13.00-20</b>	<b>52</b>	<b>295 / 75-22.5</b>	<b>46</b>
<b>14-IN RIMS</b>	<b>oz.</b>	<b>4.00-15</b>	<b>10</b>	<b>195 / 50-15</b>	<b>16</b>	<b>205 / 85-15</b>	<b>24</b>	<b>225 / 85-16</b>	<b>28</b>	<b>10.00-18</b>	<b>35</b>	<b>14.00-20</b>	<b>57</b>	<b>305 / 75-22.5</b>	<b>48</b>
6.45-14	17	4.40-15	11	205 / 50-15	17	<b>16-IN RIMS</b>	<b>oz.</b>	235 / 85-16	30	335 / 30-18	27	16.00-20	68	235 / 80-22.5	37
7.00-14	18	5.00-15	13	225 / 50-15	19	6.00-16	17	245 / 85-16	31	245 / 35-18	20	275 / 35-20	25	255 / 80-22.5	40
7.35-14	20	5.70-15	15	245 / 50-15	21	6.50-16	19	255 / 85-16	33	285 / 35-18	24	245 / 40-20	24	275 / 80-22.5	44
7.75-14	21	5.90-15	16	265 / 50-15	23	7.00-16	20	<b>16.5-IN RIMS</b>	<b>oz.</b>	225 / 40-18	20	295 / 40-20	29	295 / 80-22.5	48
7.90-14	21	6.00-15	16	275 / 50-15	24	7.50-16	22	8.00-16.5	25	245 / 40-18	21	280 / 70-20	38	305 / 80-22.5	50
8.25-14	23	6.70-15	18	295 / 50-15	26	8.00-16	24	8.75-16.5	27	255 / 40-18	22	300 / 70-20	41	315 / 80-22.5	52
8.55-14	24	6.85-15	19	305 / 50-15	27	8.25-16	25	9.50-16.5	30	265 / 40-18	24	225 / 80-20	32	275 / 95-22.5	50
11.00-14	33	7.00-15	19	325 / 50-15	29	9.00-16	28	10.00-16.5	33	275 / 40-18	25	335 / 80-20	52	<b>24-IN RIMS</b>	<b>oz.</b>
225 / 50-14	18	7.10-15	20	195 / 55-15	17	10.00-16	32	12.00-16.5	41	295 / 45-18	28	365 / 80-20	58	10.00-24	43
245 / 50-14	20	7.35-15	21	205 / 55-15	18	11.00-16	36	<b>17-IN RIMS</b>	<b>oz.</b>	365 / 70-18	49	365 / 85-20	61	11.00-24	48
265 / 50-14	22	7.50-15	21	225 / 55-15	20	205 / 40-16	16	7.00-17	21	400 / 70-18	55	395 / 85-20	68	12.00-24	54
255 / 55-14	22	7.60-15	22	255 / 55-15	23	245 / 45-16	21	285 / 35-17	23	335 / 80-18	48	<b>22-IN RIMS</b>	<b>oz.</b>	13.00-24	59
175 / 60-14	15	7.75-15	22	185 / 60-15	17	265 / 45-16	23	315 / 35-17	26	340 / 80-18	49	10.00-22	40	14.00-24	65
185 / 60-14	16	8.25-15	24	195 / 60-15	18	195 / 50-16	17	335 / 35-17	17	<b>19-N RIMS</b>	<b>oz.</b>	11.00-22	45	<b>24.5-IN RIMS</b>	<b>oz.</b>
195 / 60-14	17	8.55-15	25	205 / 60-15	19	205 / 50-16	18	245 / 40-17	18	255 / 40-19	24	12.00-22	50	11.00-24.5	49
205 / 60-14	18	8.85-15	26	215 / 60-15	20	225 / 50-16	20	275 / 40-17	23	<b>19.5-IN RIMS</b>	<b>oz.</b>	<b>22.5-IN RIMS</b>	<b>oz.</b>	12.00-24.5	55
215 / 60-14	19	9.00-15	27	225 / 60-15	21	235 / 50-16	21	285 / 40-17	24	8.00-19.5	28	8.00-22.5	31	13.50-24.5	63
225 / 60-14	20	10.00-15	30	235 / 60-15	22	245 / 50-16	22	225 / 45-17	20	15.00-19.5	62	9.00-22.5	36	285 / 75-24.5	47
235 / 60-14	21	11.00-15	34	245 / 60-15	23	255 / 50-16	23	235 / 45-17	21	16.50-19.5	70	10.00-22.5	41	295 / 75-24.5	49
245 / 60-14	22	12.00-15	39	255 / 60-15	24	265 / 50-16	24	245 / 45-17	22	18.00-19.5	79	11.00-22.5	46	305 / 75-24.5	51
255 / 60-14	23	25 x 7.50-15	18	265 / 60-15	26	275 / 50-16	25	255 / 45-17	23	19.50-19.5	88	11.50-22.5	49	355 / 75-24.5	62
265 / 60-14	24	25 x 10.50-15	22	275 / 60-15	27	295 / 50-16	27	305 / 45-17	28	435 / 50-19.5	51	12.00-22.5	51	275 / 80-24.5	47
275 / 60-14	25	25 x 12.50-15	25	295 / 60-15	29	205 / 55-16	19	315 / 45-17	29	445 / 55-19.5	56	12.50-22.5	54	285 / 80-24.5	49
165 / 65-14	14	27 x 9.50-15	24	185 / 65-15	17	215 / 55-16	20	215 / 50-17	20	385 / 65-19.5	52	13.00-22.5	57	<b>25-IN RIMS</b>	<b>oz.</b>
175 / 65-14	15	27 x 10.50-15	25	195 / 65-15	19	225 / 55-16	21	245 / 50-17	23	445 / 65-19.5	63	15.00-22.5	68	14.00-25	67

# MOTORCYCLE / DIRT BIKE TIRES

Formula for tire sizes not found on this page... Tire Height (in.) x Full Tire Width (in.) ÷ (divided by) 10 = Ounces Per Tire

4-IN RIMS	oz.	12-IN CONT'D	oz.	15-IN CONT'D	oz.	16-IN CONT'D	oz.	17-IN CONT'D	oz.	18-IN RIMS	oz.	18-IN CONT'D	oz.	19-IN CONT'D	oz.
3.00-4	3	120 / 90-12	11	180 / 70-15	18	100 / 80-16	10	190 / 55-17	18	2.50-18	7	130 / 70-18	14	120 / 70-19	14
<b>8-IN RIMS</b>	<b>oz.</b>	<b>60 / 100-12</b>	<b>5</b>	<b>200 / 70-15</b>	<b>20</b>	<b>120 / 80-16</b>	<b>13</b>	<b>200 / 55-17</b>	<b>19</b>	<b>2.75-18</b>	<b>8</b>	<b>140 / 70-18</b>	<b>15</b>	<b>110 / 80-19</b>	<b>13</b>
3.00-8	4	80 / 100-12	7	140 / 80-15	14	130 / 80-16	14	120 / 60-17	14	3.00-18	9	150 / 70-18	17	90 / 90-19	11
3.50-8	5	110 / 100-12	11	150 / 80-15	16	150 / 80-16	16	130 / 60-17	12	3.25-18	9	100 / 80-18	11	100 / 90-19	13
4.00-8	6	<b>13-IN RIMS</b>	<b>oz.</b>	<b>160 / 80-15</b>	<b>17</b>	<b>160 / 80-16</b>	<b>18</b>	<b>150 / 60-17</b>	<b>14</b>	<b>3.50-18</b>	<b>10</b>	<b>110 / 80-18</b>	<b>13</b>	<b>110 / 90-19</b>	<b>14</b>
<b>10-IN RIMS</b>	<b>oz.</b>	<b>150 / 70-13</b>	<b>13</b>	<b>170 / 80-15</b>	<b>18</b>	<b>90 / 90-16</b>	<b>18</b>	<b>160 / 60-17</b>	<b>16</b>	<b>4.00-18</b>	<b>12</b>	<b>120 / 80-18</b>	<b>14</b>	<b>120 / 90-19</b>	<b>16</b>
2.50-10	4	110 / 90-13	11	130 / 90-15	14	100 / 90-16	11	170 / 60-17	11	4.10-18	12	130 / 80-18	15	70 / 100-19	9
2.75-10	5	<b>14-IN RIMS</b>	<b>oz.</b>	<b>140 / 90-15</b>	<b>16</b>	<b>110 / 90-16</b>	<b>12</b>	<b>120 / 65-17</b>	<b>12</b>	<b>4.25-18</b>	<b>13</b>	<b>140 / 80-18</b>	<b>17</b>	<b>90 / 100-19</b>	<b>12</b>
3.00-10	5	2.25-14	5	150 / 90-15	17	120 / 90-16	14	110 / 70-17	14	4.35-18	13	4.25/85-18	13	110 / 100-19	15
3.50-10	6	2.50-14	6	<b>16-IN RIMS</b>	<b>oz.</b>	<b>130 / 90-16</b>	<b>15</b>	<b>120 / 70-17</b>	<b>12</b>	<b>4.50-18</b>	<b>13</b>	<b>90 / 90-18</b>	<b>11</b>	<b>20-IN RIMS</b>	<b>oz.</b>
4.00-10	7	3.00-14	7	2.50-16	6	140 / 90-16	16	130 / 70-17	13	4.60-18	14	100 / 90-18	12	220 / 50-20	23
6.70-10	14	3.60-14	9	2.75-16	7	90 / 100-16	11	140 / 70-17	15	5.10-18	16	110 / 90-18	14	90 / 100-20	13
19 x 6.00-10	11	4.10-14	10	3.00-16	8	<b>17-IN RIMS</b>	<b>oz.</b>	<b>150 / 70-17</b>	<b>16</b>	<b>5.30-18</b>	<b>16</b>	<b>120 / 90-18</b>	<b>15</b>	<b>21-IN RIMS</b>	<b>oz.</b>
19 x 7.00-10	12	160 / 60-14	13	3.25-16	9	2.25-17	6	160 / 70-17	17	5.60-18	17	130 / 90-18	17	2.75-21	