




Reliable Products For:

- Fire Fighters
- Extrication Rescue



INDEX - CATALOG 109/301

ITEM	DESCRIPTION	PAGE NO.
#5	Pin-Hole Spanner	7
#7	Jr. Pin-Roc Spanner	7
#12	Ideal Spanner	7
#13	Pin-Roc Spanner Wrench	7
#14	Pin-Roc Spanner Wrench Holder	6
#15	Storz Wrench	5
#16	Storz Wrench Holder	6
#17	Storz/Rocker Combination Wrench	5
#18	Tri-Lok Holder	7
#19	Tri-Lok Holder	7
#21	Jr. Span Hammer	3
#22	Jr. Span Hammer Holder	3
#23	Small Storz 2"-3" Spanner	5
#24	Ground Assist Storz Wrench	6
#25	Holder for #7 Jr. Pin-Roc Spanner	6
#26	Storz Assist Device - Beaver Tail Mount	6
#27	Storz Pin/Rocker/Lug Spanner	5
#28	Storz Lever Lock Wrench	5
#29	Storz Trouble Spanner	5
#31	Span Hammer	2
#31-C	Striking Cap Replacement	3
#32	Span Hammer Holder	2
#33	Knock-Off Tool	3
#34	Axe/Bar Holder	9
#35	Stor-Rite System - Halligan Bar	9
#36	Stor-Rite System - Halligan Bar	9
#37	Stor-Rite System - Halligan Bar	9
#40	HDC Chock Caddy	2
#41	HD Grip Chock	2
#42	LD Grip Chock	2
#50	Hydra-Tork Combination Hydrant Wrench	8
#52	Hydra-Tork Combination Hydrant Wrench	8
#53	Tri-Lok Hydra-Tork Holder	8
#54	Tri-Lok Hydra-Tork Holder	8
#56	Hydra-Tork Hydrant Wrench - X-Long	8
#57	Playpipe Nozzle Holder	8
#58V	Ram Holder - Amkus - Vertical	13
#58H	Ram Holder - Amkus - Horizontal	13
#59	Series - Cutter Holder - Amkus	12
#64	Bridge It Hose Bridge for 4" hoses	10
#65	Bridge It Hose Bridge for 5" hoses	10
#68	Stor-Rite Holder for Large Wye Valves	10

ITEM	DESCRIPTION	PAGE NO.
#69	Series - Spreader Holder	11
70MM	Cap Wrench	7
#71	Ram Holder - Phoenix	13
#72	Cutter Holder - Phoenix	12
#74	Folding "Grip Step"	3
#77-1	Spreader Holder Horz. 1 Handle	11
#77-2	Spreader Holder Horz. 2 Handle	11
#78	Series - Cutter Holder - Holmatro	12
#79	Series - SB Cutter Holder - Phoenix	12
#81	"Tite Grip" Utility Bracket - Vertical	9
#82	"Tite Grip" Utility Bracket - Horizontal	9
#83-3	3" Nozzle Cup	4
#83-4	4" Nozzle Cup	4
#85	"Tite Grip" Pike Pole Bracket - Horizontal	9
#86	"Tite Grip" Pike Pole Ring - Horizontal	9
#87	"Tite Grip" Pike Pole Bracket - Vertical	9
#88	"Tite Grip" Pike Pole Ring - Vertical	9
#90	Ram Holder - Hurst	13
#92	Series - Cutter Holder - Hurst	12
#93	Series - Wall Mount Holder	12
#95	Side Mount Nozzle Holder	4
#96	Dual Mount Nozzle Holder	4
#97	Series II Front Mount Nozzle Holder	4
#99	Series II Side Mount Nozzle Holder	4
#100	Gas Cock Tool	7
#101	Storz Preconnect Holder	10
#103	Series - Ram Holder - Holmatro	13
#105	Chain Saw Holder - Echo	13
#106	Ram Holder Vertical - Genesis	13
#106H	Ram Holder Horizontal - Genesis	13
#107	Series - Cutter Holder - Genesis	12
#108H	Ram Holder - Horiz. Hurst JL 30	—
#108V	Ram Holder - Vert. Hurst JL 30	—
#109	Series - Cutter Holder - Lukas	—
#110	Series - Ram Holder - Lukas - LZR	—
#110HT	Series - Ram Holder - Lukas - LTR	—
#110VT	Series - Ram Holder - Lukas - LTR	—
#111	Series - Ram Holder - TNT	—
#112	Series - Cutter Holder - TNT	—
#112B	Combo Holder - Horiz. TNT	—
#113	Series - Combo Holder - TNT	—



ZEPHYR INDUSTRIES, INC.

600 Township Rd. #1500 RD #2
Ashland, Ohio 44805
419-281-4485
Fax 419-281-0317

TOLL FREE NO. 1-800-253-9396

www.zephyrindustries.com

All Zephyr accessories are made of high strength aluminum alloy castings produced in our plant. Our Vega Finish is a durable anodized coating to withstand hard use. Stainless steel mounting hardware is supplied where required.

Grip Chock Wheel Blocks

Patent No. 235332

Model #41 H.D.

Features:

- Aluminum alloy casting • Heavy duty single wheel blocking of truck vehicles up to 12:00 x 24 tires • Weight 7³/₄ lbs. • Width 6³/₄" • Length 10³/₄" • Height 7¹/₂" • Painted yellow.

Model #42 L.D.

Features:

- Light duty single wheel blocking of Emergency vehicles up to 8.75 x 16 tire size • 4³/₄ lb. • Width 6¹/₂" • Length 7³/₄" • Height 5". • Painted yellow.

Grip Chock Storage Holder

Model #40 Chock Caddy

Features:

- Aluminum alloy casting • Spring loaded keeper handle — for fast removal of stored chock • Black plastisol handle grip • Dimensions: 4¹/₂" w x 13 lg. • Weight: 4 lbs. • Holders for Model 42 L.D. and Model 44 S.D. made to order • Vega finish.

Span-Hammer®

"A combination mallet and spanner for hard suction hose"

Patent No. 271275

Application:

Use this multi-purpose tool to tighten or loosen suction hose connections in a jiffy. Works well on pin lug, rocker lug, and long handle swivels. The no-mar plastic striking face of the Span-Hammer is used to rap swivel connection against seal for pressure tightness.

Model #31 Span-Hammer

Features:

- Aluminum alloy casting • Replaceable striking cap of high density plastic • Pebble grain grip handle • Color: Red with black handle • Dimensions: 2⁵/₈" dia. head x 18" overall length • Weight: Approx. 2¹/₄ lbs.

Model #32 Holder

A handy holder to store Span-Hammer when not in use. The ball handle clamp design makes it an easy operation with no vibration. Can be mounted vertically or horizontally.

Features:

- Aluminum alloy casting • Vibration free, stainless steel clamping mechanism • Plastisol coated ball handle grip • Dimensions: 3¹/₂" wide x 10" long x 4¹/₂" high • Weight: Approx. 2 lbs.




Model #41 H.D.



Model #42 L.D.



Flip-flop feature.



Typical Mounting
Can be mounted above or below running board



Model 40



Model 31



Model 32






Model 21



Model 22

Model #33



Model #74



Junior Span-Hammer®

“A fire fighter’s buddy tool”

Patent No. 271275

Model #21 Jr. Span-Hammer

A combination spanner wrench and soft face hammer. Great for breaking loose frozen hose connections. The No-Mar striking face is convenient for seating long eared swivels, caps and other fittings. The spanner wrench works fine on pin lug and rocker lug connections up to 3".

Features:

- Aluminum alloy casting
- Tough, replaceable, polyurethane striking cap
- Pebble grain grip handle
- Color: Red with black handle and white cap
- Dimensions: 2⁵/₈" dia. x 13" lg.
- Weight: Approx. 2¹/₄ lbs.

Model #22 Holder

A unique holder for storing the Model 21 Jr. Span-Hammer. The quick release butterfly latch can be operated right or left of Span-Hammer. Mount holder vertical or horizontal.

Features:

- Aluminum alloy casting
- Weight: Approx. 1¹/₄" lbs.
- Dimensions: 3" w. x 7¹/₄" lg. x 2¹/₂" deep
- Vega finish.

Model #33 Knock-Off Tool

A handy tool for removing damaged or worn striking caps on both Model 31 and 21 Span-Hammers. Simply secure Span-Hammer in a bench vise — slip knock-off tool in grooves of Span-Hammer and gently tap off old cap. To install new striking cap, start cap on Span-Hammer with hard twisting motion, then seat cap with a mallet or another Span-Hammer. Vega finish.

Folding Grip Step

“Diamond Point Skid-Resistant Surface”

Model #74

Features:

- Static load capacity: 500 lbs.
- Conforms to NFPA Spec. 1901, Para. 6-1.4
- Inclined step area
- 37.5 sq. inch step area (6¹/₄" lg. x 6" w.)
- Rugged high-strength aluminum/ alloy castings
- Mounting base dimensions = 6¹/₄" lg. x 4" w. x 3³/₄" deep
- Total weight = 3 lbs.
- Vega finish.

REMINDER

“Contact Zephyr for your particular needs in Tools, Brackets, Holders, or any item that can be produced in aluminum castings.”

We invite your inquiries and ideas.

Series I Nozzle Holders

Features:

- Aluminum alloy casting • Vee cradle design to hold nozzle diameters up to 3 1/2" • Plastisol coated cradle tips for nozzle protection • Quick, latch and release, grip eye • Long lasting, ozone resistant, rubber tie-down strap — easily replaceable.

Model #83 Nozzle Cup

- Excellent with our Model 87 Bracket • Originally designed for aircraft de-icing • 3" I.D. cup diameter • 4" I.D. cup also available • Plastisol coated • Bottom drain holes. • Vega finish.

Model #95 Side Mount

- Simple installation to side of pumper • Ideal for booster line nozzles and pre-connect hand lines • Dimensions: 3" w. x 5" h. x 5" deep • Weight: 13 oz. • Vega finish.

Model #96 Dual Mount

- Easy installation to deck, or side of pumper • High clearance for pistol grip models • Can be used as spare nozzle holder, or utility bracket • Dimensions: 3" w. x 6 1/2" h. x 5" deep • Weight: 1 lb., 3 oz. • Vega finish.

To Order: First determine the mounting position on your vehicle. The sample mountings in the photos are typical. Check the Nozzle diameter you will mount and select from the data table below:

Model No.	Mount Position	Nozzle Barrel Dia.	Rubber Strap Re-Order
95-4	Side	2"-2 1/2"	9596-4 *
96-4	Dual	2"-2 1/2"	9596-4 *
95-5	Side	2"-3 1/2"	9596-5 *
96-5	Dual	2"-3 1/2"	9596-5 *

* Note: -4 indicates 4" long strap, -5 indicates 5" long strap.

Series II Nozzle Holders

Features:

- Aluminum alloy castings • Vee cradle design to hold nozzle diameters up to 4" • Plastisol coated contact areas for nozzle protection • Quick, latch and release • Long lasting, ozone resistant, rubber tie-down strap — easily replaceable • Weight: Approx. 2 1/4 lbs. • Adjustable for 1 1/2"-2 1/2" Nozzles • (3) Vertical strut heights available.

Model #97 Rear Mount Nozzle Holder

- Ideal mounting at rear of pumper hose bed • Position at eye level for easy reach-in without boarding rear or deck • 3" w. x 8 1/4" h. x 7 1/2" deep • Vega finish.

Model #99 Side Mount Nozzle Holder

- Ideal for mounting to side of pumper at cross-lay area • Right angle design allows close mounting with minimum projection • 4 1/2" w. x 8 1/4" h. x 6" deep • Vega finish.

To Order:


When ordering either model, please specify throat dimension, bumper diameter, and barrel diameter of your nozzle.

Model No.	Mount Position	Nozzle Barrel Dia.	Strap Range	Rubber Strap Re-Order
97-4	Rear	2"-2 1/2"	2"-3"	9596-4 *
99-4	Side	2"-2 1/2"	2"-3"	9596-4 *
97-5	Rear	3"-4"	3"-4"	9596-5 *
99-5	Side	3"-4"	3"-4"	9596-5 *

* Note: -4 indicates 4" long strap, -5 indicates 5" long strap.




Model #83



Model #95




Model #96



Model #97



Model #99



Series II Nozzle Holders available for Play Pipe Nozzles and similar appliances



Model #15



Model #17



Model #23



Model #27



Model #28



Model #29



Model #57
Play Pipe Holder

Storz Spanner Wrenches

“For Snaptite, Angus, Jaffrey, or Equal”
(except Red Head)

Model #15

Can be stored in our Model #16, #19, or #53 Holder.

Features:

- Aluminum alloy casting • Fits Storz type 4"-5" • Gas cock shut off slot • Lightweight with comfortable grip • Dimensions: 5/8" th. x 13 1/2" l. x 3 1/2" deep • Weight: 13 oz. • Vega finish.

Model #17 Storz/Rocker Combination

The one to use on Jaffrey, Angus, and other close-collar couplings. Works great on Snaptite also. Can be stored in our Model #16 holder.

Features:

- Aluminum alloy casting • Fits 1 1/2"-4" rocker lugs • Fits 4"-5" Storz couplings • Weight: 14 oz. • Dimensions: 14" lg. • Easy grip handle • Gas cock slot • Vega finish.

Model #23 Spanner

For Canadian, European and American application. Fits both styles of smaller Storz couplings. Can be stored in either Model #16 or Model #19 holder.

Features:

- Aluminum alloy casting • Dimensions: 14 1/4" long • Weight: 13 oz. • Vega finish.

Model #27 Storz/Pin Lug/Rocker Lug/Combination

Can be stored in Model #16 or #19 holder. Will fit Jaffrey, Angus, Snaptite and other couplings as well as various short pin lug and rocker couplings.

Features:

- Aluminum alloy casting • Fits 2"-4" Pin Lug & Røcker Lug • Fits 4"-5" Storz Couplings • Easy grip handle with gas cock slot • Dimensions: 13 1/2" lg. • Weight: 13 1/2 oz. • Vega finish.

Model #28 Utility - Locking Lever Spanner

When ordering: Due to variations in locking lever Storz couplings, please specify manufacturer's name and model.

Coupling Size	Wrench Model	Weight	Dimension	Holder No.
4"	28-4	1 lb.	14" long	14
5"	28-5	1 lb.	14" long	14
6"	28-6	1 lb.	15" long	14

Model #29 Trouble Wrench for Stubborn Storz Couplings

Can be stored in our Model #14 A1 holder.

Features:

- Aluminum alloy casting • Works on all 4"-5"-6" couplings • Weight: 1 1/2 lbs. • Dimensions: 19" lg. • Vega finish • Long handle for greater leverage • A good trouble shooter.

Model #57 Play Pipe Nozzle Holder

Features:

- Aluminum alloy casting • Plastisol coated cradle yoke • Dimensions: 6" w. x 9" lg. x 2 1/2" deep • Ideal for pre-connect or storage.

Model #24 Assist Device (for Storz & Large Rocker Lug Couplings)

Features:

- Aluminum alloy casting • Use as a ground wrench to connect or disconnect long hose lines • Weight: 4 1/2" • Dimensions: 18" lg. x 7 1/4" w. x 2 3/4" h.

Model #26 Assist Device

- Same as Model #24, but designed for beavertail or tailboard mounting.

Spanner Wrench Holders

Model #14 Pin-Roc Holder

Features:

- Aluminum alloy casting • Holds (2) Zephyr Model #13 Pin-Roc Spanner Wrenches • Spring loaded clamping heads • Dimensions: 4 1/8" w. x 8" lg. x 1" deep • Weight: Approx. 2 lbs. • Vega finish.

Model #16 Storz Wrench Holder

Features:

- Aluminum alloy casting • Holds (4) Zephyr Model #15, #17 or #27 Storz wrenches • Use as combination if desired • Spring loaded clamping heads • Dimensions: 4 1/8" w. x 8" lg. x 1" deep • Weight: Approx. 2 lbs. • Vega finish.

Model #25 Wrench Holder

A companion for the Model #7 Junior Pin-Roc.

Features:

- Aluminum alloy casting • Holds (2) Model #7 Junior Spanners • Spring loaded clamping heads • Dimensions: 7 1/8" w. x 8 5/8" lg. x 1" deep • Weight: 1 1/2 lbs. • Vega finish.

Wrench and Holder Selection Chart

Wrench Model #	Zephyr Holder Model							
	#14 A1	#14	#16	#18	#19	#25	#53	#54
Zephyr #7				X		X		
Zephyr #13		X			X		X	
Zephyr #15		X	X		X		X	
Zephyr #17		X	X		X		X	
Zephyr #27		X	X		X		X	
Zephyr #28			X	X	X		X	
Zephyr #29	X							
Zephyr #50							X	X
Zephyr #51							X	X
Zephyr #52							X	X
Akron #10				X		X		X
Akron #15				X	X			
Red Head #101				X		X		
Red Head #105				X	X			
Elkhart #454				X	X			X
Elkhart #S-454				X	X			

REMINDER

"Contact Zephyr for your particular needs in Tools, Brackets, Holders, or any item that can be produced in aluminum castings."

We invite your inquiries and ideas.



Model #24

Model 24 & model 29
in action



Model #14



Model #16



Model #25





Model #7



Model #12
Non-folding



Model #13




Model #70




Model #100



Model #5



Model #18



Model #19



Conventional Spanner Wrenches

Model #7 Junior Pin-Lug Rocker

Can be stored in Zephyr Model #18 Tri-Lok, Model #54, or Model #25 Holders.

Features:

- Aluminum alloy casting • Fits 1 1/2"-3" Couplings • Easy grip handle with gas lock slot • Dimensions: 11 1/2" lg. • Weight: 10 oz.

Model #12 Ideal Spanner (Pocket Size)

Features: Alternate to Folding Pocket Spanner

- Aluminum alloy casting • Fits pin lug and rocker lug couplings up to 3" size • Gas cock slot • Weight: 7 1/2 oz. • Dimensions: 2" w. x 3/8" th. x 8 1/2" lg.

Model #13 Pin Roc Spanner

Can be stored in our Model #14, #19, and #53 holders.

Features:

- Aluminum alloy casting • Fits large diameter pin lug and rocker lug couplings, 4 1/2", 5", 6" • Weight: 15 oz. • Dimensions: 3 1/4" w. x 3/4" th. x 14 1/2" lg.

Handy Wrenches

Model #70 Cap Wrench

Features:

- Aluminum alloy casting • Loosens and tightens foam container caps • Fits 70mm plastic caps • Weight: 5 oz. • O.D.: 3 1/4" • Length: 9 1/2" • Vega finish.

Model #100 Gas Cock Wrench-Residential

Features:

- Aluminum alloy casting • Convenient pocket size — easy on clothing • 1/8" - 1" valve capacity • Weight: 5 oz. • Dimensions: 1 1/4" w. x 1/2" th. x 7" lg.

Model #5 Pin Hole Spanner

Features:

- Aluminum alloy casting • A favorite for Red Head couplings • Fits large dia. 5"-6" couplings • Hardened threaded pin • Weight: 11 oz. • Length: 12" • Vega finish.

Universal Hydrant Wrench Holders

Model #18 Tri-Lok Holder

Features:

- Aluminum alloy casting • Holds (2) Spade Spanner Wrenches and (1) Hydrant wrench — use Akron Brass, Elkhart Brass, Red Head Brass, etc. • Spring loaded clamping heads • Dimensions: 7 1/8" w. x 8 5/8" lg. x 1" deep • Weight: Approx. 2 1/2 lbs. • Vega finish.

Model #19 Tri-Lok Holder

Features:

- Aluminum alloy casting • Holds (2) Model #15, #17, or #27 Zephyr Spanner Wrenches • Spring loaded clamping heads • Dimensions: 7 1/4" w. x 9 1/4" lg. x 1" deep • Weight: Approx. 2 3/4 lbs. • Vega finish.

Non-Adjustable Hydrant Wrenches

Model #50 Hydra-Tork Wrench

Patent applied for; can be stored in Zephyr Model #53 or #54 Holder.

Features (4 tools in 1):

- Aluminum alloy casting • Molded-in manganese bronze insert for wear resistance • Combination pentagon and square drive — great for mutual aid assistance • Pin lug-rocker lug wrench built into handle • 2½"-6" dia. couplings • Finish: Yellow paint • Dimensions: 17" lg. • Weight: 2½ lbs.

X-Long Hydra-Tork Wrench

Model #56

Features:

- 24" long overall • Insert combinations available per chart on page 8 • Wt: 3½ lbs.

Model #52 Hydra-Tork Wrench


Patent applied for; can be stored in Zephyr Model #53 Holder.

Features (6 tools in 1):

- Same as Model #50 • In addition, will also handle 4"-5" Jaffrey, Angus, and Snap-Tite Storz couplings • Weight: 3¼ lbs.

Ordering Information

Hydrant valve stem drives vary among manufacturers. Zephyr has developed an integrated geometry design to operate **most** hydrants. Before ordering, it is necessary to measure your hydrant valve stem drive as follows:



If your measurements fall within the dimensions shown in the capability chart below, either style Hydra-Tork wrench should operate your hydrant. Specify your required measurements when ordering the Zephyr style Hydra-Tork wrench.

Hydra-Tork Capability Chart

WARNING: Maximum Operating Torque is 1000 inch-pounds

PENTAGON DRIVE VALVE		SQUARE DRIVE VALVE	
TOP DIM.	BOTTOM DIM.	TOP DIM.	BOTTOM DIM.
1.110"	1.150"	.875"	31/32"
1.140"	1.180"	.875"	1.000"
1.250"	1.275"	.940"	.970"
1.312"	1.375"	1.125"	1.170"
1.470"	1.515"	1.500"	1.515"
FLAT TO POINT MEASUREMENT		MEASUREMENT ACROSS FLATS	

Hydra-Tork Wrench Holder

Model #53 Tri-Lok Holder

Model #54 Tri-Lok Holder (not shown)

Features:

- Aluminum alloy casting • Suitable to hold any two Zephyr Storz wrenches • Secures Model #50 or Model #52 Hydra-Tork wrenches • Spring-loaded clamping heads • Dimensions: 7⅞" w. x 8⅝" lg. x 1" deep • Weight 2¾ lbs.


Model #50




Model #56



Model #52



Model #53



Model #54 similar to Model #53 for conventional spanner wrenches.

Model #85



Model #86



Model #87



Model #88



Model #81



Model #82



Model #35



Model #36



Model #37



Model #34



“Tite Grip” Pike Pole Brackets

Model #85 Clamp Bracket (For Horizontal Mounting)

Model #86 (Ring Holder) (For Horizontal Mounting)

Model #87 Clamp Bracket (For Vertical Mounting)

Model #88 Ring Holder (For Vertical Mounting)

Features:

- Aluminum alloy casting • 2" diameter capacity • Rigid “vee” cradle support • Plastics coated grip surfaces • Spring loaded “duckbill” latch • Weight: 10 oz. • Vega finish.

“Tite Grip” Utility Brackets

“The Holder for Many Applications”

Model #81 Clamp Bracket (For Vertical Mounting)

Model #82 Clamp Bracket (For Horizontal Mounting)

Features:

- 1" to 2" diameter capacity • Rigid “vee” cradle support • Plastisol coated grip surfaces • Spring loaded clamping • Weight: 16 oz. • Vega finish.

Stor-Rite Holder Systems

“For Halligan-Type Tools, the Safe Way”

Features:

- Aluminum alloy castings • Ideal systems for narrow space in open or closed panel areas • All systems offer fast tool removal with secure park position • Vega finish • Chisel guard available for protection of personnel (Model #36 and Model #37).

System #34: Axe-Bar Holder

“Marry Your Irons in the Stor-Rite Way”

Features:

- This three-piece system consists of (1) pike-blade bracket, (1) axe claw bracket with speed pin retainer and (1) tie-down bracket. Marrying strap is included.

System #35: Chisel End Down, Vertical Mount

- This four-piece system consists of (1) head bracket, (1) chisel socket, and (2) tite-grip holding brackets. System offers quick access to handle bar.

System #36: Chisel End Up, Vertical Mount

- This three-piece system consists of (1) head bracket, (1) tite-grip holding bracket, and (1) chisel guard. Ideal for locating inside a cabinet or outside.

System #37: Horizontal-Flat Wall Mount

- This four-piece system consists of (1) head bracket, (1) chisel guard, and (2) tite-grip holding brackets. A popular location is to mount on top of engine compartment or inside cabinet wall.

Zephyr Bridge-It (Hose Ramps)

Features:

- Open grid ramp design • Multi-arch unit construction • Two line access way • Hinge construction • 100,000 lb. capacity • Tested by an independent testing laboratory • Easy assembly and disassembly - (2) speed pins to connect each half • Speed pins have fixed security chains, and are stored in hinge holes when not assembled.

Model #64 Bridge-It

- Width: 18½" • Height: 7½" • Weight/Set: 70 lbs. • Hose Size: 4" • Color: Red • Open Length: 60" • Vehicle Clearance: 10" minimum

Model #65 Bridge-It

- Width: 18½" • Height: 8½" • Weight/Set: 71 lbs. • Hose Size: 5" • Color: Red • Open Length: 60" • Vehicle Clearance: 9" minimum

Model #66

A companion storage rack for the Model #64 and #65 Hose Bridge.

Features:

- (4) Rugged cast aluminum end brackets to hold (2) sets of bridges • (4) Neoprene Hold Down Straps with "Tee Handle" end fasteners • Dimensions: 6" wide x 10¾" long (per bracket) • Weight: 8¼ lbs./pair • Vega finish.

Storz Store-Rite Holder

"Avoid Losing Your Pre-Connect LDH"

Model #101 (Specify four or five inch coupling)

Application:

- Mount at eye level at rear of hose bed

Features:

- Rugged aluminum casting • Plastisol coated cradle • Quick release mechanism • S.S. mounting bolts furnished.

Stor-Rite Holder

"Fast Access to Your Feeder Wye"

Model #68

Features:

- Rugged aluminum casting • Plastisol coated crotch • Utilizes Zephyr nozzle strap mechanism • S.S. mounting hardware furnished • Weight: 15 oz. • Suitable for 1½" to 2½" feeder line

Models #64, #65 and #66
BY CUSTOM ORDER ONLY



Model #65

Note: Not for automobile travel.



Easy assembly & disassembly



Model #66



Model #101

Note Swivel-Lok
Holddown



Patent Applied For



Model #68

Model 2½" Shown

Rescue Tool Holders

Spreaders

Features: • UNIQUE DESIGN • Made in tough aluminum alloy castings. Anti-bounce feature • Stainless steel speed pin retainers • Attractive powder coat red finish • S.S. mounting hardware



Model #77

Model #77 Spreader Holder, Horizontal Mounting

- Heavy duty set of (1) jaw tip holder and (2) handle brackets with speed pin retainers as shown. Single handle bracket model also available • Weight: 4½ lbs. per set



Model #69 L.S.

Model #69 L.S. Spreader Holder, Edgewise Mounting

- 30 degree slant angle for limited space and fast tool removal
- Free standing unit, partial gravity holding • (2) Adjustable keeper brackets for snug fit • Rubber strap safety hook included
- Weight: 7½ lbs.



Model #69 H.S.

Model #69 H.S. Spreader Holder, Edgewise Mounting

- 60 degree slant angle for limited space and fast tool removal
- Free standing unit, major gravity holding • (2) Adjustable keeper brackets for snug fit • Rubber strap safety hook included • Weight: 7½ lbs.

Model #69 V. Spreader Holder, Edgewise Mounting

- 90 degree vertical position, free standing unit; fast tool removal
- (2) Adjustable keeper brackets for snug fit • Rubber strap safety hook included • Weight: 7 lbs.



Model #69 V

***Please refer to selection chart when ordering
(Page 14)**

INSTALLATION NOTE

- We recommend reinforcing pull-out tray bottoms with ¾" thick marine, or hard plywood, suitably waterproof treated.
- Bolt tool holders through plywood and tray bottom to affect a trouble free installation.
- Use flat washers against underside of tray floor before attaching.

Cutter Holders

Model #59 Amkus Style 25

- Vertical free standing holder
- Horseshoe yoke stabilizer
- Speed pin retainer
- Twin hose guides
- Weight: 3 lbs.



Model #59

Model #72 – Phoenix Style CC

- 2 piece blade and handle set
- Horizontal edge position
- Gravity loading with speed pin retainer
- Weight: 4½ lbs.



Model #72

Model #73 – Semi-Universal

- Horizontal (2) piece blade and handle set with speed pin retainer
- Adaptable to other applications
- Weight: 5¼ lbs.



Model #73

Model #78 – Holmatro

- Free standing holder
- 3 slant positions available, 30°, 60° and 90°
- Gravity assist and rubber safety hook
- Weight: 4½ lbs.



Model #78

Model #79 – Phoenix Style SB

- Free standing holder
- 3 slant positions available, 30°, 60° and 90°
- Gravity assist and rubber safety hook
- Weight: 5¼ lbs.



Model #79

Model #92 – Hurst

- Free standing holder
- 3 slant positions available, 30°, 60° and 90°
- Gravity assist and rubber safety hook
- Weight: 5½ lbs.



Model #92

Model #93

- Dual mount
- (2) piece set with hanger bracket and tip holder
- Can be mounted as a wall mount or horizontal mount
- Weight: 3½ lbs.



Model #93

Model #107 – Genesis

- Free standing holder
- 3 slant positions available, 30°, 60° and 90°
- Gravity assist and rubber safety hook
- Weight: 4½ lbs.



Model #107

NOTE: See Page #14 for Holder Selection

INSTALLATION NOTE

- We recommend reinforcing pull-out tray bottoms with ¾" thick marine, or hard plywood, suitably waterproof treated.
- Bolt tool holders through plywood and tray bottom to affect a trouble free installation.
- Use flat washers against underside of tray floor before attaching.



Model #58



Model #90



Model #71



Model #103



Model #106H



Model #105

Ram Holders (Vertical or Horizontal Mounting)

Model #58 - Amkus Style • Weight 2½ lbs.

Model #71 - Phoenix Style • Weight 5½ lbs.

Model #90 - Hurst Style • Weight 6 lbs.

Model #103 - Holmatro Style • Weight 4¾ lbs.

Model #106 - Genesis Style • Weight 4½ lbs.

Model #108 - Hurst Style • Weight 4½ lbs.

Model #110 - Lukas • Weight 4½ lbs.

Model #111 - TNT Style • Weight 4½ lbs.

Non-Hydraulic Rescue Holders

Model #105 - Echo Chain Saw

- Horizontal mounting
- (2) speed pin retainers
- Weight: 5½ lbs.

NOTE: We can produce holders for other manufacturers' models as requests come to our attention.

A REMINDER

Our selection chart of rescue tool holders listed on page 14 indicates latest ordering information by model no. and geometrical position.

Due to similarity in design and interchangeability of some components, pictures in this catalog do not depict all models as listed in the selection chart.

When ordering, please specify make and model no. of rescue tool manufacturer. There is no one size fits all. Our holders have design differences to suit each rescue tool.

For credit card orders, please call toll-free

1-800-253-9396

or visit our website at

www.zephyrindustries.com

Selection Chart

Some items in this Selection Chart are not pictured in this catalog.

Zephyr Holders for Amkus Rescue Tools

Amkus Model	Zephyr Model by Position			
SPREADERS	Horz. 180	L/Slant30	H/Slant60	Vert. 90
#30CX	#77-2	#69LS	#69HS	#69V
#28	#77-2	#69LS	#69HS	#69V
CUTTERS				
#25	#59H	N/A	N/A	#59V
#25 OLDER UNITS	N/A	N/A	N/A	N/A
COMBINATION				
C-15	#59H	N/A	N/A	#59V
C-15	#77	#69LS	#69HS	#69V
RAMS				
20"	#58H	N/A	N/A	#58V
30"	#58H	N/A	N/A	N/A
40"	#58H	N/A	N/A	N/A
60"	#58H	N/A	N/A	N/A

Zephyr Holders for Holmatro Rescue Tools

Holmatro Model	Zephyr Model by Position			
SPREADERS	Horz. 180	L/Slant30	H/Slant60	Vert. 90
2007UL	#77-1	#69LS	#69HS	#69V
2003 UL	#77-1	#69LS	#69HS	#69V
3230	#77-1	#69LS	#69HS	#69V
3242	#77-1	#69LS	#69HS	#69V
3260	#77-1	#69LS	#69HS	#69V
CUTTERS				
2001 UL	* #78H	#78LS	#78HS	#78V
2009 UL	#77-1	#69LS	#69HS	#69V
3020	* #78H	#78LS	#78HS	#78V
3031	#77-1	#69LS	#69HS	#69V
3040	* #78H	#78LS	#78HS	#78V
COMBINATION				
2002	#77-1	N/A	N/A	N/A
3150	#77-1	69LS	69HS	69V
RAMS				
2004	* #103	N/A	N/A	N/A
2005	* #103	N/A	N/A	N/A
2006	* #103	N/A	N/A	N/A
3321	* #103	N/A	N/A	N/A
3322	* #103	N/A	N/A	N/A
3332	* #103	N/A	N/A	N/A
3340	* #103T	N/A	N/A	N/A
3350	* #103T	N/A	N/A	N/A

Zephyr Holders for Phoenix Rescue Tools

Phoenix Model	Zephyr Model by Position			
SPREADERS	Horz. 180	L/Slant30	H/Slant60	Vert. 90
35/25	#77-1	#69LS	#69HS	#69V
49/32	#77-1	#69LS	#69HS	#69V
CUTTERS				
CC	#72	N/A	N/A	N/A
SB	#79H	#79LS	#79HS	#79V
COMBINATION				
RAMS				
14/26	#71	N/A	N/A	#71V
25/60	#71	N/A	N/A	#71V

Zephyr Holders for Genesis Tools

Genesis Model	Zephyr Model by Position			
SPREADERS	Horz. 180	L/Slant30	H/Slant60	Vert. 90
S-40	#77-1	#69LS	#69HS	#69V
S-40 XL	#77-1	#69LS	#69HS	#69V
S-50 XL	#77-1	#69LS	#69HS	#69V
CUTTERS				
C-140	* #78H	#78LS	#78HS	#78V
C-180	* #107H	#107LS	#107HS	#107V
RAMS				
ART SERIES	#106H	N/A	N/A	#106V

Zephyr Holders for Hurst Rescue Tools

Hurst Model	Zephyr Model by Position			
SPREADERS	Horz. 180	L/Slant30	H/Slant60	Vert. 90
JL-32 A	#77-2	#69LS	#69HS	#69V
JL-32 B	#77-2	#69LS	#69HS	#69V
JL-27	#77-2	#69LS	#69HS	#69V
JL-24	#77-1	#69LS	#69HS	#69V
CUTTERS				
JL-11	* #93	#69LS	#69HS	#69V
ML-12	* #93	#69LS	#69HS	#69V
ML-40	* #93	#92FLS	#92FHS	#92FV
ML-50	* #93	#92CLS	#92CHS	#92CV
JL-150	* #92AH	#92ALS	#92AHS	#92AV
ML-75	* #92BH	#92BLS	#92BHS	#92BV
X-TRAC	* #93	#92ELS	#92EHS	#92EV
0-90	* #93	#92DLS	#92DHT	#92DV
COMBINATION				
ML-16S	* #93	#69LSA1	#69HSA1	#69VA-1
MAVERICK	* #93	#69LS	#69HS	#69V
JL-16B	* #93	#69LS	#69HS	#69V
PALADIN	* #93	#69LS	#69HS	#69V
ML-16C	* #93	#69LSA1	#69HS	#69V
ROADRUNNER	* #93	#69LS	#69HS	#69V
RAMS				
JL SERIES	* #90	N/A	N/A	N/A
JL30	#108H	N/A	N/A	#108V

Zephyr Holders for Lukas Tools

Lukas Model	Zephyr Model by Position			
SPREADERS	Horz. 180	L/Slant30	H/Slant60	Vert. 90
LSP 40B	#77-1	#69LS	#69HS	#69V
LSP 100	#77-1	#69LS	#69HS	#69V
LSP 40EN	#77-1	#69LS	#69HS	#69V
LSP 60EN	#77-1	#69LS	#69HS	#69V
CUTTERS				
LS300B	* #109BH	#109BLS	#109BHS	#109BV
LS300C	* #109H	#109LS	#109HS	#109V
LS300EH	* #109H	#109LS	#109HS	#109V
LS300EH	* #109AH	#109ALS	#109AHS	#109AV
COMBINATION				
LKS35C	#77-1	#69LS	#69HS	#69V
LKS35EN	#77-1	#69LS	#69HS	#69V
RAMS				
LTR 6/570	#110HTA	N/A	N/A	#110VTA
LTR 3.5/820	#110HTB	N/A	N/A	#110VTB
LZR SERIES	* #110H	N/A	N/A	N/A

Zephyr Holders for TNT Tools

TNT Model	Zephyr Model by Position			
SPREADERS	Horz. 180	L/Slant30	H/Slant60	Vert. 90
S-100 SERIES	#77-1	#69LS	#69HS	#69V
CUTTERS				
C-20	* #112H	#112LS	#112HS	#112V
COMBINATION				
CC-20	* #112B	#113LS	#113HS	#113V
CC-30	#77L	#69LS	#69HS	#69V
RAMS				
R-SERIES	* #111	N/A	N/A	N/A



Partial Foundry Operation



Quality Control Laboratory

INSTALLATION NOTE

- We recommend reinforcing pull-out tray bottoms with $\frac{3}{4}$ " thick marine, or hard plywood, suitably waterproof treated.
- Bolt tool holders through plywood and tray bottom to affect a trouble free installation.
- Use flat washers against underside of tray floor before attaching.

PLEASE NOTE:

IF YOUR DEPARTMENT HAS A NEED FOR A RESCUE TOOL HOLDER OTHER THAN LISTED, ZEPHYR LOOKS FORWARD TO SERVING YOUR REQUIREMENTS.

ZEPHYR INDUSTRIES HIGHLIGHTS

For the past thirty-five years, Zephyr has been a supplier of quality aluminum cast products. Our fire fighting accessories are produced in our foundry and facilities. We use prime aluminum ingot of certified chemical analysis.

As a family owned enterprise, we take pride in our design innovations and unique products.

All Zephyr accessories are backed by a ***no-hassle warranty*** for complete customer satisfaction.

Our policy is to provide the fire service with quality products at a reasonable price.

We welcome your inquiries and appreciate your orders.

Thank you,

Vince Richilano

Dave Richilano

WARRANTY

Zephyr Industries, Inc. warrants their products to be free of defective material and workmanship.

Replacement: We guarantee all items under normal use and will replace any item within one year after purchase.

Items must be returned to the factory post paid for determination of replacement status. The replacement item will be shipped to the customer (buyer) at no cost.

Due to ongoing improvements in product design, pictures in this catalog may vary from latest production models.