

Product datasheet

OSRAM

ORIGINAL - METAL BASE R10W

Original spare part



The cost-effective original spare parts for trucks

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for 24 volt lamps. Due to the wide product range, the lamps can be used for different applications: as position and parking lights, indicator, brake, fog and reversing lights as well as number plate and side position lights.

Product datasheet

Technical data

Product information

Order reference	5637
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	12.5 W
Nominal voltage	24.0 V
Nominal wattage	10.00 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometrical data

Luminous flux	125 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	37.5 mm
Diameter	16.0 mm
Product weight	5.96 g

Lifespan

Lifespan B3	400 h
Lifespan Tc	800 h

Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	R10W
--------------	------

Country specific categorizations

Order reference	5637
-----------------	------

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300831459	OSRA5637	8328150	4730341	-
4050300525181	OSRA5637	8328150	4730341	-
4050300831459	OSRA5637	8328150	4730341	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300831459	ORIGINAL - METAL BASE R10W	Unpacked 1	28 mm x 13 mm x 17 mm	0.01 dm ³	5.95 g
4050300525181	ORIGINAL - METAL BASE R10W	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm ³	72.50 g
4008321095411	ORIGINAL - METAL BASE R10W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	424.50 g
4050300926049	ORIGINAL - METAL BASE R10W	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm ³	16.89 g
4008321140463	ORIGINAL - METAL BASE R10W	Shipping carton box 20	189 mm x 105 mm x 81 mm	1.61 dm ³	222.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

Product datasheet

OSRAM

