

XBO 3000 W/DHP L OFR

XBO DHP for digital cinema projection | Xenon short-arc lamps



Product family benefits

- Short arc with very high luminance for brighter screen illumination
- Constant color temperature of 6,000 K throughout the entire lamp lifetime
- Easy to maintain
- High arc stability
- Instant light on screen thanks to hot restart function
- Wide dimming range

Product family features

- Wattage: 1,200...8,000 W




August 13, 2019, 15:59:39 XBO 3000 W/DHP L OFR

Technical data

Electrical data

Nominal current	103 A
Current control range	76111 A
Nominal wattage	3000.00 W
Nominal voltage	29.0 V

Dimensions & weight



Diameter	60.0 mm	
Length	345.0 mm	
Length with base excl. base pins/connection	295.00 mm	
Light center length (LCL)	123.0 mm ¹⁾	
Cable/wire length, input side	130 mm	
Electrode gap cold	5.0 mm	
Product weight	631.00 g	
Cable length	130.0 mm	

¹⁾ Distance from end of base to tip of electrode (cold)

Temperatures & operating conditions

Max. permitted ambient temp. pinch point	230 °C
--	--------

Lifespan

Lifespan	1900 h
Service Warranty Lifetime	2100 h

Additional product data

Base anode (standard designation)	SFaX27-14x80
Base cathode (standard designation)	SFc27-16/55

Capabilities

Cooling	Forced
Burning position	s15/p15 ¹⁾

 $^{1)}$ For vertical burning position: anode (+) on top

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172030502	XBO 3000 W/DHP L OFR	Shipping carton box 1	500 mm x 204 mm x 204 mm	20.81 dm³	631.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.