

## ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tol: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 1973023476 GST REG NO. M2-0017430-5





## REPORT

Lab No

: AC/MC/0131/17

Company Name

: Pearlie White Pte Ltd

Date Received

: 06/01/2017

Date Reported: 09/01/2017

Sample Description

: One sample of Toothpaste

Date Tested: 06/01/2017-09/01/2017

The sample consisted of a 130g tube of toothpaste marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Advanced Sensitive Fluoride Toothpaste 130g	Total Aerobic Microbial Count (SCDA, 35°C/3 days)
B/N: AS023 Expiry: DEC 2019	Not detected (<10 CFU/g)

Notes: 1) CFU - Colony Forming Units

2) SCDA - Soybean-Casein Digest Agar

3) < - Less than

Cheong Teck Geok Assistant Chemist Phang Ken Aun Manager

ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd 5004 Ang Mo Kio Ave 5 #05-06 TechPlace II Singapore 569872.

/jaz