



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing

8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg

CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/0205/16

Company Name : Pearlie White Pte Ltd

Date Received : 08/01/2016 Date Reported: 11/01/2016

Sample Description : One sample of Spray


Date Tested: 08/01/2016-11/01/2016


The sample consisted of 2 tubes of spray (8.5ml /tube) marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White BreathSpray Cool Mint 8.5ml	Total Aerobic Microbial Count (SCDA, 35°C/3 days)
Batch No: BC005 Expiry: Oct 2018	Not detected (<10 CFU/ml)

Notes: 1) CFU - Colony Forming Units
 2) SCDA - Soybean-Casein Digest Agar
 3) < - Less than


 Cheong Teck Geok
 Testing Officer


 Phang Ken Aun
 Manager
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd
 5004 Ang Mo Kio Ave 5
 #05-06 TechPlace II
 Singapore 569872.

/jaz