



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/0792/17

Company Name : Pearlie White Pte Ltd

Date Received : 03/02/2017 Date Reported: 06/02/2017

Sample Description : One sample of Mouth Rinse

Date Tested: 03/02/2017-06/02/2017

The sample consisted of a 250ml plastic bottle of mouth rinse marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White Chlor-Rinse Plus Antiseptic Mouth Rinse 250ml	Total Aerobic Microbial Count (Membrane Filtration Method) (SCDA, 35°C/3 days)
B/N: MC006 Expiry: Jan 2020	Not detected (<10 CFU/ml)

- Notes: 1) CFU - Colony Forming Units
2) SCDA - Soybean-Casein Digest Agar
3) < - Less than


Cheong Teck Geok
Assistant Chemist


Phang Ken Aun
Manager
ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd
5004 Ang Mo Kio Ave 5
#05-06 TechPlace II
Singapore 569872.

/jaz