



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/3721/17
Company Name : Pearlie White Pte Ltd
Date Received : 29/05/2017 Date Reported: 01/06/2017
Sample Description : One sample of Toothpaste
Date Tested: 29/05/2017-01/06/2017

The sample consisted of a 110g tube of toothpaste marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 39, the following result was obtained.

Pearlie White All Natural Antiplaque Toothpaste 110g	Total Aerobic Microbial Count (SCDA, 35°C/3 days)
B/N: NA 005 Expiry: MAY 2020	Not detected (<10 CFU/g)

Notes: 1) CFU - Colony Forming Units
2) SCDA - Soybean-Casein Digest Agar
3) < - Less than

Cheong Teck Geok
Assistant Chemist

Phang Ken Aun
Manager
ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd
5004 Ang Mo Kio Ave 5
#05-06 TechPlace II
Singapore 569872.

jaz