


ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD







REPORT

Lab No

: AC/MC/2700/13

Company Name

: Biocomm Private Limited

Date Received

: 18/04/2013

Date Reported: 22/04/2013

Sample Description

: One sample of toothpaste

Date Tested: 18/04/2013-21/04/2013

The sample consisted of a tube of toothpeate (130 grams/tube) marked as shown below.

On microbiological examination in accordance with the United States Pharmacopela 34, the following result was obtained:

Whiten	Pearlie White Advanced ing Fluoride Toothpaste (130	Total Aerobic Microbial Count (SCDA, 35°C/3 days)
	B/N: L 327 AW	Not detected (<10 CFU/g)

Notes: 1) CFU - Colony Forming Units 2) SCDA - Soybean-Casein Digest Agar

3) < -Less than

Phang Ken Aun Microbiologist Jonathan Goh

Manager

ANALYTICAL LABORATORIES (S) PTE. LTD.

Manufactured by Biocomm Private Limited 53 Ubi Ave 1 #05-55 Paya Ubi Industrial Park Singapore 408934. www.biocomm.sg

/Jaz

TEST REPORT: 7191059786-CHM13-01-LYP

Date:

10 MAY 2013

Tel: +65 68851346 Fax: +65 67732912

Client's Ref: PO#4500000593

Email: Yin-Pheng.LEONG@tuv-sud-psb.sg

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.



Choose certainty.
Add value.

SUBJECT

Microbiological Analysis of Toothpaste

CLIENT

Corlison Private Limited 7030 Ang Mo Kio Avenue 5 #06-36/39 Northstar@Amk Singapore 569880

Attn

: Mr. David Ong

SAMPLE COLLECTION DATE / TEST DATE

02 May 2013 / 02 May 2013

DESCRIPTION OF SAMPLE

1 sample of Toothpaste were submitted and labelled as below:

Sample Description	Batch No.	Expiry
Pearlie White Advanced Whitening Toothpaste with Fluoride 130g	L327	04/16

METHOD OF TEST

The United States Pharmacopeia, USP 35 (2012)

<61> Microbiological Examination Of Nonsterile Products: Microbial Enumeration Tests

<62> Microbiological Examination Of Nonsterile Products: Tests For Specified Microorganisms



Laboratory: TÜV SÜD PSB Pte. Ltd. Phone: +65-6885 1333 Fax: +65-6776 8670 Regional Head Office: TÜV SÜD Asia Pacific Pte. Ltd.

TEST REPORT: 7191059786-CHM13-01-LYP

10 MAY 2013



RESULTS

Test	PW Feed Specs	Total Aerobic Microbial Count, CFU/ml (TSA, 35°C 48 hrs)
Pearlie White Blanc Perfect Professional Whitening Fluoride Toothpaste 110g Batch No.: L327	<100	Not detected*

Notes:

CFU : Colony Forming Unit TSA: Tryptone Soya Agar

Lowest detection limit is 10 CFU/ml

Remarks:

The above test results relate to the sample as received.

MR RANDY CHIN KOK FEI

MICROBIOLOGIST

MRS KAM-LEONG YIN PHENG PRODUCT MANAGER MICROBIOLOGY

CHEMICAL & MATERIALS

TEST REPORT: 7191059786-CHM13-01-LYP



Please note that this Report is issued under the following terms:

- 1. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that TÜV SÜD PSB approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that TÜV SÜD PSB in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.
- The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. TÜV SÜD PSB therefore assumes no
 responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any information
 supplied.
- Nothing in this report shall be interpreted to mean that TÜV SÜD PSB has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
- This report shall not be reproduced wholly or in parts and no reference shall be made by the Client to TÜV SÜD PSB or to the report or results furnished by TÜV SÜD PSB in any advertisements or sales promotion.
- Unless otherwise stated, the tests were carried out in TÜV SÜD PSB Pte Ltd, No.1 Science Park Drive Singapore 118221.

July 2011