



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT


Lab No : AC/MC/2520/16
Company Name : Pearlie White Pte Ltd
Date Received : 09/04/2016 Date Reported: 12/04/2016
Sample Description : One sample of toothpaste
Date Tested: 09/04/2016-12/04/2016

The sample consisted of a 138g tube of toothpaste marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White The Real Red Anti-Cavity Fluoride Toothpaste 138g	Total Aerobic Microbial Count (SCDA, 35°C/3 days)
B/N: RR027 Expiry: Apr 2019	Not detected (<10 CFU/g)

Notes: 1) CFU - Colony Forming Units
2) SCDA - Soybean-Casein Digest Agar
3) < - Less than


Cheong Teck Geok
Testing Officer


Phang Ken Aun
Manager
ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd
5004 Ang Mo Kio Ave 5
#05-06 TechPlace II
Singapore 569872.

/jaz