



# ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing  
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg  
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



## REPORT

Lab No : AC/MC/4788/16

Company Name : Pearlie White Pte Ltd

Date Received : 09/07/2016 Date Reported: 12/07/2016

Sample Description : One sample of Toothpaste

Date Tested: 09/07/2016-12/07/2016


The sample consisted of a 138g tube of toothpaste marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White The Real Red Anti-Cavity Fluoride Toothpaste 138g	Total Aerobic Microbial Count (SCDA, 35°C/3 days)
B/N: RR029 Expiry: Jul 2019	Not detected (<10 CFU/g)

- Notes: 1) CFU - Colony Forming Units  
2) SCDA - Soybean-Casein Digest Agar  
3) < - Less than

  
Cheong Teck Geok  
Testing Officer

  
Phang Ken Aun  
Manager  
ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd  
5004 Ang Mo Kio Ave 5  
#05-06 TechPlace II  
Singapore 569872.

/jaz