



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing

8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg

CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/4788A/16

Company Name : Pearlie White Pte Ltd

Date Received : 09/07/2016 Date Reported: 12/07/2016

Sample Description : One sample of Toothpaste


Date Tested: 09/07/2016-12/07/2016


The sample consisted of a 138g tube of toothpaste marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

Pearlie White The Real Red Anti-Cavity Fluoride Toothpaste 138g	Total Aerobic Microbial Count (SCDA, 35°C/3 days)
B/N: RR030 Expiry: Jul 2019	Not detected (<10 CFU/g)

- Notes: 1) CFU - Colony Forming Units
 2) SCDA - Soybean-Casein Digest Agar
 3) < - Less than


 Cheong Teck Geok
 Testing Officer


 Phang Ken Aun
 Manager
 ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd
 5004 Ang Mo Kio Ave 5
 #05-06 TechPlace II
 Singapore 569872.

/jaz