



ANALYTICAL LABORATORIES (SINGAPORE) PTE LTD

Analytical Chemists; Environmental and Materials Testing
8 Kaki Bukit Place, Singapore 416186 Tel: 67460886 Fax: 67463830 Email: admin@analabs.com.sg
CO. REG NO. 197302347G GST REG NO. M2-0017430-5



REPORT

Lab No : AC/MC/4988/16

Company Name : Pearlie White Pte Ltd

Date Received : 19/07/2016 Date Reported: 22/07/2016

Sample Description : One sample of Toothpaste

Date Tested: 19/07/2016-22/07/2016

The sample consisted of 3 x 10g tubes of toothpaste marked as shown below.

On microbiological examination in accordance with the United States Pharmacopeia 38, the following result was obtained:

| Pearlie White The Real Red Anti-Cavity Fluoride Toothpaste 10g | Total Aerobic Microbial Count (SCDA, 35°C/3 days) |
|--|---|
| B/N: RR034 Expiry: Jul 2019 | Not detected (<10 CFU/g) |

- Notes: 1) CFU - Colony Forming Units
2) SCDA - Soybean-Casein Digest Agar
3) < - Less than

Cheong Teck Geok
Testing Officer

Phang Ken Aun
Manager

ANALYTICAL LABORATORIES (S) PTE. LTD.

Pearlie White Pte Ltd
5004 Ang Mo Kio Ave 5
#05-06 TechPlace II
Singapore 569872.

/jaz